PTKK
Chuuk Airport


-

PGUM
Guam Intl

2024/03/29 0615Z

PTKK TKK **R584** JUNIE **A597** OPLAR PGUM

551.45 nm / 1021.28 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PTKK APT	–	7.46191 151.84300	0 ft 0 m	–	Chuuk Airport
TKK NDB	–	7.45896 151.84200	0 ft 0 m	0	TRUK (WEENO ISLAND)
GUNSS FIX	R584 AWY-HI	10.73170 148.06500	35,000 ft 10,668 m	297	–
JUNIE FIX	R584 AWY-HI	11.54740 147.10800	35,000 ft 10,668 m	74	–
OPLAR FIX	A597 AWY-HI	12.39760 146.05700	21,100 ft 6,431 m	80	–
PGUM APT	–	13.48400 144.79700	0 ft 0 m	98	Guam Intl

PGUM

Region: USA (GUAM, NORTHERN MARIANA ISLANDS)
Timezone: PACIFIC/GUAM
Runways: 2
Elevation: 305 ft / 93 m
Location: 13.484000 144.797000
Magnetic Var: 0.318 E

METAR

PGUM 290554Z 09016G21KT 10SM SCT021 30/24 A2992 RMK AO2 SLP125 T03000239 10311 20278 56013

TAF

TAF PGUM 290533Z 2906/3012 10009KT P6SM VCSH FEW025 SCT080 TEMPO 2906/2909 10013G23KT FM292200 10012G22KT P6SM VC

Frequencies

REC - 119.00 MHz - ATIS
TWR - 118.10 MHz - AGANA TWR
GND - 121.90 MHz -
APP - 118.70 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	150 ft 46 m	12,020 ft 3,664 m	64.81 64.49	ASPHALT	1,014 ft 309 m	397 ft 121 m
24R	150 ft 46 m	12,020 ft 3,664 m	244.82 244.50	ASPHALT	0 ft 0 m	397 ft 121 m
06R	151 ft 46 m	10,019 ft 3,054 m	64.83 64.51	ASPHALT	0 ft 0 m	400 ft 122 m
24L	151 ft 46 m	10,019 ft 3,054 m	244.84 244.52	ASPHALT	1,010 ft 308 m	394 ft 120 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IGUM	110.30 MHz	18 nm 33 km	- -	-	317 ft 317 m
06R	DME	IAWD	110.90 MHz	18 nm 33 km	- -	-	298 ft 298 m
06L	LOC-ILS	IGUM	110.30 MHz	18 nm 33 km	64.81 64.49	-	305 ft 305 m
06R	LOC-ILS	IAWD	110.90 MHz	18 nm 33 km	64.82 64.50	-	305 ft 305 m
06L	GS	IGUM	110.30 MHz	10 nm 19 km	64.81 64.49	3.00	305 ft 305 m
06R	GS	IAWD	110.90 MHz	10 nm 19 km	64.82 64.50	3.00	305 ft 305 m