

SBCM

Criciuma Forquilha


SBPA

Salgado Filho Intl

2024/05/03 0733Z

SBCM JUICE SBPA

119.20 nm / 220.76 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBCM	-	-28.72580	0 ft	-	Criciuma Forquilha
APT	-	-49.42460	0 m		
JUICE	-	-29.48120	9,500 ft	74	-
FIX	-	-50.55330	2,896 m		
SBPA	-	-29.99460	0 ft	44	Salgado Filho Intl
APT	-	-51.17120	0 m		

SBPA

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 1

Elevation: 12 ft / 4 m
Location: -29.994600 -51.171200
Magnetic Var: 17.878 W

METAR

SBPA 030700Z 16007KT 4000 -DZ BR BKN009 OVC020 17/15 Q1012

TAF

TAF SBPA 030300Z 0306/0406 15005KT 3000 -RA BKN008 TN17/0309Z TX20/0317Z BECMG 0312/0314 14012KT 7000 NSW BKN015

Frequencies

REC - 132.35 MHz - ATIS	CLD - 122.15 MHz - SALGADO FILHO CLEARANCE
GND - 121.90 MHz - SALGADO FILHO GROUND	TWR - 118.10 MHz - SALGADO FILHO TOWER
APP - 119.00 MHz - PORTO ALEGRE APPROACH	APP - 120.10 MHz - PORTO ALEGRE APPROACH
APP - 120.55 MHz - PORTO ALEGRE APPROACH	APP - 128.90 MHz - PORTO ALEGRE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	7,478 ft	91.34	ASPHALT	0 ft	197 ft
	45 m	2,279 m	109.21		0 m	60 m
29	148 ft	7,478 ft	271.32	ASPHALT	0 ft	197 ft
	45 m	2,279 m	289.20		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IPA	110.30 MHz	18 nm	90.92	-	11 ft
				33 km	108.80		11 m
11	GS	IPA	110.30 MHz	10 nm	92.19	3.00	11 ft
				19 km	110.07		11 m