


2024/05/05 0800Z

SAWP DAKAX **T658** BIVIK SAVE

219.68 nm / 406.85 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAWP	-	-46.53830	0 ft	-	PERITO MORENO
APT	-	-70.97690	0 m		
DAKAX	-	-44.79690	24,500 ft	104	-
FIX	-	-70.75690	7,468 m		
BIVIK	T658	-43.39360	6,300 ft	84	-
FIX	AWY-LO	-71.01310	1,920 m		
SAVE	-	-42.90790	0 ft	29	Esquel
APT	-	-71.13930	0 m		

## SAVE

Region: ARGENTINA  
Timezone: AMERICA/ARGENTINA/CATAMARCA  
Runways: 2

Elevation: 2,623 ft / 799 m  
Location: -42.907900 -71.139300  
Magnetic Var: 6.942 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

GND - 118.10 MHz - ESQUEL GROUND

TWR - 118.80 MHz - ESQUEL TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	131 ft	7,846 ft	57.03	ASPHALT	0 ft	167 ft
	40 m	2,391 m	50.09		0 m	51 m
23	131 ft	7,846 ft	237.01	ASPHALT	0 ft	0 ft
	40 m	2,391 m	230.07		0 m	0 m
08	98 ft	4,357 ft	90.39	DIRT	0 ft	0 ft
	30 m	1,328 m	83.45		0 m	0 m
26	98 ft	4,357 ft	270.38	DIRT	0 ft	0 ft
	30 m	1,328 m	263.44		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	LOC-ILS	ES	109.70 MHz	18 nm	237.02	-	2,623 ft
				33 km	230.08		2,623 m
23	GS	ES	109.70 MHz	10 nm	237.02	3.00	2,623 ft
				19 km	230.08		2,623 m