

LEBL

Josep Tarradellas Barcelona-El Prat


GCLP

Gran Canaria-Las Palmas Intl

2024/06/06 1030Z

LEBL SEROX SANTI SARES ERMED RASEP TOMOS FI03L GCLP

1247.81 nm / 2310.94 km



Notes

Requested: LEBL SEROX SANTI SARES ERMED RASEP ENETO TOMOS FI03L GCLP

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LEBL	-	41.29510	0 ft	-		Josep Tarradellas Barcelona-El Prat
APT	-	2.08803	0 m			
SEROX	-	41.34670	0 ft	84	-	
FIX	-	0.21869	0 m			
SANTI	-	38.29080	0 ft	245	-	
FIX	-	-3.32417	0 m			
SARES	-	36.44360	0 ft	144	-	
FIX	-	-5.26472	0 m			
ERMED	-	33.01530	0 ft	316	-	
FIX	-	-10.13640	0 m			
RASEP	-	28.69420	0 ft	341	-	
FIX	-	-14.44670	0 m			
TOMOS	-	27.54750	0 ft	90	-	
FIX	-	-15.55330	0 m			
FI03L	-	27.78200	0 ft	15	-	
FIX	-	-15.45280	0 m			
GCLP	-	27.93160	0 ft	9		Gran Canaria-Las Palmas Intl
APT	-	-15.38560	0 m			

LEBL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 3

Elevation: 14 ft / 4 m
Location: 41.295100 2.088030
Magnetic Var: 1.550 E

METAR

LEBL 061000Z 23014KT CAVOK 25/16 Q1017 NOSIG

TAF

TAF LEBL 060500Z 0606/0706 33005KT 9999 FEW010 SCT015 TX26/0612Z TN18/0606Z BECMG 0606/0608 22010KT BECMG 0619/06

Frequencies

REC - 121.97 MHz - ATIS	REC - 118.65 MHz - ATIS
TWR - 118.32 MHz - BARCELONA TOWER	TWR - 118.10 MHz - BARCELONA TOWER
TWR - 122.82 MHz - BARCELONA TOWER	TWR - 122.10 MHz - BARCELONA TOWER
GND - 122.22 MHz - BARCELONA GROUND	GND - 121.70 MHz - BARCELONA GROUND
GND - 121.65 MHz - BARCELONA GROUND	CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 121.15 MHz - BARCELONA APPROACH	APP - 119.10 MHz - BARCELONA APPROACH
APP - 135.27 MHz - BARCELONA APPROACH	APP - 133.97 MHz - BARCELONA APPROACH
APP - 131.12 MHz - BARCELONA APPROACH	APP - 127.70 MHz - BARCELONA APPROACH
APP - 126.50 MHz - BARCELONA APPROACH	APP - 124.70 MHz - BARCELONA APPROACH
APP - 125.25 MHz - BARCELONA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	8,307 ft	18.91	ASPHALT	0 ft	0 ft
	45 m	2,532 m	17.36		0 m	0 m
20	148 ft	8,307 ft	198.92	ASPHALT	0 ft	226 ft
	45 m	2,532 m	197.37		0 m	69 m
07R	197 ft	8,722 ft	65.48	ASPHALT	0 ft	0 ft
	60 m	2,658 m	63.93		0 m	0 m
25L	197 ft	8,722 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	2,658 m	243.95		0 m	0 m
07L	197 ft	10,984 ft	65.48	ASPHALT	1,401 ft	0 ft
	60 m	3,348 m	63.93		427 m	0 m
25R	197 ft	10,984 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	3,348 m	243.96		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	BLT	108.75 MHz	25 nm	-	-	12 ft
				46 km	-		12 m
07L	DME	QAA	110.30 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
07R	DME	BLE	110.75 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25L	DME	BLW	111.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
25R	DME	BCA	109.50 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
02	LOC-ILS	BLT	108.75 MHz	18 nm	18.92	-	14 ft
				33 km	17.37		14 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	QAA	110.30 MHz	18 nm	65.50	-	14 ft
				33 km	63.95		14 m
07R	LOC-ILS	BLE	110.75 MHz	18 nm	65.50	-	14 ft
				33 km	63.95		14 m
25L	LOC-ILS	BLW	111.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.95		14 m
25R	LOC-ILS	BCA	109.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.95		14 m
02	GS	BLT	108.75 MHz	10 nm	18.92	3.00	14 ft
				19 km	17.37		14 m
07L	GS	QAA	110.30 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.95		14 m
07R	GS	BLE	110.75 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.95		14 m
25L	GS	BLW	111.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.95		14 m
25R	GS	BCA	109.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.95		14 m

GCLP

Region: CANARY ISLANDS
Timezone: ATLANTIC/CANARY
Runways: 2

Elevation: 78 ft / 24 m
Location: 27.931600 -15.385600
Magnetic Var: 3.941 W

METAR

GCLP 061000Z 10005KT 080V150 9999 FEW025 SCT040 22/18 Q1016 NOSIG

TAF

TAF GCLP 060800Z 0609/0709 09006KT 9999 BKN025 TX24/0614Z TN20/0706Z PROB40 TEMPO 0612/0622 DZ BKN014 BECMG 0613/

Frequencies

REC - 118.60 MHz - ATIS	GND - 121.70 MHz - GRAN CANARIA GROUND
TWR - 118.30 MHz - GRAN CANARIA TOWER	APP - 121.30 MHz - GRAN CANARIA APPROACH
APP - 124.30 MHz - GRAN CANARIA APPROACH	APP - 124.70 MHz - GRAN CANARIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,180 ft	21.32	ASPHALT	0 ft	656 ft
	45 m	3,103 m	25.26		0 m	200 m
21L	148 ft	10,180 ft	201.33	ASPHALT	0 ft	666 ft
	45 m	3,103 m	205.27		0 m	203 m
03L	148 ft	10,201 ft	21.35	ASPHALT	0 ft	656 ft
	45 m	3,109 m	25.29		0 m	200 m
21R	148 ft	10,201 ft	201.35	ASPHALT	0 ft	738 ft
	45 m	3,109 m	205.30		0 m	225 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	ILP	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
21R	DME	RLP	110.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
03L	LOC-ILS	ILP	109.90 MHz	18 nm	21.33	-	77 ft
				33 km	25.27		77 m
21R	LOC-ILS	RLP	110.70 MHz	18 nm	201.32	-	77 ft
				33 km	205.27		77 m
03L	GS	ILP	109.90 MHz	10 nm	21.66	3.00	102 ft
				19 km	25.61		102 m
21R	GS	RLP	110.70 MHz	10 nm	201.66	3.00	77 ft
				19 km	205.61		77 m