


2024/05/05 2053Z

LFRK LY403 LFL

305.37 nm / 565.55 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFRK	-	49.17092	0 ft	-	-
APT	-	-0.45447	0 m	-	-
LY403	-	45.84758	0 ft	294	-
FIX	-	4.89289	0 m	-	-
LFLL	-	45.73499	0 ft	10	Lyon Saint Exupery
APT	-	5.09188	0 m	-	-

LFRK

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 256 ft / 78 m
Location: 49.176300 -0.451725
Magnetic Var: 0.563 E

METAR

LFRK 052030Z AUTO 18005KT 6000 -RA FEW016/// BKN054/// BKN064/// ///TCU 13/12 Q1006

TAF

UNKNOWN

Frequencies

TWR - 134.52 MHz - CAEN TOWER
REC - 120.05 MHz - CAEN ATIS

APP - 120.35 MHz - DEAUVILLE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	99 ft	3,880 ft	51.94	ASPHALT	0 ft	0 ft
	30 m	1,183 m	51.38		0 m	0 m
23	99 ft	3,880 ft	231.95	ASPHALT	0 ft	0 ft
	30 m	1,183 m	231.39		0 m	0 m
05L	164 ft	2,129 ft	51.97	GRASS	0 ft	0 ft
	50 m	649 m	51.41		0 m	0 m
23R	164 ft	2,129 ft	231.98	GRASS	0 ft	0 ft
	50 m	649 m	231.42		0 m	0 m
13L	164 ft	2,693 ft	125.37	GRASS	0 ft	0 ft
	50 m	821 m	124.81		0 m	0 m
31R	164 ft	2,693 ft	305.38	GRASS	0 ft	0 ft
	50 m	821 m	304.81		0 m	0 m
13	148 ft	6,239 ft	125.34	ASPHALT	984 ft	0 ft
	45 m	1,902 m	124.78		300 m	0 m
31	148 ft	6,239 ft	305.36	ASPHALT	0 ft	0 ft
	45 m	1,902 m	304.79		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	DME	CN	110.95 MHz	18 nm	-	-	233 ft
				33 km	-		233 m
31	LOC-ILS	CN	110.95 MHz	18 nm	305.35	-	256 ft
				33 km	304.79		256 m
31	GS	CN	110.95 MHz	10 nm	305.35	3.00	256 ft
				19 km	304.79		256 m

LFL

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 817 ft / 249 m
Location: 45.725800 5.090730
Magnetic Var: 2.257 E

METAR

LFL 052030Z 20018KT CAVOK 18/07 Q1009 TEMPO 21015G30KT SHRA FEW050CB

TAF

TAF AMD LFL 051941Z 0519/0624 19013KT CAVOK TEMPO 0519/0521 21020G30KT PROB40 TEMPO 0521/0524 20015G30KT 4000 SH

Frequencies

REC - 126.17 MHz - SAINT EXUPERY ATIS	CLD - 121.65 MHz - SAINT EXUPERY DELIVERY
GND - 121.82 MHz - SAINT EXUPERY GROUND	TWR - 120.45 MHz - SAINT EXUPERY TOWER
APP - 120.22 MHz - LYON APPROACH	APP - 125.42 MHz - LYON APPROACH
APP - 125.80 MHz - LYON APPROACH	APP - 133.15 MHz - LYON APPROACH
APP - 136.07 MHz - LYON APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	145 ft	13,135 ft	175.14	ASPHALT	0 ft	190 ft
	44 m	4,003 m	172.89		0 m	58 m
35L	145 ft	13,135 ft	355.14	ASPHALT	0 ft	184 ft
	44 m	4,003 m	352.89		0 m	56 m
17L	148 ft	8,766 ft	175.14	ASPHALT	0 ft	59 ft
	45 m	2,672 m	172.88		0 m	18 m
35R	148 ft	8,766 ft	355.14	ASPHALT	0 ft	62 ft
	45 m	2,672 m	352.89		0 m	19 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	LSS	109.10 MHz	18 nm	-	-	775 ft
				33 km	-		775 m
35L	DME	SAN	110.75 MHz	18 nm	-	-	810 ft
				33 km	-		810 m
35R	DME	LSN	111.50 MHz	18 nm	-	-	812 ft
				33 km	-		812 m
17L	LOC-ILS	LSS	109.10 MHz	18 nm	175.14	-	818 ft
				33 km	172.88		818 m
35L	LOC-ILS	SAN	110.75 MHz	18 nm	355.15	-	818 ft
				33 km	352.89		818 m
35R	LOC-ILS	LSN	111.50 MHz	18 nm	355.14	-	818 ft
				33 km	352.88		818 m
17L	GS	LSS	109.10 MHz	10 nm	175.14	3.00	818 ft
				19 km	172.88		818 m
35L	GS	SAN	110.75 MHz	10 nm	355.15	3.00	818 ft
				19 km	352.89		818 m
35R	GS	LSN	111.50 MHz	10 nm	355.14	3.00	818 ft
				19 km	352.88		818 m