


2024/05/07 1124Z

KHJO PIXEY EHF **V23** MZB KMYF

256.71 nm / 475.43 km



Notes

Requested: KHJO PIXEY EHF V23 MZB KMYF

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KHJO APT	-	36.31670 -119.62800	0 ft 0 m	-	HANFORD MUNI
PIXEY FIX	-	36.09350 -119.40600	0 ft 0 m	17	-
EHF VOR	-	35.48460 -119.09700	0 ft 0 m	39	SHAFTER (BAKERSFIELD)
LAMPE FIX	V23 AWY-LO	35.20260 -118.99900	0 ft 0 m	17	-
NINTY FIX	V23 AWY-LO	35.04720 -118.94500	0 ft 0 m	9	-
GRAPE FIX	V23 AWY-LO	34.96570 -118.91700	0 ft 0 m	5	-
GMN VOR	V23 AWY-LO	34.80400 -118.86100	0 ft 0 m	10	GORMAN
CASTA FIX	V23 AWY-LO	34.53280 -118.72700	0 ft 0 m	17	-
TWINE FIX	V23 AWY-LO	34.30970 -118.61600	0 ft 0 m	14	-
CHATY FIX	V23 AWY-LO	34.24240 -118.58300	0 ft 0 m	4	-
LAX VOR	V23 AWY-LO	33.93320 -118.43200	0 ft 0 m	20	LOS ANGELES
HERMO FIX	V23 AWY-LO	33.85900 -118.35300	0 ft 0 m	5	-
POPPR FIX	V23 AWY-LO	33.84270 -118.28800	0 ft 0 m	3	-
SLI VOR	V23 AWY-LO	33.78330 -118.05500	0 ft 0 m	12	SEAL BEACH (LOS ALAMITOS)
MIDDS FIX	V23 AWY-LO	33.67420 -117.92600	0 ft 0 m	9	-
BALBO FIX	V23 AWY-LO	33.60050 -117.83900	0 ft 0 m	6	-
KRAUZ FIX	V23 AWY-LO	33.54710 -117.77600	0 ft 0 m	4	-
DANAH FIX	V23 AWY-LO	33.48100 -117.69800	0 ft 0 m	5	-
KELPS FIX	V23 AWY-LO	33.32420 -117.51500	0 ft 0 m	13	-
OCN VOR	V23 AWY-LO	33.24060 -117.41800	0 ft 0 m	6	OCEANSIDE
HURSI FIX	V23 AWY-LO	33.17040 -117.38800	0 ft 0 m	4	-
CARIF FIX	V23 AWY-LO	33.03860 -117.33300	0 ft 0 m	8	-
MZB VOR	V23 AWY-LO	32.78220 -117.22500	0 ft 0 m	16	MISSION BAY (SAN DIEGO)
KMYF APT	-	32.81580 -117.14000	0 ft 0 m	4	Montgomery Fld

KMYF

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 3

Elevation: 425 ft / 130 m
Location: 32.815800 -117.140000
Magnetic Var: 10.974 E

METAR

KMYF 071053Z AUTO 00000KT 10SM CLR 12/09 A2993 RMK A02 SLP132 T01220089

TAF

UNKNOWN

Frequencies

REC - 126.90 MHz - ATIS	COM - 122.95 MHz - MONTGOMERY UNICOM
CLD - 123.72 MHz - CLEARANCE DELIVERY	GND - 118.22 MHz - MONTGOMERY GROUND
TWR - 119.20 MHz - MONTGOMERY TOWER	TWR - 125.70 MHz - MONTGOMERY TOWER
APP - 124.35 MHz - SOCAL APPROACH	DEP - 119.60 MHz - SOCAL DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	75 ft	3,400 ft	64.93	ASPHALT	390 ft	0 ft
	23 m	1,036 m	53.96		119 m	0 m
23	75 ft	3,400 ft	244.94	ASPHALT	0 ft	0 ft
	23 m	1,036 m	233.97		0 m	0 m
10R	60 ft	3,402 ft	115.08	ASPHALT	0 ft	0 ft
	18 m	1,037 m	104.11		0 m	0 m
28L	60 ft	3,402 ft	295.09	ASPHALT	0 ft	98 ft
	18 m	1,037 m	284.11		0 m	30 m
10L	150 ft	4,598 ft	115.09	ASPHALT	0 ft	0 ft
	46 m	1,402 m	104.12		0 m	0 m
28R	150 ft	4,598 ft	295.10	ASPHALT	1,197 ft	0 ft
	46 m	1,402 m	284.13		365 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28R	DME	IMYF	111.70 MHz	18 nm	-	-	428 ft
				33 km	-		428 m
28R	LOC-ILS	IMYF	111.95 MHz	18 nm	295.10	-	427 ft
				33 km	284.13		427 m
28R	GS	IMYF	111.95 MHz	10 nm	295.10	3.00	427 ft
				19 km	284.13		427 m