

OMDB
Dubai Intl


—

EDDT
Berlin-Tegel "Otto Lilienthal"

2024/05/18 0052Z

OMDB DAVMO GABKO **N440** RADEB **M317** ROTAL PEKAM **Z1** TBZ DASIS ODERO **L621** REVDA **P193** KARIL KENIN LENOV
L619 NUDRO **T710** VAGON **T205** NUKRO EDDT

2637.01 nm / 4883.74 km



Notes

Requested: OMDB DAVMO M318 GABKO N440 RADEB M317 ROTAL UP574 PEKAM Z1 TBZ UR660 DASIS UL746 ODERO L621 REVDA P193 K

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25110	0 ft	-	Dubai Intl
APT	-	55.37110	0 m		
DAVMO	-	25.85750	0 ft	39	-
FIX	-	55.65000	0 m		
GABKO	-	26.06780	0 ft	14	-
FIX	-	55.79860	0 m		
RADEB	N440	26.19440	0 ft	7	-
FIX	AWY-HI	55.78860	0 m		
NANPA	M317	26.38360	0 ft	18	-
FIX	AWY-HI	55.52670	0 m		
SERDU	M317	26.78750	0 ft	38	-
FIX	AWY-HI	54.96580	0 m		
ROTAL	M317	27.54470	0 ft	73	-
FIX	AWY-HI	53.88890	0 m		
PEKAM	-	33.48440	0 ft	386	-
FIX	-	51.02170	0 m		
DEKBA	Z1	34.36250	0 ft	68	-
FIX	AWY-HI	50.14220	0 m		
DAXIL	Z1	34.85970	0 ft	40	-
FIX	AWY-HI	49.58170	0 m		
AMBEX	Z1	37.06560	0 ft	170	-
FIX	AWY-HI	47.36190	0 m		
SISIL	Z1	37.57830	0 ft	40	-
FIX	AWY-HI	46.82280	0 m		
TBZ	Z1	38.13910	0 ft	43	TABRIZ VORTAC
DME	AWY-HI	46.23090	0 m		
DASIS	-	38.90860	0 ft	105	-
FIX	-	44.20810	0 m		
ODERO	-	42.61060	0 ft	671	-
FIX	-	30.26440	0 m		
REVDA	L621	43.73330	0 ft	83	-
FIX	AWY-HI	29.14330	0 m		
CND	P193	44.28560	0 ft	43	CONSTANTA
VOR	AWY-HI	28.47830	0 m		
URELA	P193	45.49670	0 ft	109	-
FIX	AWY-HI	26.56110	0 m		
KARIL	P193	47.79390	0 ft	218	-
FIX	AWY-HI	22.44220	0 m		
KENIN	-	48.36170	0 ft	39	-
FIX	-	21.92720	0 m		
LENOV	-	49.33640	0 ft	68	-
FIX	-	21.01030	0 m		
SUDOL	L619	50.65330	0 ft	127	-
FIX	AWY-HI	18.41170	0 m		
NUDRO	L619	51.16530	0 ft	51	-
FIX	AWY-HI	17.32560	0 m		
VAGON	T710	51.30810	0 ft	11	-
FIX	AWY-HI	17.11440	0 m		
SOVAM	T205	51.44030	0 ft	16	-
FIX	AWY-HI	16.71440	0 m		
DIMEX	T205	51.63060	0 ft	24	-
FIX	AWY-HI	16.12860	0 m		
LOLKO	T205	51.69250	0 ft	8	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	15.93500	0 m		
EVGAG	T205	51.90640	0 ft	28	-
FIX	AWY-HI	15.25250	0 m		
GOVEN	T205	52.05830	0 ft	20	-
FIX	AWY-HI	14.75560	0 m		
NUKRO	T205	52.04760	0 ft	12	-
FIX	AWY-HI	14.41650	0 m		
EDDT	-	52.55910	0 ft	51	Berlin-Tegel "Otto Lilienthal"
APT	-	13.29020	0 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.353 E

METAR

OMDB 180000Z 12005KT CAVOK 32/12 Q1005 NOSIG

TAF

TAF OMDB 172300Z 1800/1906 16005KT CAVOK BECMG 1806/1808 30012KT BECMG 1818/1820 21005KT BECMG 1904/1906 27012KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

EDDT

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 122 ft / 37 m
Location: 52.559100 13.290200
Magnetic Var: 4.615 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 125.90 MHz - ATIS
TWR - 118.85 MHz - TEGEL TOWER
GND - 121.75 MHz - TEGEL GROUND
CLD - 121.92 MHz - CLEARANCE DELIVERY
APP - 119.60 MHz - BREMEN RADAR
APP - 126.42 MHz - BREMEN RADAR

REC - 112.30 MHz - ATIS
TWR - 124.52 MHz - TEGEL TOWER
GND - 136.00 MHz - TEGEL GROUND
APP - 120.60 MHz - BREMEN RADAR
APP - 119.50 MHz - BREMEN RADAR
APP - 136.10 MHz - BERLIN DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	151 ft	9,888 ft	80.82	ASPHALT	0 ft	217 ft
	46 m	3,014 m	76.21		0 m	66 m
26R	151 ft	9,888 ft	260.86	ASPHALT	0 ft	230 ft
	46 m	3,014 m	256.24		0 m	70 m
08R	151 ft	7,907 ft	80.84	ASPHALT	325 ft	164 ft
	46 m	2,410 m	76.22		99 m	50 m
26L	151 ft	7,907 ft	260.87	ASPHALT	686 ft	233 ft
	46 m	2,410 m	256.25		209 m	71 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ITLE	109.10 MHz	18 nm	80.84	-	122 ft
				33 km	76.23		122 m
08R	LOC-ILS	ITGE	108.50 MHz	18 nm	80.85	-	122 ft
				33 km	76.24		122 m
26L	LOC-ILS	ITGW	109.30 MHz	18 nm	260.85	-	122 ft
				33 km	256.24		122 m
26R	LOC-ILS	ITLW	110.10 MHz	18 nm	260.84	-	122 ft
				33 km	256.23		122 m
08L	GS	ITLE	109.10 MHz	10 nm	80.84	3.00	122 ft
				19 km	76.23		122 m
08R	GS	ITGE	108.50 MHz	10 nm	80.85	3.00	122 ft
				19 km	76.24		122 m
26L	GS	ITGW	109.30 MHz	10 nm	260.85	3.00	122 ft
				19 km	256.24		122 m
26R	GS	ITLW	110.10 MHz	10 nm	260.84	3.00	122 ft
				19 km	256.23		122 m