

LELN

Leon - Virgen del Camino


LFMP

Rivesaltes

2024/04/28 0342Z

LELN AMGAR **W71** VRA **W600** PPN **UN976** LATEK SOVAR PERDU ANETO LFMP

381.38 nm / 706.31 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LELN	-	42.59190	0 ft	-	Leon - Virgen del Camino
APT	-	-5.65437	0 m	-	
AMGAR	-	42.55510	35,000 ft	106	-
FIX	-	-3.25333	10,668 m	-	
VRA	W71	42.73190	35,000 ft	20	VITORIA
VOR	AWY-LO	-2.86558	10,668 m	-	
KUDEX	W600	42.73430	35,000 ft	29	-
FIX	AWY-LO	-2.19306	10,668 m	-	
PPN	W600	42.73370	35,000 ft	21	PAMPLONA
VOR	AWY-LO	-1.70200	10,668 m	-	
LATEK	UN976	42.87500	33,600 ft	46	-
FIX	AWY-HI	-0.65694	10,241 m	-	
SOVAR	-	42.78810	29,500 ft	18	-
FIX	-	-0.24453	8,992 m	-	
PERDU	-	42.73210	25,700 ft	17	-
FIX	-	0.15119	7,833 m	-	
ANETO	-	42.69300	21,800 ft	18	-
FIX	-	0.55844	6,645 m	-	
LFMP	-	42.74020	0 ft	102	Rivesaltes
APT	-	2.87079	0 m	-	

LELN

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 3,006 ft / 916 m
Location: 42.591900 -5.654380
Magnetic Var: 0.622 W

METAR

LELN 280330Z AUTO 34001KT 9000 FEW039 01/M00 Q1008

TAF

TAF LELN 280200Z 2803/2903 VRB05KT 9999 FEW045 TX11/2815Z TNM00/2806Z PROB30 TEMPO 2809/2821 4000 SHRA SCT020TCU

Frequencies

TWR - 122.10 MHz - LEON TOWER

APP - 122.10 MHz - LEON APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	9,850 ft	45.23	ASPHALT	0 ft	187 ft
	45 m	3,002 m	45.86		0 m	57 m
23	148 ft	9,850 ft	225.25	ASPHALT	0 ft	190 ft
	45 m	3,002 m	225.87		0 m	58 m
06	328 ft	3,395 ft	59.75	DIRT	0 ft	0 ft
	100 m	1,035 m	60.37		0 m	0 m
24	328 ft	3,395 ft	239.75	DIRT	0 ft	0 ft
	100 m	1,035 m	240.38		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	LOC-ILS	ILE	109.50 MHz	18 nm	225.22	-	3,006 ft
				33 km	225.85		3,006 m
23	GS	ILE	109.50 MHz	10 nm	225.47	3.00	3,026 ft
				19 km	226.09		3,026 m

LFMP

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 143 ft / 44 m
Location: 42.740200 2.870790
Magnetic Var: 1.724 E

METAR

LFMP 280330Z AUTO 23005KT 200V270 9999 FEW029 SCT035 BKN100 13/10 Q1009 BECMG BKN010 FEW030CB BKN030

TAF

TAF TAF LFMP 280200Z 2803/2903 VRB05KT 9999 FEW008 BKN100 BECMG 2805/2807 BKN010 FEW030CB BKN030 OVC070 TEMPO 281

Frequencies

REC - 127.87 MHz - LFMP ATIS
APP - 120.75 MHz - PERPIGNAN APP

TWR - 118.30 MHz - PERPIGNAN TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	8,296 ft	148.79	ASPHALT	0 ft	230 ft
	45 m	2,529 m	147.07		0 m	70 m
33	148 ft	8,296 ft	328.80	ASPHALT	558 ft	230 ft
	45 m	2,529 m	327.08		170 m	70 m
13	66 ft	3,635 ft	129.20	ASPHALT	0 ft	528 ft
	20 m	1,108 m	127.47		0 m	161 m
31	66 ft	3,635 ft	309.21	ASPHALT	0 ft	0 ft
	20 m	1,108 m	307.48		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	DME	PL	111.75 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
33	LOC-ILS	PL	111.75 MHz	18 nm	328.30	-	124 ft
				33 km	326.57		124 m
33	GS	PL	111.75 MHz	10 nm	328.77	3.00	124 ft
				19 km	327.05		124 m