


2024/06/05 1253Z

EGSS ELDER **UR84** ORTAC **UN866** STG **A5** PRT LPPR

743.70 nm / 1377.33 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGSS APT	-	51.88510 0.23496	0 ft 0 m	-	London Stansted
ELDER FIX	-	50.65580 -1.32855	32,600 ft 9,936 m	94	-
ORTAC FIX	UR84 AWY-HI	49.99917 -2.00500	34,000 ft 10,363 m	47	-
LAGUL FIX	UN866 AWY-HI	49.43722 -2.60361	34,000 ft 10,363 m	40	-
LARSI FIX	UN866 AWY-HI	48.51639 -3.59167	34,000 ft 10,363 m	67	-
QPR VOR	UN866 AWY-HI	47.95728 -4.18472	34,000 ft 10,363 m	41	QUIMPER PLUGUFFAN VOR-DME
KEREB FIX	UN866 AWY-HI	47.59139 -4.52472	34,000 ft 10,363 m	25	-
COQUE FIX	UN866 AWY-HI	47.07917 -4.99056	34,000 ft 10,363 m	36	-
KOLEK FIX	UN866 AWY-HI	46.61278 -5.40806	34,000 ft 10,363 m	32	-
KORUL FIX	UN866 AWY-HI	44.83523 -6.91973	34,000 ft 10,363 m	124	-
STG VOR	UN866 AWY-HI	42.92687 -8.42539	24,500 ft 7,468 m	131	SANTIAGO VOR-DME
TURON FIX	A5 AWY-LO	42.06792 -8.56342	10,600 ft 3,231 m	51	-
RELVA FIX	A5 AWY-LO	41.85278 -8.59750	9,500 ft 2,896 m	13	-
PRT VOR	A5 AWY-LO	41.27300 -8.68783	9,500 ft 2,896 m	35	PORTO VOR-DME
LPPR APT	-	41.24793 -8.68122	0 ft 0 m	1	Porto

## EGSS

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 1

Elevation: 348 ft / 106 m  
Location: 51.885100 0.234989  
Magnetic Var: 0.588 E

## METAR

EGSS 051220Z 26012KT 230V290 CAVOK 15/05 Q1014

## TAF

TAF EGSS 051059Z 0512/0618 26008KT 9999 FEW038 PROB30 TEMPO 0606/0610 8000 SHRA

## Frequencies

DEP - 120.62 MHz - ESSEX RADAR	APP - 120.62 MHz - ESSEX RADAR
APP - 132.05 MHz - STANSTED APPROACH	CLD - 121.95 MHz - STANSTED CLEARANCE DELIVERY
GND - 121.72 MHz - STANSTED GROUND	TWR - 123.80 MHz - STANSTED TOWER
TWR - 125.55 MHz - STANSTED TOWER	APP - 136.20 MHz - STANSTED DIRECT
REC - 114.55 MHz - ATIS	REC - 127.17 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	9,984 ft	42.78	ASPHALT	974 ft	0 ft
	46 m	3,043 m	42.20		297 m	0 m
22	151 ft	9,984 ft	222.81	ASPHALT	0 ft	0 ft
	46 m	3,043 m	222.22		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	ISED	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
22	DME	ISX	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
04	LOC-ILS	ISED	110.50 MHz	18 nm	42.80	-	348 ft
				33 km	42.21		348 m
22	LOC-ILS	ISX	110.50 MHz	18 nm	222.80	-	348 ft
				33 km	222.21		348 m
04	GS	ISED	110.50 MHz	10 nm	42.80	3.00	348 ft
				19 km	42.21		348 m
22	GS	ISX	110.50 MHz	10 nm	222.80	3.00	348 ft
				19 km	222.21		348 m

## LPPR

Region: PORTUGAL  
Timezone: EUROPE/LISBON  
Runways: 1

Elevation: 227 ft / 69 m  
Location: 41.247900 -8.681220  
Magnetic Var: 1.504 W

## METAR

LPPR 051230Z VRB02KT 9999 BKN025 21/14 Q1016

## TAF

TAF TAF LPPR 051100Z 0512/0612 28008KT 9999 BKN025 BECMG 0516/0518 31005KT BKN018 BECMG 0600/0602 VRB02KT 5000 BR

## Frequencies

REC - 124.30 MHz - PORTO ATIS  
APP - 121.10 MHz - PORTO APPROACH

TWR - 118.00 MHz - PORTO TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	11,428 ft	168.84	ASPHALT	978 ft	0 ft
	45 m	3,483 m	170.35		298 m	0 m
35	148 ft	11,428 ft	348.85	ASPHALT	492 ft	0 ft
	45 m	3,483 m	350.35		150 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	PR	109.90 MHz	18 nm	-	-	228 ft
				33 km	-		228 m
17	LOC-ILS	PR	109.90 MHz	18 nm	168.87	-	228 ft
				33 km	170.37		228 m
17	GS	PR	109.90 MHz	10 nm	169.77	2.72	228 ft
				19 km	171.27		228 m