


2024/06/07 0352Z

SBCC TAROP **UZ6** BRS **UA317** TOKIM SBGL

1089.91 nm / 2018.51 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBCC	-	-9.33394	0 ft	-	CACHIMBO
APT	-	-54.96542	0 m		
TAROP	-	-9.03200	9,500 ft	26	-
FIX	-	-54.63267	2,896 m		
ISTAR	UZ6	-10.33600	35,000 ft	105	-
FIX	AWY-HI	-53.44200	10,668 m		
NABOL	UZ6	-10.56117	35,000 ft	19	-
FIX	AWY-HI	-53.19600	10,668 m		
TERES	UZ6	-12.47567	35,000 ft	157	-
FIX	AWY-HI	-51.36817	10,668 m		
BRS	UZ6	-15.87375	35,000 ft	282	BRASILIA VOR-DME
VOR	AWY-HI	-48.02136	10,668 m		
CROWD	UA317	-18.21483	35,000 ft	163	-
FIX	AWY-HI	-46.56783	10,668 m		
KUNOS	UA317	-18.66833	35,000 ft	31	-
FIX	AWY-HI	-46.29300	10,668 m		
UNIDO	UA317	-19.21117	35,000 ft	37	-
FIX	AWY-HI	-45.95033	10,668 m		
MAVIK	UA317	-20.52833	35,000 ft	92	-
FIX	AWY-HI	-45.10650	10,668 m		
SORAI	UA317	-20.76700	33,400 ft	16	-
FIX	AWY-HI	-44.95167	10,180 m		
ARENA	UA317	-21.02667	29,500 ft	18	-
FIX	AWY-HI	-44.78250	8,992 m		
TOKIM	UA317	-21.92450	15,000 ft	63	-
FIX	AWY-HI	-44.19267	4,572 m		
SBGL	-	-22.80894	0 ft	74	Galeao Antonio Carlos Jombim
APT	-	-43.24368	0 m		

SBCC

Region: BRAZIL
Timezone: AMERICA/SANTAREM
Runways: 1

Elevation: 1,764 ft / 538 m
Location: -9.333740 -54.965300
Magnetic Var: 19.251 W

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

COM - 125.90 MHz - CACHIMBO RADIO

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	8,522 ft	101.80	ASPHALT	0 ft	0 ft
	45 m	2,598 m	121.05		0 m	0 m
30	148 ft	8,522 ft	281.79	ASPHALT	0 ft	0 ft
	45 m	2,598 m	301.04		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	ICC	109.70 MHz	18 nm	101.79	-	1,764 ft
				33 km	121.04		1,764 m
12	GS	ICC	109.70 MHz	10 nm	101.79	3.00	1,764 ft
				19 km	121.04		1,764 m

SBGL

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 28 ft / 9 m
Location: -22.808900 -43.243800
Magnetic Var: 23.429 W

METAR

SBGL 070300Z 35003KT 5000 BR NSC 21/19 Q1021

TAF

TAF SBGL 062002Z 0700/0806 13007KT 9999 SCT020 TN17/0709Z TX28/0717Z BECMG 0703/0705 31005KT TEMPO 0706/0712 3500

Frequencies

REC - 127.60 MHz - ATIS	CLD - 121.00 MHz - GALEAO CLEARANCE
CLD - 135.10 MHz - GALEAO CLEARANCE	GND - 121.65 MHz - GALEAO GROUND
GND - 128.35 MHz - GALEAO GROUND	TWR - 118.00 MHz - GALEAO TOWER
TWR - 118.20 MHz - GALEAO TOWER	APP - 129.80 MHz - RIO APPROACH
APP - 125.95 MHz - RIO APPROACH	APP - 128.90 MHz - RIO APPROACH
APP - 119.35 MHz - RIO APPROACH	COM - 122.80 MHz - GALEAO UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	13,136 ft	74.40	CONCRETE	0 ft	0 ft
	45 m	4,004 m	97.83		0 m	0 m
28	148 ft	13,136 ft	254.38	CONCRETE	0 ft	174 ft
	45 m	4,004 m	277.81		0 m	53 m
15	154 ft	10,426 ft	125.65	ASPHALT	0 ft	184 ft
	47 m	3,178 m	149.08		0 m	56 m
33	154 ft	10,426 ft	305.64	ASPHALT	0 ft	184 ft
	47 m	3,178 m	329.07		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IGL	110.30 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28	DME	ILM	111.50 MHz	18 nm	-	-	28 ft
				33 km	-		28 m
10	LOC-ILS	ITB	109.30 MHz	18 nm	74.39	-	28 ft
				33 km	97.82		28 m
15	LOC-ILS	IGL	110.30 MHz	18 nm	125.65	-	28 ft
				33 km	149.08		28 m
28	LOC-ILS	ILM	111.50 MHz	18 nm	254.39	-	28 ft
				33 km	277.82		28 m
10	GS	ITB	109.30 MHz	10 nm	74.39	3.00	28 ft
				19 km	97.82		28 m
15	GS	IGL	110.30 MHz	10 nm	125.65	3.00	28 ft
				19 km	149.08		28 m
28	GS	ILM	111.50 MHz	10 nm	254.39	2.94	28 ft
				19 km	277.82		28 m