


2024/06/07 0353Z

SBCC MABKI **UZ6** IRULI SBAN

564.04 nm / 1044.60 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBCC	-	-9.33394	0 ft	-	CACHIMBO
APT	-	-54.96540	0 m		
MABKI	-	-9.87050	26,200 ft	73	-
FIX	-	-53.84720	7,986 m		
SIPOT	UZ6	-11.53720	35,000 ft	136	-
FIX	AWY-HI	-52.27280	10,668 m		
TERES	UZ6	-12.47570	35,000 ft	77	-
FIX	AWY-HI	-51.36820	10,668 m		
TELED	UZ6	-13.53250	35,000 ft	86	-
FIX	AWY-HI	-50.35280	10,668 m		
IRULI	UZ6	-14.65330	20,500 ft	93	-
FIX	AWY-HI	-49.24020	6,248 m		
SBAN	-	-16.22930	0 ft	95	Anapolis Air Base
APT	-	-48.96430	0 m		

SBCC

Region: BRAZIL
Timezone: AMERICA/SANTAREM
Runways: 1

Elevation: 1,764 ft / 538 m
Location: -9.333740 -54.965300
Magnetic Var: 19.251 W

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

COM - 125.90 MHz - CACHIMBO RADIO

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	8,522 ft	101.80	ASPHALT	0 ft	0 ft
	45 m	2,598 m	121.05		0 m	0 m
30	148 ft	8,522 ft	281.79	ASPHALT	0 ft	0 ft
	45 m	2,598 m	301.04		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	ICC	109.70 MHz	18 nm	101.79	-	1,764 ft
				33 km	121.04		1,764 m
12	GS	ICC	109.70 MHz	10 nm	101.79	3.00	1,764 ft
				19 km	121.04		1,764 m

SBAN

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 3,732 ft / 1,138 m
Location: -16.229300 -48.964300
Magnetic Var: 21.855 W

METAR

SBAN 070300Z 11007KT CAVOK 18/14 Q1024

TAF

TAF TAF SBAN 062100Z 0700/0712 11009KT 9999 SCT040 TN16/0708Z TX20/0712Z BECMG 0702/0704 10004KT CAVOK BECMG 0708

Frequencies

GND - 121.90 MHz - ANAPOLIS GROUND
TWR - 121.25 MHz - ANAPOLIS TOWER
APP - 120.55 MHz - ANAPOLIS APPROACH
APP - 133.00 MHz - ANAPOLIS APPROACH
TWR - 118.30 MHz - ANAPOLIS TOWER
APP - 119.15 MHz - ANAPOLIS APPROACH
APP - 120.45 MHz - ANAPOLIS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	148 ft	10,855 ft	38.92	ASPHALT	0 ft	1,152 ft
	45 m	3,309 m	60.78		0 m	351 m
24R	148 ft	10,855 ft	218.92	ASPHALT	0 ft	1,142 ft
	45 m	3,309 m	240.77		0 m	348 m
06R	75 ft	7,375 ft	39.00	ASPHALT	0 ft	0 ft
	23 m	2,248 m	60.86		0 m	0 m
24L	75 ft	7,375 ft	219.00	ASPHALT	0 ft	0 ft
	23 m	2,248 m	240.85		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	LOC-ILS	IAN	111.10 MHz	18 nm	218.92	-	3,732 ft
				33 km	240.77		3,732 m
24R	GS	IAN	111.10 MHz	10 nm	218.92	2.60	3,732 ft
				19 km	240.77		3,732 m