


2024/06/07 0635Z

RCTP BESTO **B576** BOLOD **3E11** MIKES **OTR30** FU **V28** DGC **V30** JEC **Y14** ARIKA RJCH

1439.10 nm / 2665.22 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RCTP	-	25.07773	0 ft	-	Taiwan Taoyuan International
APT	-	121.23282	0 m		
BESTO	-	26.13825	29,100 ft	84	-
FIX	-	122.25853	8,870 m		
BERBA	B576	27.07806	35,000 ft	69	-
FIX	AWY-HI	123.00000	10,668 m		
SALMI	B576	28.31500	35,000 ft	91	-
FIX	AWY-HI	124.00000	10,668 m		
BOLOD	B576	29.58697	35,000 ft	93	-
FIX	AWY-HI	125.02489	10,668 m		
MIKES	3E11	29.58698	35,000 ft	37	-
FIX	AWY-HI	125.74816	10,668 m		
ESBIS	OTR30	31.25348	35,000 ft	131	-
FIX	AWY-HI	127.38132	10,668 m		
FU	OTR30	32.67077	35,000 ft	112	FUKUE NDB
NDB	AWY-HI	128.83144	10,668 m		
IMARI	V28	33.38080	35,000 ft	69	-
FIX	AWY-HI	129.92827	10,668 m		
DGC	V28	33.67621	35,000 ft	29	FUKUOKA VORTAC
VOR	AWY-HI	130.38963	10,668 m		
TTE	V30	34.19071	35,000 ft	43	TOYOTA VOR-DME
VOR	AWY-HI	131.01619	10,668 m		
JEC	V30	35.53112	35,000 ft	130	MIHO VORTAC
VOR	AWY-HI	133.09391	10,668 m		
SAMON	Y14	36.24290	35,000 ft	80	-
FIX	AWY-HI	134.50332	10,668 m		
HOTAL	Y14	36.92303	35,000 ft	79	-
FIX	AWY-HI	135.90707	10,668 m		
NI	Y14	38.06579	35,000 ft	137	SADO NDB
NDB	AWY-HI	138.40986	10,668 m		
NYUDO	Y14	40.05079	23,800 ft	132	-
FIX	AWY-HI	139.66411	7,254 m		
ARIKA	Y14	40.44353	19,100 ft	26	-
FIX	AWY-HI	139.92769	5,822 m		
RJCH	-	41.77016	0 ft	89	HAKODATE
APT	-	140.82203	0 m		

RCTP

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 2

Elevation: 108 ft / 33 m
Location: 25.077900 121.234000
Magnetic Var: 4.997 W

METAR

RCTP 070600Z 01007KT 9999 FEW007 BKN015 BKN020 27/25 Q1008 NOSIG RMK A2977

TAF

TAF RCTP 070500Z 0706/0812 03005KT 9999 SCT008 BKN012 TEMPO 0706/0712 01010KT SCT012 BKN032 TEMPO 0712/0718 FEW008

Frequencies

REC - 127.60 MHz - ATIS	TWR - 129.30 MHz - TAIPEI TOWER
TWR - 118.70 MHz - TAIPEI TOWER	GND - 121.70 MHz - TAIPEI GROUND
GND - 121.60 MHz - TAIPEI GROUND	CLD - 121.80 MHz - TAIPEI CLEARANCE DELIVERY
APP - 119.50 MHz - TAIPEI APPROACH	APP - 119.60 MHz - TAIPEI APPROACH
APP - 119.70 MHz - TAIPEI APPROACH	APP - 123.50 MHz - TAIPEI APPROACH
APP - 123.60 MHz - TAIPEI APPROACH	APP - 124.20 MHz - TAIPEI APPROACH
APP - 125.10 MHz - TAIPEI APPROACH	APP - 125.50 MHz - TAIPEI APPROACH
APP - 125.60 MHz - TAIPEI APPROACH	APP - 128.50 MHz - TAIPEI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	197 ft	12,020 ft	49.01	ASPHALT	0 ft	420 ft
	60 m	3,664 m	54.01		0 m	128 m
23R	197 ft	12,020 ft	229.02	ASPHALT	0 ft	390 ft
	60 m	3,664 m	234.02		0 m	119 m
05R	197 ft	12,478 ft	49.01	ASPHALT	328 ft	404 ft
	60 m	3,803 m	54.00		100 m	123 m
23L	197 ft	12,478 ft	229.02	ASPHALT	1,148 ft	394 ft
	60 m	3,803 m	234.02		350 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	ITIA	111.10 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
05R	DME	ICKS	110.70 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
23R	DME	ITYA	109.30 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
23L	DME	ICJN	111.90 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
05L	LOC-ILS	ITIA	111.10 MHz	18 nm	49.02	-	108 ft
				33 km	54.02		108 m
05R	LOC-ILS	ICKS	110.70 MHz	18 nm	49.02	-	108 ft
				33 km	54.02		108 m
23L	LOC-ILS	ICJN	111.90 MHz	18 nm	229.02	-	108 ft
				33 km	234.02		108 m
23R	LOC-ILS	ITYA	109.30 MHz	18 nm	229.02	-	108 ft
				33 km	234.02		108 m
05L	GS	ITIA	111.10 MHz	10 nm	49.02	3.00	108 ft
				19 km	54.02		108 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	GS	ICKS	110.70 MHz	10 nm	49.02	3.00	108 ft
				19 km	54.02		108 m
23L	GS	ICJN	111.90 MHz	10 nm	229.02	3.00	108 ft
				19 km	234.02		108 m
23R	GS	ITYA	109.30 MHz	10 nm	229.02	3.00	108 ft
				19 km	234.02		108 m

RJCH

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 1

Elevation: 149 ft / 45 m
Location: 41.770200 140.822000
Magnetic Var: 9.523 W

METAR

RJCH 070600Z 16007KT CAVOK 19/13 Q1017

TAF

TAF RJCH 070507Z 0706/0812 13010KT 9999 FEW020 BECMG 0708/0710 06006KT TEMPO 0718/0800 2000 BR FEW002 BKN005 BECMG

Frequencies

REC - 126.60 MHz - ATIS
TWR - 118.35 MHz -
APP - 121.00 MHz -
DEP - 127.90 MHz -
TWR - 126.20 MHz -
APP - 119.00 MHz -
DEP - 121.00 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	150 ft	9,814 ft	108.09	ASPHALT	0 ft	197 ft
	46 m	2,991 m	117.61		0 m	60 m
30	150 ft	9,814 ft	288.11	ASPHALT	0 ft	203 ft
	46 m	2,991 m	297.64		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IHL	109.30 MHz	18 nm	-	-	111 ft
				33 km	-		111 m
12	LOC-ILS	IHL	109.30 MHz	18 nm	108.05	-	51 ft
				33 km	117.58		51 m
12	GS	IHL	109.30 MHz	10 nm	108.20	3.00	151 ft
				19 km	117.72		151 m