

LEPA

Palma de Mallorca


LIME

Bergamo-Orio Al Serio "Il Caravaggio"

2024/05/13 1956Z

LEPA MEROS **UN853** LUMAS **UM985** STP **Y15** PIGOS **UM985** EKSID **M985** ABN **T102** KOXUD LIME

501.96 nm / 929.62 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEPA	-	39.55170	0 ft	-	Palma de Mallorca
APT	-	2.73889	0 m	-	
MEROS	-	40.50000	33,500 ft	94	-
FIX	-	4.36658	10,211 m	-	-
LAPIT	UN853	40.89540	35,000 ft	24	-
FIX	AWY-HI	4.46142	10,668 m	-	-
CHELY	UN853	41.07500	35,000 ft	10	-
FIX	AWY-HI	4.50486	10,668 m	-	-
LUMAS	UN853	41.73320	35,000 ft	40	-
FIX	AWY-HI	4.66667	10,668 m	-	-
OBLAD	UM985	41.81000	35,000 ft	16	-
FIX	AWY-HI	5.01333	10,668 m	-	-
RASPA	UM985	42.15780	35,000 ft	26	-
FIX	AWY-HI	5.39639	10,668 m	-	-
AGOTO	UM985	42.43830	35,000 ft	21	-
FIX	AWY-HI	5.70972	10,668 m	-	-
UNANA	UM985	42.85360	35,000 ft	32	-
FIX	AWY-HI	6.18028	10,668 m	-	-
STP	UM985	43.21950	35,000 ft	28	SAINT TROPEZ
VOR	AWY-HI	6.60181	10,668 m	-	
RAPED	Y15	43.37330	35,000 ft	15	-
FIX	AWY-LO	6.89333	10,668 m	-	-
XAMAL	Y15	43.47860	35,000 ft	10	-
FIX	AWY-LO	7.09444	10,668 m	-	-
PIGOS	Y15	43.62220	35,000 ft	14	-
FIX	AWY-LO	7.37111	10,668 m	-	-
EKSID	UM985	43.75690	32,300 ft	13	-
FIX	AWY-HI	7.63278	9,845 m	-	-
NOSTA	M985	43.81940	30,900 ft	6	-
FIX	AWY-HI	7.75528	9,418 m	-	-
ABN	M985	44.05600	25,600 ft	24	ALBENGA
NDB	AWY-HI	8.22100	7,803 m	-	
KOXUD	T102	45.17940	6,300 ft	90	-
FIX	AWY-HI	9.61694	1,920 m	-	-
LIME	-	45.67200	0 ft	29	Bergamo-Orio Al Serio "Il Caravaggio"
APT	-	9.70681	0 m	-	

LEPA

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 24 ft / 7 m
Location: 39.551700 2.738890
Magnetic Var: 1.679 E

METAR

LEPA 131930Z 19003KT 9999 FEW020 20/17 Q1009 NOSIG

TAF

TAF LEPA 131700Z 1318/1418 22007KT 9999 FEW020 TX24/1412Z TN14/1406Z BECMG 1318/1320 VRB04KT PROB30 TEMPO 1320/14

Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.80		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.82		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.78		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.80		69 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.79		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.82		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.79		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.79		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.82		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.79		24 m

LIME

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 776 ft / 237 m
Location: 45.672000 9.706810
Magnetic Var: 3.344 E

METAR

LIME 131920Z 01003KT 9999 FEW110 19/12 Q1013 NOSIG

TAF

TAF LIME 131700Z 1318/1418 VRB05KT 9999 BKN050 TEMPO 1318/1320 SHRA TEMPO 1320/1404 4000 TSRA TEMPO 1415/1418 4000

Frequencies

GND - 120.50 MHz - ORIO GROUND
REC - 114.95 MHz - ATIS
APP - 126.75 MHz - MILANO RADAR

TWR - 125.87 MHz - ORIO TOWER
APP - 126.30 MHz - MILANO RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	59 ft	2,670 ft	121.46	ASPHALT	200 ft	0 ft
	18 m	814 m	118.12		61 m	0 m
30	59 ft	2,670 ft	301.47	ASPHALT	312 ft	0 ft
	18 m	814 m	298.12		95 m	0 m
10	148 ft	9,439 ft	104.87	ASPHALT	718 ft	0 ft
	45 m	2,877 m	101.53		219 m	0 m
28	148 ft	9,439 ft	284.90	ASPHALT	443 ft	0 ft
	45 m	2,877 m	281.55		135 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	BRM	108.70 MHz	18 nm	-	-	779 ft
				33 km	-		779 m
28	LOC-ILS	BRM	108.70 MHz	18 nm	285.08	-	779 ft
				33 km	281.74		779 m
28	GS	BRM	108.70 MHz	10 nm	285.80	3.00	779 ft
				19 km	282.46		779 m