

LFRS

Nantes Atlantique Airport


FMEE

Roland Garros

2024/05/27 2030Z

LFRS CNA **UN863** SECHE **UT24** FJR **UM731** TINOT **M731** MAGOP **UM731** PELOS **Y19** OSDET **M732** UPLIT **UM732** ELIMO **M732** DOLFI **UM732** DITAR **R2** ATMUL **UR611** MRW MRW **UA727** KTM **UR611** TIKAT **UG300** MAV **UM665** TULAP RAGGS MITCH **UR775** BERIL -1000S04600E ATOLA **UA609** MAEVA **UR780** PONIR FMEE

5264.47 nm / 9749.80 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFRS APT	-	47.15320 -1.61072	0 ft 0 m	-	Nantes Atlantique Airport
CNA VOR	-	45.65960 -0.31164	35,000 ft 10,668 m	104	COGNAC CHATEAUBERNARD
VELIN FIX	UN863 AWY-HI	44.98000 0.15556	35,000 ft 10,668 m	45	-
SECHE FIX	UN863 AWY-HI	44.43860 0.51528	35,000 ft 10,668 m	35	-
LACOU FIX	UT24 AWY-HI	44.29680 0.90439	35,000 ft 10,668 m	18	-
GAI VOR	UT24 AWY-HI	43.95410 1.82417	35,000 ft 10,668 m	44	GAILLAC
AMOLO FIX	UT24 AWY-HI	43.82810 2.57889	35,000 ft 10,668 m	33	-
DEGOL FIX	UT24 AWY-HI	43.78060 2.85222	35,000 ft 10,668 m	12	-
FJR VOR	UT24 AWY-HI	43.57840 3.97472	35,000 ft 10,668 m	50	MONTPELLIER MEDITERRANEE
DIVKO FIX	UM731 AWY-HI	43.05620 4.77692	35,000 ft 10,668 m	47	-
TINOT FIX	UM731 AWY-HI	42.69770 5.31511	35,000 ft 10,668 m	32	-
MAGOP FIX	M731 AWY-LO	41.31140 7.89583	35,000 ft 10,668 m	142	-
PELOS FIX	UM731 AWY-HI	41.16190 8.16139	35,000 ft 10,668 m	14	-
OSDET FIX	Y19 AWY-HI	37.76470 11.64940	35,000 ft 10,668 m	260	-
MEGAN FIX	M732 AWY-HI	37.53810 11.99610	35,000 ft 10,668 m	21	-
SENTI FIX	M732 AWY-HI	37.17140 12.54970	35,000 ft 10,668 m	34	-
ROBIM FIX	M732 AWY-HI	36.91470 12.93170	35,000 ft 10,668 m	23	-
RATOK FIX	M732 AWY-HI	36.73110 13.20250	35,000 ft 10,668 m	17	-
UPLIT FIX	M732 AWY-LO	36.50000 13.53970	35,000 ft 10,668 m	21	-
GZO VOR	UM732 AWY-HI	36.03730 14.20530	35,000 ft 10,668 m	42	GOZO
ELIMO FIX	UM732 AWY-HI	34.33330 16.36940	35,000 ft 10,668 m	147	-
EVVAN FIX	M732 AWY-HI	34.00000 16.77640	35,000 ft 10,668 m	28	-
DOLFI FIX	M732 AWY-HI	33.21330 17.72000	35,000 ft 10,668 m	66	-
ASRAP FIX	UM732 AWY-HI	31.88080 19.38280	35,000 ft 10,668 m	116	-
RODOD FIX	UM732 AWY-HI	31.42720 19.95670	35,000 ft 10,668 m	40	-
ANHAR FIX	UM732 AWY-HI	30.51670 21.08330	35,000 ft 10,668 m	79	-
DITAR	UM732	26.98420	35,000 ft	295	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	25.00000	10,668 m		
TULOP	R2	25.36920	35,000 ft	122	-
FIX	AWY-HI	26.37390	10,668 m		
ATMUL	R2	22.00000	35,000 ft	251	-
FIX	AWY-HI	29.09080	10,668 m		
MRW	UR611	18.44980	35,000 ft	262	MEROWE VOR-DME
DME	AWY-HI	31.81870	10,668 m		
MRW	-	18.41360	35,000 ft	2	MEROWE
VOR	-	31.83030	10,668 m		
ALPOX	UA727	17.19190	35,000 ft	75	-
FIX	AWY-HI	32.14190	10,668 m		
KTM	UA727	15.56610	35,000 ft	100	KHARTOUM
VOR	AWY-HI	32.55340	10,668 m		
EMITA	UR611	14.35870	35,000 ft	100	-
FIX	AWY-HI	33.74580	10,668 m		
TIKAT	UR611	12.40670	35,000 ft	161	-
FIX	AWY-HI	35.63670	10,668 m		
ETONI	UG300	10.01050	35,000 ft	173	-
FIX	AWY-HI	37.29070	10,668 m		
ETOKO	UG300	9.13775	35,000 ft	63	-
FIX	AWY-HI	37.88840	10,668 m		
GETIN	UG300	8.93667	35,000 ft	14	-
FIX	AWY-HI	38.03170	10,668 m		
ITPOG	UG300	8.73508	35,000 ft	14	-
FIX	AWY-HI	38.16380	10,668 m		
ETIVA	UG300	8.38817	35,000 ft	25	-
FIX	AWY-HI	38.39710	10,668 m		
GETOL	UG300	8.18000	35,000 ft	15	-
FIX	AWY-HI	38.53830	10,668 m		
MASLO	UG300	7.41597	35,000 ft	55	-
FIX	AWY-HI	39.05410	10,668 m		
UTSOR	UG300	6.22673	35,000 ft	92	-
FIX	AWY-HI	40.03920	10,668 m		
IBTAN	UG300	5.23872	35,000 ft	76	-
FIX	AWY-HI	40.85430	10,668 m		
MAV	UG300	3.94033	35,000 ft	98	MANDERA
VOR	AWY-HI	41.86420	10,668 m		
TULAP	UM665	1.30944	35,000 ft	188	-
FIX	AWY-HI	43.58080	10,668 m		
RAGGS	-	0.32500	35,000 ft	68	-
FIX	-	44.16000	10,668 m		
MITCH	-	-2.00000	35,000 ft	161	-
FIX	-	45.52690	10,668 m		
SOKAR	UR775	-6.00000	35,000 ft	240	-
FIX	AWY-HI	45.75970	10,668 m		
BERIL	UR775	-10.00000	35,000 ft	240	-
FIX	AWY-HI	45.99600	10,668 m		
-1000S04600E	-	-10.00000	35,000 ft	0	-
LATLON	-	46.00000	10,668 m		
ATOLA	-	-10.00000	35,000 ft	28	-
FIX	-	46.47670	10,668 m		
BIRAL	UA609	-10.92580	35,000 ft	85	-
FIX	AWY-HI	47.57670	10,668 m		
DO	UA609	-12.34630	35,000 ft	132	ARRACHART
NDB	AWY-HI	49.28940	10,668 m		
TIKEL	UA609	-13.62640	35,000 ft	106	-

Ident Type	Via	Lat Lon	Alt		Dist (nm)	Name
FIX	AWY-HI	50.55280	10,668 m			
VEMAR	UA609	-14.50000	35,000 ft	73	-	
FIX	AWY-HI	51.42640	10,668 m			
MAEVA	UA609	-16.39580	35,000 ft	159	-	
FIX	AWY-HI	53.35860	10,668 m			
ANVOR	UR780	-18.09750	35,000 ft	112	-	
FIX	AWY-HI	54.15940	10,668 m			
UVENA	UR780	-18.60530	32,300 ft	33	-	
FIX	AWY-HI	54.40170	9,845 m			
PONIR	UR780	-20.07500	11,500 ft	96	-	
FIX	AWY-HI	55.11120	3,505 m			
FMEE	-	-20.88930	0 ft	53		Roland Garros
APT	-	55.51770	0 m			

LFRS

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 89 ft / 27 m
Location: 47.153200 -1.610720
Magnetic Var: 0.352 E

METAR

LFRS 272000Z AUTO 24004KT 9999 SCT030 BKN043 OVC100 14/10 Q1021 NOSIG

TAF

TAF LFRS 271700Z 2718/2824 25010KT 9999 SCT035 BKN050 BECMG 2801/2803 BKN012 PROB40 TEMPO 2803/2808 4000 -DZ BKN00

Frequencies

REC - 126.92 MHz - NANTES ATIS
APP - 124.42 MHz - NANTES APPROACH WEST
GND - 121.65 MHz - NANTES GROUND
APP - 124.25 MHz - NANTES APPROACH EAST
TWR - 118.65 MHz - NANTES TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	147 ft	9,519 ft	27.33	ASPHALT	0 ft	0 ft
	45 m	2,901 m	26.98		0 m	0 m
21	147 ft	9,519 ft	207.35	ASPHALT	696 ft	0 ft
	45 m	2,901 m	206.99		212 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	NT	109.90 MHz	27 nm	-	-	89 ft
				50 km	-		89 m
03	LOC-ILS	NT	109.90 MHz	18 nm	27.35	-	89 ft
				33 km	27.00		89 m
03	GS	NT	109.90 MHz	10 nm	27.35	3.00	89 ft
				19 km	27.00		89 m

FMEE

Region: COMOROS, MAYOTTE, RÉUNION AND MADAGASCAR Elevation: 66 ft / 20 m
Timezone: INDIAN/REUNION Location: -20.889300 55.517700
Runways: 2 Magnetic Var: 18.757 W

METAR

FMEE 272000Z AUTO 12010KT 9999 FEW027 BKN042 OVC050 25/21 Q1016 NOSIG

TAF

TAF FMEE 271700Z 2718/2824 14005KT 9999 FEW030 SCT060 BECMG 2804/2806 13018KT TEMPO 2806/2816 12020G35KT

Frequencies

REC - 126.80 MHz - ATIS
TWR - 118.40 MHz -
APP - 127.20 MHz -
GND - 121.90 MHz -
APP - 119.40 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,492 ft	102.28	ASPHALT	397 ft	0 ft
	45 m	3,198 m	121.03		121 m	0 m
30	148 ft	10,492 ft	282.26	ASPHALT	0 ft	0 ft
	45 m	3,198 m	301.02		0 m	0 m
14	148 ft	8,768 ft	116.58	ASPHALT	328 ft	0 ft
	45 m	2,672 m	135.34		100 m	0 m
32	148 ft	8,768 ft	296.58	ASPHALT	1,175 ft	0 ft
	45 m	2,672 m	315.33		358 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	SD	110.30 MHz	18 nm	-	-	46 ft
				33 km	-		46 m
14	LOC-ILS	SD	110.30 MHz	18 nm	116.63	-	66 ft
				33 km	135.39		66 m
14	GS	SD	110.30 MHz	10 nm	117.09	3.00	46 ft
				19 km	135.85		46 m