

LROP

Bucharest Henri Coanda


LGSK

Skiathos Alexandros Papadiamantis Int'l

2024/05/10 1340Z

LROP TIMUR **N181** NIKTI **UY505** VAMKO LGSK

370.33 nm / 685.85 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LROP	-	44.57230	0 ft	-	Bucharest Henri Coanda	
APT	-	26.10230	0 m			
TIMUR	-	43.68890	34,300 ft	96	-	
FIX	-	24.23920	10,455 m			
GOL	N181	43.09500	35,000 ft	35	GOLYAMA	
VOR	AWY-HI	24.22060	10,668 m			
NIKTI	N181	41.54640	31,100 ft	93	-	
FIX	AWY-HI	24.12170	9,479 m			
LASBU	UY505	41.01420	24,200 ft	32	-	
FIX	AWY-HI	24.03360	7,376 m			
VAMKO	UY505	40.76470	20,900 ft	15	-	
FIX	AWY-HI	23.99420	6,370 m			
LGSK	-	39.17690	0 ft	97	Skiathos Alexandros Papadiamantis Int'l	
APT	-	23.50370	0 m			

LROP

Region: ROMANIA
Timezone: EUROPE/BUCHAREST
Runways: 2

Elevation: 313 ft / 95 m
Location: 44.572300 26.102300
Magnetic Var: 6.290 E

METAR

LROP 101330Z 10010KT CAVOK 21/00 Q1019 NOSIG

TAF

TAF LROP 101100Z 1012/1112 09011KT CAVOK BECMG 1016/1018 VRB04KT

Frequencies

REC - 118.50 MHz - OTOPENI ATIS
TWR - 121.85 MHz - OTOPENI TWR

GND - 121.70 MHz - OTOPENI GND
APP - 118.25 MHz - BUCHAREST APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	11,494 ft	83.90	ASPHALT	0 ft	0 ft
	45 m	3,503 m	77.61		0 m	0 m
26L	148 ft	11,494 ft	263.93	ASPHALT	0 ft	0 ft
	45 m	3,503 m	257.64		0 m	0 m
08L	148 ft	11,493 ft	83.91	ASPHALT	0 ft	0 ft
	45 m	3,503 m	77.62		0 m	0 m
26R	148 ft	11,493 ft	263.94	ASPHALT	0 ft	0 ft
	45 m	3,503 m	257.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ILL	110.90 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
08R	DME	IOP	110.30 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
26L	DME	IOE	109.10 MHz	18 nm	-	-	314 ft
				33 km	-		314 m
26R	DME	IRR	110.70 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
08L	LOC-ILS	ILL	110.90 MHz	18 nm	83.74	-	314 ft
				33 km	77.45		314 m
08R	LOC-ILS	IOP	110.30 MHz	18 nm	83.74	-	303 ft
				33 km	77.45		303 m
26L	LOC-ILS	IOE	109.10 MHz	18 nm	264.11	-	314 ft
				33 km	257.82		314 m
26R	LOC-ILS	IRR	110.70 MHz	18 nm	264.12	-	314 ft
				33 km	257.83		314 m
08L	GS	ILL	110.90 MHz	10 nm	84.84	3.00	314 ft
				19 km	78.55		314 m
08R	GS	IOP	110.30 MHz	10 nm	84.81	2.70	314 ft
				19 km	78.52		314 m
26L	GS	IOE	109.10 MHz	10 nm	264.81	2.70	303 ft
				19 km	258.52		303 m
26R	GS	IRR	110.70 MHz	10 nm	264.84	3.00	314 ft
				19 km	258.55		314 m