


2024/06/15 1439Z

RPVP MARAN W17 IOO RPVM

323.54 nm / 599.20 km



Notes

Basic altitude profile:

- Ascent Rate: 2200ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 8000ft
- Cruise Speed: 280kts
- Descent Rate: 1800ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RPVP	-	9.74212	0 ft	-	PUERTO PRINCESA
APT	-	118.75900	0 m		
MARAN	-	10.23380	8,000 ft	102	-
FIX	-	120.41600	2,438 m		
NOYAN	W17	10.40580	8,000 ft	36	-
FIX	AWY-LO	121.00400	2,438 m		
OCORO	W17	10.51840	8,000 ft	23	-
FIX	AWY-LO	121.39200	2,438 m		
PIKAN	W17	10.71930	8,000 ft	42	-
FIX	AWY-LO	122.08700	2,438 m		
IOO	W17	10.83540	8,000 ft	24	ILOILO
VOR	AWY-LO	122.49200	2,438 m		
RPVM	-	10.30770	0 ft	93	MACTAN CEBU INTERNATIONAL
APT	-	123.98000	0 m		

RPVP

Region: PHILIPPINES
Timezone: ASIA/MANILA
Runways: 1

Elevation: 65 ft / 20 m
Location: 9.742110 118.759000
Magnetic Var: 1.764 W

METAR

UNKNOWN

TAF

TAF RPVP 151100Z 1512/1612 18009KT 9999 FEW019 SCT080 TEMPO 1518/1524 24005KT TEMPO 1606/1612 FEW017CB BKN080

Frequencies

COM - 118.10 MHz - PUERTO PRINCESA UNICOM TWR - 118.10 MHz - PUERTO PRINCESA TOWER
APP - 122.00 MHz - PUERTO PRINCESA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	8,524 ft	92.52	ASPHALT	718 ft	203 ft
	45 m	2,598 m	94.28		219 m	62 m
27	148 ft	8,524 ft	272.52	ASPHALT	0 ft	197 ft
	45 m	2,598 m	274.28		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	LOC-ILS	IPR	110.10 MHz	18 nm	272.52	-	65 ft
				33 km	274.28		65 m
27	GS	IPR	110.10 MHz	10 nm	272.52	3.00	65 ft
				19 km	274.28		65 m

RPVM

Region: PHILIPPINES
Timezone: ASIA/MANILA
Runways: 1

Elevation: 35 ft / 11 m
Location: 10.307600 123.979000
Magnetic Var: 2.099 W

METAR

RPVM 151400Z 22005KT 9999 FEW020 30/25 Q1011 NOSIG RMK A2985

TAF

TAF RPVM 151100Z 1512/1618 21006KT 9999 FEW020 BKN300 TEMPO 1518/1524 7000 -TSRA FEW018CB OVC090

Frequencies

APP - 121.20 MHz - MACTAN APPROACH
TWR - 118.10 MHz - MACTAN TOWER
REC - 126.60 MHz - MACTAN ATIS

APP - 124.70 MHz - MACTAN APPROACH
GND - 121.80 MHz - MACTAN GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	10,851 ft	44.68	ASPHALT	0 ft	207 ft
	45 m	3,308 m	46.77		0 m	63 m
22	148 ft	10,851 ft	224.68	ASPHALT	0 ft	194 ft
	45 m	3,308 m	226.78		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IMT	109.90 MHz	18 nm	-	-	31 ft
				33 km	-		31 m
22	DME	IMCT	109.10 MHz	18 nm	-	-	36 ft
				33 km	-		36 m