

# RPLL

Manila Ninoy Aquino


# RPLC

CLARK INTERNATIONAL

2024/04/28 0322Z

RPLL OLIVA RPLC

48.29 nm / 89.43 km



## Notes

Requested: RPLL OLIVA RPLC

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RPLL	-	14.51170	0 ft	-	Manila Ninoy Aquino
APT	-	121.01300	0 m		
OLIVA	-	14.94940	0 ft	31	-
FIX	-	120.72200	0 m		
RPLC	-	15.18600	0 ft	17	CLARK INTERNATIONAL
APT	-	120.56000	0 m		

## RPLL

Region: PHILIPPINES  
Timezone: ASIA/MANILA  
Runways: 2

Elevation: 75 ft / 23 m  
Location: 14.511300 121.013000  
Magnetic Var: 2.775 W

## METAR

RPLL 280300Z 11008KT 060V170 9999 FEW025 35/25 Q1011 NOSIG RMK A2985

## TAF

TAF RPLL 272300Z 2800/2906 12007KT 9999 FEW025 TX38/2806Z TN29/2821Z TEMPO 2800/2806 14012KT SCT025 TEMPO 2806/28

## Frequencies

REC - 126.40 MHz - ATIS	APP - 119.70 MHz - MANILA APPROACH
APP - 121.10 MHz - MANILA APPROACH	APP - 127.70 MHz - MANILA APPROACH
TWR - 118.10 MHz - MANILA TOWER	GND - 121.80 MHz - MANILA GROUND
GND - 121.70 MHz - MANILA RAMP	GND - 128.80 MHz - MANILA RAMP
GND - 123.25 MHz - MANILA RAMP	GND - 121.35 MHz - MANILA RAMP
CLD - 125.10 MHz - MANILA CLEARANCE DELIVERY	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	197 ft	11,742 ft	60.15	ASPHALT	545 ft	0 ft
	60 m	3,579 m	62.92		166 m	0 m
24	197 ft	11,742 ft	240.15	ASPHALT	0 ft	0 ft
	60 m	3,579 m	242.93		0 m	0 m
13	144 ft	7,729 ft	134.96	ASPHALT	804 ft	0 ft
	44 m	2,356 m	137.73		245 m	0 m
31	144 ft	7,729 ft	314.96	ASPHALT	0 ft	0 ft
	44 m	2,356 m	317.74		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IML	109.10 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
24	DME	IMA	109.90 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
06	LOC-ILS	IML	109.10 MHz	18 nm	60.15	-	75 ft
				33 km	62.93		75 m
24	LOC-ILS	IMA	109.90 MHz	18 nm	240.15	-	75 ft
				33 km	242.93		75 m
06	GS	IML	109.10 MHz	10 nm	60.15	3.01	75 ft
				19 km	62.93		75 m
24	GS	IMA	109.90 MHz	10 nm	240.15	3.06	75 ft
				19 km	242.93		75 m

## RPLC

Region: PHILIPPINES  
Timezone: ASIA/MANILA  
Runways: 2

Elevation: 483 ft / 147 m  
Location: 15.186000 120.560000  
Magnetic Var: 2.869 W

## METAR

RPLC 280300Z 09004KT 9999 FEW020 33/24 Q1012 NOSIG RMK A2988

## TAF

TAF RPLC 272300Z 2800/2906 18010KT 9999 FEW020 TX37/2806Z TN27/2821Z TEMPO 2800/2806 14012KT SCT020

## Frequencies

CLD - 125.20 MHz - CLNC DEL  
APP - 119.20 MHz -

TWR - 118.70 MHz -  
REC - 113.10 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02L	148 ft	10,568 ft	20.92	CONCRETE	0 ft	988 ft
	45 m	3,221 m	23.79		0 m	301 m
20R	148 ft	10,568 ft	200.93	CONCRETE	0 ft	1,001 ft
	45 m	3,221 m	203.80		0 m	305 m
02R	197 ft	10,548 ft	20.91	CONCRETE	0 ft	1,014 ft
	60 m	3,215 m	23.78		0 m	309 m
20L	197 ft	10,548 ft	200.91	CONCRETE	0 ft	1,017 ft
	60 m	3,215 m	203.78		0 m	310 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02R	DME	ICA	109.30 MHz	18 nm	-	-	484 ft
				33 km	-		484 m
20L	DME	ICK	110.10 MHz	18 nm	-	-	484 ft
				33 km	-		484 m
02R	LOC-ILS	ICA	109.30 MHz	18 nm	20.93	-	484 ft
				33 km	23.80		484 m
20L	LOC-ILS	ICK	110.10 MHz	18 nm	200.93	-	484 ft
				33 km	203.80		484 m
02R	GS	ICA	109.30 MHz	10 nm	21.87	3.00	484 ft
				19 km	24.74		484 m
20L	GS	ICK	110.10 MHz	10 nm	201.87	3.00	484 ft
				19 km	204.74		484 m