

# KUZA

ROCK HILL YORK CO BRYANT


# KANB

Anniston Metropolitan

2024/05/07 0908Z

KUZA ELW **V311** AWSON KANB

258.95 nm / 479.58 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 22000ft
- Cruise Speed: 380kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KUZA APT	-	34.98783 -81.05717	0 ft 0 m	-	ROCK HILL YORK CO BRYANT
ELW DME	-	34.41919 -82.78468	32,800 ft 9,997 m	91	ELECTRIC CITY VORTAC
CORCE FIX	V311 AWY-LO	34.45972 -83.55294	26,600 ft 8,108 m	38	-
AWSON FIX	V311 AWY-LO	34.48032 -83.98429	22,000 ft 6,706 m	21	-
KANB APT	-	33.58817 -85.85811	0 ft 0 m	107	Anniston Metropolitan

## KUZA

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 1

Elevation: 667 ft / 203 m  
Location: 34.987800 -81.057200  
Magnetic Var: 7.957 W

## METAR

KUZA 070818Z AUTO 01011G17KT 3SM RA BR SCT005 BKN039 OVC050 18/17 A2993 RMK A02 LTG DSNT SW P0007 T01780172

## TAF

UNKNOWN

## Frequencies

REC - 120.77 MHz - ASOS  
CLD - 126.85 MHz - CLNC DEL

COM - 123.05 MHz - CTAF/UNICOM  
APP - 120.05 MHz - CHARLOTTE APP/DEP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	100 ft	5,513 ft	11.18	ASPHALT	0 ft	0 ft
	30 m	1,680 m	19.13		0 m	0 m
20	100 ft	5,513 ft	191.18	ASPHALT	0 ft	0 ft
	30 m	1,680 m	199.14		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IUZA	108.50 MHz	18 nm	11.18	-	667 ft
				33 km	19.13		667 m
02	GS	IUZA	108.50 MHz	10 nm	11.36	3.00	667 ft
				19 km	19.31		667 m

## KANB

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 1

Elevation: 612 ft / 187 m  
Location: 33.588200 -85.858100  
Magnetic Var: 4.673 W

## METAR

KANB 070820Z AUTO 00000KT 10SM CLR 19/18 A2988 RMK A02 T01940183

## TAF

TAF KANB 070539Z 0706/0806 VRB04KT P6SM FEW250 FM071100 19005KT P6SM BKN025 TEMPO 0711/0714 BKN015 FM071600 21009

## Frequencies

COM - 123.00 MHz - ANNISTON REGIONAL UNICOM      REC - 119.67 MHz - ANNISTON REGIONAL ATIS  
APP - 132.15 MHz - BIRMINGHAM APPROACH      DEP - 132.15 MHz - BIRMINGHAM DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	151 ft	7,001 ft	48.32	ASPHALT	0 ft	0 ft
	46 m	2,134 m	52.99		0 m	0 m
23	151 ft	7,001 ft	228.33	ASPHALT	0 ft	0 ft
	46 m	2,134 m	233.00		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IANB	111.50 MHz	18 nm	48.33	-	612 ft
				33 km	53.00		612 m
05	GS	IANB	111.50 MHz	10 nm	48.33	3.00	612 ft
				19 km	53.00		612 m