

ULLI

St. Petersburg Pulkovo Intl


BIKF

Keflavik

2024/05/13 1212Z

ULLI INLOG RATMU **Y357** TOGMI **Z155** ISVIG 6300N0-100W 6300N0-200W 6300N0-300W 6300N0-400W
6300N0-900W LARUX **G3** NASBU BIKF

1517.56 nm / 2810.53 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 37000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ULLI	-	59.80030	0 ft	-	St. Petersburg Pulkovo Intl
APT	-	30.26250	0 m	-	
INLOG	-	60.17170	36,400 ft	102	-
FIX	-	26.94640	11,095 m	-	-
RATMU	-	60.23780	37,000 ft	12	-
FIX	-	26.53580	11,278 m	-	-
ULTSI	Y357	60.54970	37,000 ft	41	-
FIX	AWY-HI	25.29080	11,278 m	-	-
NEPEK	Y357	60.74250	37,000 ft	26	-
FIX	AWY-HI	24.48560	11,278 m	-	-
ROGTU	Y357	61.49190	37,000 ft	111	-
FIX	AWY-HI	20.96970	11,278 m	-	-
TOGMI	Y357	61.76190	37,000 ft	43	-
FIX	AWY-HI	19.54030	11,278 m	-	-
OLGUV	Z155	62.43420	37,000 ft	210	-
FIX	AWY-HI	12.18150	11,278 m	-	-
EDAPA	Z155	62.92040	37,000 ft	216	-
FIX	AWY-HI	4.37617	11,278 m	-	-
ISVIG	Z155	63.00000	37,000 ft	119	-
FIX	AWY-HI	0.00000	11,278 m	-	-
6300N0-100W	-	63.00000	37,000 ft	27	-
LATLON	-	-1.00000	11,278 m	-	-
6300N0-200W	-	63.00000	37,000 ft	27	-
LATLON	-	-2.00000	11,278 m	-	-
6300N0-300W	-	63.00000	37,000 ft	27	-
LATLON	-	-3.00000	11,278 m	-	-
6300N0-400W	-	63.00000	37,000 ft	27	-
LATLON	-	-4.00000	11,278 m	-	-
6300N0-900W	-	63.00000	37,000 ft	136	-
LATLON	-	-9.00000	11,278 m	-	-
LARUX	-	62.62170	37,000 ft	35	-
FIX	-	-10.00000	11,278 m	-	-
ROSTI	G3	63.40640	37,000 ft	121	-
FIX	AWY-HI	-14.11220	11,278 m	-	-
ING	G3	63.80310	33,900 ft	71	INGO
VOR	AWY-HI	-16.63810	10,333 m	-	
MIKLA	G3	63.84830	28,500 ft	24	-
FIX	AWY-HI	-17.57420	8,687 m	-	-
NASBU	G3	63.94670	12,800 ft	73	-
FIX	AWY-HI	-20.34820	3,901 m	-	-
BIKF	-	63.98160	0 ft	59	Keflavik
APT	-	-22.61460	0 m	-	

ULLI

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 79 ft / 24 m
Location: 59.800300 30.262500
Magnetic Var: 11.655 E

METAR

ULLI 131200Z 32004MPS 9999 BKN043 13/04 Q1020 R28L/090060 NOSIG

TAF

TAF ULLI 131055Z 1312/1412 28005G10MPS 9999 BKN016 BECMG 1318/1320 34003MPS

Frequencies

REC - 127.30 MHz - PULKOVO ATIS	REC - 127.40 MHz - PULKOVO ATIS
TWR - 118.70 MHz - PULKOVO TOWER	TWR - 118.10 MHz - PULKOVO TOWER
TWR - 133.50 MHz - PULKOVO TOWER	GND - 121.70 MHz - PULKOVO GROUND
GND - 119.00 MHz - PULKOVO RAMP	GND - 120.90 MHz - PULKOVO APRON
CLD - 121.90 MHz - PULKOVO DELIVERY	APP - 125.20 MHz - PETERSBURG APPROACH
APP - 119.30 MHz - PETERSBURG APPROACH	APP - 120.30 MHz - PETERSBURG KRUG RADAR
DEP - 120.30 MHz - PETERSBURG KRUG RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	197 ft	12,379 ft	106.40	CONCRETE	0 ft	0 ft
	60 m	3,773 m	94.75		0 m	0 m
28L	197 ft	12,379 ft	286.46	CONCRETE	0 ft	0 ft
	60 m	3,773 m	274.80		0 m	0 m
10L	197 ft	11,132 ft	106.51	CONCRETE	0 ft	0 ft
	60 m	3,393 m	94.86		0 m	0 m
28R	197 ft	11,132 ft	286.56	CONCRETE	0 ft	0 ft
	60 m	3,393 m	274.91		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPU	110.50 MHz	18 nm	106.54	-	79 ft
				33 km	94.89		79 m
10R	LOC-ILS	IPK	111.90 MHz	18 nm	106.43	-	79 ft
				33 km	94.78		79 m
28L	LOC-ILS	IPO	108.90 MHz	18 nm	286.43	-	79 ft
				33 km	274.78		79 m
28R	LOC-ILS	IPL	111.30 MHz	18 nm	286.54	-	79 ft
				33 km	274.89		79 m
10L	GS	IPU	110.50 MHz	10 nm	106.54	3.00	79 ft
				19 km	94.89		79 m
10R	GS	IPK	111.90 MHz	10 nm	106.43	3.00	79 ft
				19 km	94.78		79 m
28L	GS	IPO	108.90 MHz	10 nm	286.43	3.00	79 ft
				19 km	274.78		79 m
28R	GS	IPL	111.30 MHz	10 nm	286.54	3.00	79 ft
				19 km	274.89		79 m

BIKF

Region: ICELAND
Timezone: ATLANTIC/REYKJAVIK
Runways: 2

Elevation: 168 ft / 51 m
Location: 63.981600 -22.614600
Magnetic Var: 12.368 W

METAR

BIKF 131200Z 36018KT 9999 FEW015 SCT050 08/03 Q1008

TAF

TAF BIKF 131033Z 1312/1412 36018KT 9999 FEW025 SCT050 TX09/1315Z TN02/1403Z

Frequencies

REC - 128.30 MHz - KEFLAVIK INFORMATION	CLD - 121.00 MHz - KEFLAVIK CLEARANCE DELIVERY
GND - 121.90 MHz - KEFLAVIK GROUND	GND - 126.20 MHz - KEFLAVIK GROUND
TWR - 118.30 MHz - KEFLAVIK TOWER	APP - 119.30 MHz - KEFLAVIK APPROACH
APP - 119.15 MHz - KEFLAVIK FINAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	197 ft	9,997 ft	0.01	ASPHALT	0 ft	479 ft
	60 m	3,047 m	12.38		0 m	146 m
19	197 ft	9,997 ft	180.01	ASPHALT	0 ft	85 ft
	60 m	3,047 m	192.38		0 m	26 m
10	200 ft	10,004 ft	89.95	ASPHALT	0 ft	259 ft
	61 m	3,049 m	102.32		0 m	79 m
28	200 ft	10,004 ft	270.01	ASPHALT	0 ft	220 ft
	61 m	3,049 m	282.38		0 m	67 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IKN	111.30 MHz	18 nm	0.01	-	169 ft
				33 km	12.38		169 m
10	LOC-ILS	IKF	109.50 MHz	18 nm	89.98	-	169 ft
				33 km	102.35		169 m
19	LOC-ILS	IKO	110.30 MHz	18 nm	180.01	-	169 ft
				33 km	192.38		169 m
28	LOC-ILS	IKW	108.50 MHz	18 nm	269.98	-	169 ft
				33 km	282.35		169 m
01	GS	IKN	111.30 MHz	10 nm	0.01	3.00	169 ft
				19 km	12.38		169 m
10	GS	IKF	109.50 MHz	10 nm	89.98	3.00	169 ft
				19 km	102.35		169 m
19	GS	IKO	110.30 MHz	10 nm	180.01	3.00	169 ft
				19 km	192.38		169 m
28	GS	IKW	108.50 MHz	10 nm	269.98	3.00	169 ft
				19 km	282.35		169 m