

# LIML

Milano-Linate "Enrico Forlanini"


# LEBL

Josep Tarradellas Barcelona-El Prat

2024/05/16 1756Z

LIML GEN BORDI KOLON **UZ184** GANGU **UM984** DIVKO **UN975** BISBA LEBL

428.89 nm / 794.31 km



## Notes

Requested: LIML GEN BORDI UZ185 KOLON UZ184 GANGU UM984 DIVKO UN975 BISBA LEBL

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIML APT	-	45.45030 9.27281	0 ft 0 m	-	Milano-Linate "Enrico Forlanini"
GEN DME	-	44.42460 9.08167	0 ft 0 m	62	GENOVA DME
BORDI FIX	-	44.02310 7.75194	0 ft 0 m	62	-
KOLON FIX	-	43.72190 6.95333	0 ft 0 m	39	-
SOKDI FIX	UZ184 AWY-HI	43.54330 6.67500	0 ft 0 m	16	-
GANGU FIX	UZ184 AWY-HI	43.46310 6.08472	0 ft 0 m	26	-
PADKO FIX	UM984 AWY-HI	43.23170 5.33306	0 ft 0 m	35	-
DIVKO FIX	UM984 AWY-HI	43.05620 4.77692	0 ft 0 m	26	-
NILDU FIX	UN975 AWY-HI	42.26030 3.82861	0 ft 0 m	63	-
BISBA FIX	UN975 AWY-HI	42.08640 3.62581	0 ft 0 m	13	-
LEBL APT	-	41.29510 2.08803	0 ft 0 m	83	Josep Tarradellas Barcelona-El Prat

## LIML

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 354 ft / 108 m  
Location: 45.450300 9.272810  
Magnetic Var: 3.241 E

## METAR

LIML 161720Z 31004KT 9999 FEW025 SCT050 15/14 Q1004 NOSIG

## TAF

TAF LIML 161100Z 1612/1712 15010KT 6000 BKN020 BECMG 1612/1614 VRB05KT TEMPO 1612/1618 3000 +TSRA TEMPO 1709/1711

## Frequencies

REC - 136.37 MHz - ATIS	GND - 121.80 MHz - LINATE GROUND
TWR - 118.40 MHz - LINATE TOWER	TWR - 118.10 MHz - LINATE TOWER
APP - 134.17 MHz - MILANO RADAR	APP - 126.75 MHz - MILANO RADAR
APP - 126.30 MHz - MILANO RADAR	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	8,019 ft	175.67	ASPHALT	0 ft	200 ft
	60 m	2,444 m	172.43		0 m	61 m
36	197 ft	8,019 ft	355.67	ASPHALT	0 ft	413 ft
	60 m	2,444 m	352.43		0 m	126 m
17	72 ft	1,974 ft	175.66	ASPHALT	0 ft	0 ft
	22 m	602 m	172.42		0 m	0 m
35	72 ft	1,974 ft	355.66	ASPHALT	0 ft	0 ft
	22 m	602 m	352.42		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ILNT	109.55 MHz	25 nm	-	-	352 ft
				46 km	-		352 m
36	LOC-ILS	ILNT	109.55 MHz	18 nm	355.69	-	353 ft
				33 km	352.45		353 m
36	GS	ILNT	109.55 MHz	10 nm	355.68	3.00	352 ft
				19 km	352.44		352 m

## LEBL

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 3

Elevation: 14 ft / 4 m  
Location: 41.295100 2.088030  
Magnetic Var: 1.543 E

## METAR

LEBL 161730Z 19008KT 150V210 9999 FEW020 18/13 Q1007 NOSIG

## TAF

TAF LEBL 161100Z 1612/1712 17009KT 9999 FEW020 TX19/1612Z TN13/1706Z TEMPO 1612/1615 4000 SHRA FEW020TCU PROB40 T

## Frequencies

REC - 121.97 MHz - ATIS	REC - 118.65 MHz - ATIS
TWR - 118.32 MHz - BARCELONA TOWER	TWR - 118.10 MHz - BARCELONA TOWER
TWR - 122.82 MHz - BARCELONA TOWER	TWR - 122.10 MHz - BARCELONA TOWER
GND - 122.22 MHz - BARCELONA GROUND	GND - 121.70 MHz - BARCELONA GROUND
GND - 121.65 MHz - BARCELONA GROUND	CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 121.15 MHz - BARCELONA APPROACH	APP - 119.10 MHz - BARCELONA APPROACH
APP - 135.27 MHz - BARCELONA APPROACH	APP - 133.97 MHz - BARCELONA APPROACH
APP - 131.12 MHz - BARCELONA APPROACH	APP - 127.70 MHz - BARCELONA APPROACH
APP - 126.50 MHz - BARCELONA APPROACH	APP - 124.70 MHz - BARCELONA APPROACH
APP - 125.25 MHz - BARCELONA APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	8,307 ft	18.91	ASPHALT	0 ft	0 ft
	45 m	2,532 m	17.37		0 m	0 m
20	148 ft	8,307 ft	198.92	ASPHALT	0 ft	226 ft
	45 m	2,532 m	197.37		0 m	69 m
07R	197 ft	8,722 ft	65.48	ASPHALT	0 ft	0 ft
	60 m	2,658 m	63.94		0 m	0 m
25L	197 ft	8,722 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	2,658 m	243.96		0 m	0 m
07L	197 ft	10,984 ft	65.48	ASPHALT	1,401 ft	0 ft
	60 m	3,348 m	63.94		427 m	0 m
25R	197 ft	10,984 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	3,348 m	243.96		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	BLT	108.75 MHz	25 nm	-	-	12 ft
				46 km	-		12 m
07L	DME	QAA	110.30 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
07R	DME	BLE	110.75 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25L	DME	BLW	111.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
25R	DME	BCA	109.50 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
02	LOC-ILS	BLT	108.75 MHz	18 nm	18.92	-	14 ft
				33 km	17.38		14 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	QAA	110.30 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
07R	LOC-ILS	BLE	110.75 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
25L	LOC-ILS	BLW	111.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
25R	LOC-ILS	BCA	109.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
02	GS	BLT	108.75 MHz	10 nm	18.92	3.00	14 ft
				19 km	17.38		14 m
07L	GS	QAA	110.30 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
07R	GS	BLE	110.75 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
25L	GS	BLW	111.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m
25R	GS	BCA	109.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m