

PANC

Ted Stevens Anchorage Airport


ZGGG

BAIYUN INTL

2024/05/06 0935Z

PANC FFITZ J111 MCG V510 ENM B240 TK B237 LEMBA B962 BENOK B915 TAKAD B723 LIMKU B916 AKOLA B962
TD B355 KICHA R452 SOCHA 3900N12600E 3800N12500E ANSIM G597 AGAVO A591 MUDAL A326 IKADI W113
SOSMA ODULO V3 PK OLGAP A599 NNX NNX A599 WYN ZGGG

4553.22 nm / 8432.57 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PANC APT	-	61.17440 -149.99800	0 ft 0 m	-	Ted Stevens Anchorage Airport
FFITZ FIX	-	62.14770 -152.89200	35,000 ft 10,668 m	101	-
WINOR FIX	J111 AWY-HI	62.49170 -154.01700	35,000 ft 10,668 m	37	-
MCG VOR	J111 AWY-HI	62.95100 -155.61100	35,000 ft 10,668 m	51	MCGRATH
SABOC FIX	V510 AWY-LO	62.87000 -157.05800	35,000 ft 10,668 m	39	-
ANV NDB	V510 AWY-LO	62.64150 -160.18500	35,000 ft 10,668 m	87	ANVIK
ENM VOR	V510 AWY-HI	62.78460 -164.48800	35,000 ft 10,668 m	118	EMMONAK
AVUBA FIX	B240 AWY-HI	63.18310 -167.82900	35,000 ft 10,668 m	94	-
IDROD FIX	B240 AWY-HI	63.33900 -169.35600	35,000 ft 10,668 m	42	-
ERNIK FIX	B240 AWY-HI	63.65670 -173.11700	35,000 ft 10,668 m	102	-
NOKID FIX	B240 AWY-HI	63.09970 179.88600	35,000 ft 10,668 m	191	-
BE NDB	B240 AWY-HI	63.03860 179.30500	35,000 ft 10,668 m	16	BERINGOVSKY
BALUR FIX	B240 AWY-HI	61.94330 172.70300	35,000 ft 10,668 m	194	-
TK NDB	B240 AWY-HI	60.36580 166.01300	35,000 ft 10,668 m	215	TILICHIKI
LEMB FIX	B237 AWY-HI	59.67360 159.65600	35,000 ft 10,668 m	195	-
ABGIR FIX	B962 AWY-HI	57.41690 154.67200	35,000 ft 10,668 m	206	-
OTLIM FIX	B962 AWY-HI	57.19860 154.23900	35,000 ft 10,668 m	19	-
AKANI FIX	B962 AWY-HI	56.32190 152.54700	35,000 ft 10,668 m	76	-
LUNIB FIX	B962 AWY-HI	54.87360 150.00200	35,000 ft 10,668 m	122	-
GIRAN FIX	B962 AWY-HI	53.43030 147.71700	35,000 ft 10,668 m	118	-
OLAMA FIX	B962 AWY-HI	52.80690 146.79500	35,000 ft 10,668 m	50	-
PIRAL FIX	B962 AWY-HI	51.97860 145.62800	35,000 ft 10,668 m	65	-
BENOK FIX	B962 AWY-HI	51.00860 144.33300	35,000 ft 10,668 m	75	-
TAKAD FIX	B915 AWY-HI	50.92690 143.94600	35,000 ft 10,668 m	15	-
AMKUD FIX	B723 AWY-HI	50.77640 143.40900	35,000 ft 10,668 m	22	-
LIMKU FIX	B723 AWY-HI	50.54390 142.60600	35,000 ft 10,668 m	33	-
RIKMA	B916	49.68190	35,000 ft	67	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	141.50100	10,668 m		
GUDLI	B916	49.01690	35,000 ft	51	-
FIX	AWY-HI	140.68300	10,668 m		
AKOLA	B916	48.60030	35,000 ft	31	-
FIX	AWY-HI	140.18500	10,668 m		
SUMOG	B962	48.45360	35,000 ft	15	-
FIX	AWY-HI	139.87100	10,668 m		
TENLA	B962	48.06220	35,000 ft	40	-
FIX	AWY-HI	139.04700	10,668 m		
PAREN	B962	47.98030	35,000 ft	8	-
FIX	AWY-HI	138.87800	10,668 m		
MAVUN	B962	47.77530	35,000 ft	20	-
FIX	AWY-HI	138.46100	10,668 m		
DEPOR	B962	47.36890	35,000 ft	40	-
FIX	AWY-HI	137.65200	10,668 m		
BAPRI	B962	47.00860	35,000 ft	35	-
FIX	AWY-HI	136.95600	10,668 m		
NEBKA	B962	46.71860	35,000 ft	28	-
FIX	AWY-HI	136.40800	10,668 m		
LUTEL	B962	46.35690	35,000 ft	35	-
FIX	AWY-HI	135.73800	10,668 m		
TD	B962	45.90080	35,000 ft	45	BOGUSLAVETS
NDB	AWY-HI	134.86600	10,668 m		
BALET	B355	44.83360	35,000 ft	73	-
FIX	AWY-HI	134.01800	10,668 m		
BG	B355	43.88420	35,000 ft	65	MURAVEYKA
NDB	AWY-HI	133.25300	10,668 m		
IDBUR	B355	43.15560	35,000 ft	55	-
FIX	AWY-HI	132.45900	10,668 m		
VATIS	B355	42.86190	35,000 ft	22	-
FIX	AWY-HI	132.14800	10,668 m		
TERNI	B355	42.37030	35,000 ft	36	-
FIX	AWY-HI	131.66700	10,668 m		
LUPAS	B355	42.23110	35,000 ft	10	-
FIX	AWY-HI	131.53300	10,668 m		
BUMEP	B355	41.89720	35,000 ft	24	-
FIX	AWY-HI	131.21500	10,668 m		
KAKPU	B355	41.46140	35,000 ft	42	-
FIX	AWY-HI	130.47300	10,668 m		
KICHA	B355	40.68420	35,000 ft	74	-
FIX	AWY-HI	129.19200	10,668 m		
HAMUN	R452	39.92170	35,000 ft	89	-
FIX	AWY-HI	127.51800	10,668 m		
WASAN	R452	39.72830	35,000 ft	23	-
FIX	AWY-HI	127.08400	10,668 m		
SOCHA	R452	39.25000	35,000 ft	49	-
FIX	AWY-HI	126.21700	10,668 m		
3900N12600E	-	39.00000	35,000 ft	18	-
LATLON	-	126.00000	10,668 m		
3800N12500E	-	38.00000	35,000 ft	76	-
LATLON	-	125.00000	10,668 m		
ANSIM	-	37.38970	35,000 ft	37	-
FIX	-	124.83600	10,668 m		
DANTI	G597	37.30170	35,000 ft	10	-
FIX	AWY-HI	124.65800	10,668 m		
GONAV	G597	37.18010	35,000 ft	13	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	124.41500	10,668 m		
AGAVO	G597	37.16670	35,000 ft	19	-
FIX	AWY-HI	124.00000	10,668 m		
MUDAL	A591	36.83170	35,000 ft	36	-
FIX	AWY-HI	123.35500	10,668 m		
DOPNO	A326	35.00000	35,000 ft	110	-
FIX	AWY-HI	123.40500	10,668 m		
IKADI	A326	34.09170	35,000 ft	54	-
FIX	AWY-HI	123.48300	10,668 m		
SOSMA	W113	33.71830	35,000 ft	94	-
FIX	AWY-HI	121.64800	10,668 m		
ODULO	-	33.25330	35,000 ft	27	-
FIX	-	121.62000	10,668 m		
BUNVA	V3	31.97330	35,000 ft	77	-
FIX	AWY-HI	121.43200	10,668 m		
PK	V3	31.28330	35,000 ft	41	NANXIANG
NDB	AWY-HI	121.33000	10,668 m		
OLGAP	-	31.07330	35,000 ft	15	-
FIX	-	121.15000	10,668 m		
NXD	A599	30.89670	35,000 ft	38	NANXUN
VOR	AWY-HI	120.43000	10,668 m		
KAKIS	A599	30.48330	35,000 ft	28	-
FIX	AWY-HI	120.14700	10,668 m		
TOL	A599	29.76330	35,000 ft	50	TONGLU
VOR	AWY-HI	119.66000	10,668 m		
ELNEX	A599	29.63170	35,000 ft	11	-
FIX	AWY-HI	119.49000	10,668 m		
SHR	A599	28.41670	35,000 ft	108	SHANGRAO
VOR	AWY-HI	117.97000	10,668 m		
XUVGI	A599	27.52000	35,000 ft	77	-
FIX	AWY-HI	116.92200	10,668 m		
NF	A599	27.20830	35,000 ft	26	NANFENG
NDB	AWY-HI	116.55800	10,668 m		
SAGON	A599	26.50170	35,000 ft	62	-
FIX	AWY-HI	115.70800	10,668 m		
PLT	A599	25.80830	35,000 ft	61	PANLONG
VOR	AWY-HI	114.87500	10,668 m		
NNX	A599	25.10000	25,300 ft	53	NANXIONG VOR-DME
DME	AWY-HI	114.27200	7,711 m		
NNX	-	25.09500	25,200 ft	0	NANXIONG
VOR	-	114.27300	7,681 m		
WYN	A599	24.35000	15,500 ft	45	WENGYUAN
VOR	AWY-HI	114.11200	4,724 m		
ZGGG	-	23.39330	0 ft	72	BAIYUN INTL
APT	-	113.30800	0 m		

PANC

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 151 ft / 46 m

Location: 61.174300 -149.998000

Magnetic Var: 14.029 E

METAR

PANC 060853Z 15012G18KT 7SM RA OVC029 07/03 A2933

TAF

PANC 060854Z 0609/0712 16010KT P6SM -RA BKN035 TEMPO 0609/0612 5SM -RA BKN025 FM061200 17010G16KT 5SM -RA FEW015 B

Frequencies

REC - 135.50 MHz - D-ATIS

GND - 121.90 MHz - ANCHORAGE GROUND

CLD - 119.40 MHz - CLEARANCE DELIVERY

APP - 118.60 MHz - ANCHORAGE APPROACH

APP - 123.80 MHz - ANCHORAGE APPROACH

DEP - 118.60 MHz - ANCHORAGE DEPARTURE

DEP - 123.80 MHz - ANCHORAGE DEPARTURE

COM - 122.95 MHz - UNICOM

TWR - 118.30 MHz - ANCHORAGE TOWER

CLD - 128.65 MHz - CLEARANCE DELIVERY

APP - 119.10 MHz - ANCHORAGE APPROACH

APP - 126.40 MHz - ANCHORAGE APPROACH

DEP - 119.10 MHz - ANCHORAGE DEPARTURE

DEP - 126.40 MHz - ANCHORAGE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	12,357 ft	89.84	ASPHALT	0 ft	0 ft
	61 m	3,767 m	75.81		0 m	0 m
25L	200 ft	12,357 ft	269.90	ASPHALT	0 ft	194 ft
	61 m	3,767 m	255.87		0 m	59 m
07L	150 ft	10,566 ft	89.88	ASPHALT	0 ft	387 ft
	46 m	3,221 m	75.85		0 m	118 m
25R	150 ft	10,566 ft	269.93	ASPHALT	0 ft	387 ft
	46 m	3,221 m	255.90		0 m	118 m
15	200 ft	10,847 ft	164.89	ASPHALT	0 ft	397 ft
	61 m	3,306 m	150.86		0 m	121 m
33	200 ft	10,847 ft	344.90	ASPHALT	463 ft	236 ft
	61 m	3,306 m	330.87		141 m	72 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	ITGN	109.90 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07R	DME	IANC	111.30 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
15	DME	IBSC	111.75 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07L	LOC-ILS	ITGN	109.90 MHz	18 nm	89.90	-	151 ft
				33 km	75.87		151 m
07R	LOC-ILS	IANC	111.30 MHz	18 nm	89.87	-	151 ft
				33 km	75.84		151 m
15	LOC-ILS	IBSC	111.75 MHz	18 nm	164.90	-	151 ft
				33 km	150.87		151 m
07L	GS	ITGN	109.90 MHz	10 nm	89.90	3.00	151 ft
				19 km	75.87		151 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	IANC	111.30 MHz	10 nm	89.87	3.00	151 ft
				19 km	75.84		151 m
15	GS	IBSC	111.75 MHz	10 nm	164.90	3.00	151 ft
				19 km	150.87		151 m

ZGGG

Region: CHINA
Timezone: ASIA/SHANGHAI
Runways: 3

Elevation: 50 ft / 15 m
Location: 23.390400 113.303000
Magnetic Var: 3.297 W

METAR

ZGGG 060900Z VRB01MPS 9999 BKN033 31/24 Q1009 NOSIG

TAF

TAF ZGGG 060302Z 0606/0706 12003MPS 7000 BKN020 TX31/0607Z TN26/0622Z TEMPO 0608/0614 4000 TSRA SCT011 SCT026CB B

Frequencies

REC - 128.60 MHz - ATIS	REC - 127.00 MHz - ATIS
CLD - 121.95 MHz - CLEARANCE DELIVERY	GND - 121.75 MHz - BAIYUN GROUND
GND - 121.85 MHz - BAIYUN GROUND	GND - 121.77 MHz - BAIYUN APRON
GND - 121.97 MHz - BAIYUN APRON	GND - 121.82 MHz - BAIYUN APRON
TWR - 118.10 MHz - BAIYUN TOWER	TWR - 118.80 MHz - BAIYUN TOWER
TWR - 118.25 MHz - BAIYUN TOWER	DEP - 119.70 MHz - GUANGZHOU DEPARTURE
APP - 126.55 MHz - GUANGZHOU APPROACH	APP - 126.35 MHz - GUANGZHOU APPROACH
APP - 121.05 MHz - GUANGZHOU APPROACH	APP - 120.40 MHz - GUANGZHOU APPROACH
APP - 121.17 MHz - GUANGZHOU APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02R	197 ft	12,518 ft	13.92	CONCRETE	0 ft	387 ft
	60 m	3,815 m	17.22		0 m	118 m
20L	197 ft	12,518 ft	193.92	CONCRETE	0 ft	390 ft
	60 m	3,815 m	197.22		0 m	119 m
02L	197 ft	12,522 ft	13.91	CONCRETE	0 ft	394 ft
	60 m	3,817 m	17.21		0 m	120 m
20R	197 ft	12,522 ft	193.91	CONCRETE	650 ft	400 ft
	60 m	3,817 m	197.21		198 m	122 m
01	148 ft	11,860 ft	13.91	CONCRETE	0 ft	397 ft
	45 m	3,615 m	17.20		0 m	121 m
19	148 ft	11,860 ft	193.91	CONCRETE	0 ft	400 ft
	45 m	3,615 m	197.21		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02L	DME	IOO	109.30 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
02R	DME	IBB	110.90 MHz	18 nm	-	-	64 ft
				33 km	-		64 m
20L	DME	IAA	110.30 MHz	18 nm	-	-	64 ft
				33 km	-		64 m
20R	DME	IPP	111.50 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
01	LOC-ILS	IOO	109.30 MHz	18 nm	13.91	-	50 ft
				33 km	17.21		50 m
02L	LOC-ILS	IBB	110.90 MHz	18 nm	13.91	-	50 ft
				33 km	17.21		50 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02R	LOC-ILS	IDM	108.50 MHz	18 nm	13.92	-	50 ft
				33 km	17.22		50 m
19	LOC-ILS	IPP	111.50 MHz	18 nm	193.91	-	50 ft
				33 km	197.21		50 m
20L	LOC-ILS	IXL	111.90 MHz	18 nm	193.92	-	50 ft
				33 km	197.22		50 m
20R	LOC-ILS	IAA	110.75 MHz	18 nm	193.91	-	50 ft
				33 km	197.21		50 m