

DAAG

Alger Houari Boumediene


GMMN

Casablanca Mohammed V Intl

2024/06/06 1254Z

DAAG DAHRA **A411** OJD **UA411** FES **R975** DONAS GMMN

574.21 nm / 1063.44 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DAAG APT	-	36.69752 3.21308	0 ft 0 m	-	Alger Houari Boumediene
DAHRA FIX	-	36.38333 1.50000	30,200 ft 9,205 m	84	-
MOS VOR	A411 AWY-LO	35.89861 0.13639	34,000 ft 10,363 m	72	MOSTAGANEM VOR-DME
ORA VOR	A411 AWY-LO	35.61265 -0.65499	34,000 ft 10,363 m	42	ORAN VOR-DME
ORSUP FIX	A411 AWY-LO	34.84861 -1.84056	34,000 ft 10,363 m	74	-
OJD VOR	A411 AWY-LO	34.77333 -1.95028	34,000 ft 10,363 m	7	OUJDA VOR-DME
SOVAL FIX	UA411 AWY-HI	34.17278 -4.16889	34,000 ft 10,363 m	115	-
FES VOR	UA411 AWY-HI	33.92750 -5.01361	28,600 ft 8,717 m	44	SAISS VOR-DME
DONAS FIX	R975 AWY-LO	33.69750 -6.57500	10,600 ft 3,231 m	79	-
GMMN APT	-	33.36747 -7.58996	0 ft 0 m	54	Casablanca Mohammed V Intl

DAAG

Region: ALGERIA
Timezone: AFRICA/ALGIERS
Runways: 2

Elevation: 82 ft / 25 m
Location: 36.697500 3.212250
Magnetic Var: 1.715 E

METAR

DAAG 061230Z 05013KT CAVOK 32/14 Q1015

TAF

TAF TAF DAAG 061100Z 0612/0712 06010KT CAVOK PROB30 TEMPO 0615/0620 FEW030CB BECMG 0619/0621 VRB02KT BECMG 0708/0

Frequencies

GND - 121.80 MHz - ALGIERS GROUND
TWR - 119.70 MHz - ALGIERS TOWER
REC - 128.52 MHz - ATIS

TWR - 118.70 MHz - ALGIERS TOWER
APP - 121.40 MHz - ALGIERS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	12,468 ft	91.69	CONCRETE	984 ft	0 ft
	45 m	3,800 m	89.98		300 m	0 m
27	148 ft	12,468 ft	271.72	CONCRETE	0 ft	0 ft
	45 m	3,800 m	270.00		0 m	0 m
05	197 ft	11,494 ft	52.68	CONCRETE	0 ft	0 ft
	60 m	3,503 m	50.97		0 m	0 m
23	197 ft	11,494 ft	232.70	CONCRETE	0 ft	0 ft
	60 m	3,503 m	230.98		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	HB	108.50 MHz	18 nm	91.70	-	82 ft
				33 km	89.99		82 m
23	LOC-ILS	AG	110.30 MHz	18 nm	232.70	-	82 ft
				33 km	230.99		82 m
27	LOC-ILS	AL	109.50 MHz	18 nm	271.70	-	82 ft
				33 km	269.99		82 m
09	GS	HB	108.50 MHz	10 nm	91.70	3.00	82 ft
				19 km	89.99		82 m
23	GS	AG	110.30 MHz	10 nm	232.70	3.00	82 ft
				19 km	230.99		82 m
27	GS	AL	109.50 MHz	10 nm	271.70	3.00	82 ft
				19 km	269.99		82 m

GMMN

Region: MOROCCO
Timezone: AFRICA/CASABLANCA
Runways: 2

Elevation: 655 ft / 200 m
Location: 33.367400 -7.589980
Magnetic Var: 1.093 W

METAR

GMMN 061230Z VRB09KT 9999 BKN020 23/17 Q1012 NOSIG

TAF

TAF GMMN 061100Z 0612/0718 34014KT 9999 SCT016 BECMG 0618/0621 30006KT 9999 BKN015 BECMG 0707/0709 36013KT 9999 S

Frequencies

REC - 126.30 MHz - ATIS
APP - 121.30 MHz -

TWR - 118.50 MHz -
GND - 130.60 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17L	148 ft	12,231 ft	163.94	ASPHALT	0 ft	988 ft
	45 m	3,728 m	165.04		0 m	301 m
35R	148 ft	12,231 ft	343.95	ASPHALT	0 ft	1,004 ft
	45 m	3,728 m	345.04		0 m	306 m
17R	148 ft	12,188 ft	163.98	ASPHALT	0 ft	207 ft
	45 m	3,715 m	165.07		0 m	63 m
35L	148 ft	12,188 ft	343.98	ASPHALT	0 ft	223 ft
	45 m	3,715 m	345.08		0 m	68 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35L	DME	INL	110.70 MHz	18 nm	-	-	656 ft
				33 km	-		656 m
17R	LOC-ILS	CAS	108.30 MHz	18 nm	163.98	-	655 ft
				33 km	165.07		655 m
35L	LOC-ILS	INL	110.70 MHz	18 nm	343.98	-	655 ft
				33 km	345.07		655 m
35R	LOC-ILS	INR	109.90 MHz	18 nm	343.95	-	655 ft
				33 km	345.04		655 m
17R	GS	CAS	108.30 MHz	10 nm	163.98	3.00	655 ft
				19 km	165.07		655 m
35L	GS	INL	110.70 MHz	10 nm	343.98	3.00	655 ft
				19 km	345.07		655 m
35R	GS	INR	109.90 MHz	10 nm	343.95	2.70	655 ft
				19 km	345.04		655 m