


2024/05/13 1153Z

LIML OLETI **UM858** AJO **UM733** CORSI **UM858** MINKA LIEE

373.92 nm / 692.50 km



## Notes

Basic altitude profile:

- Ascent Rate: 2700ft/min
- Ascent Speed: 280kts
- Cruise Altitude: 31000ft
- Cruise Speed: 330kts
- Descent Rate: 2300ft/min
- Descent Speed: 230kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIML	-	45.45030	0 ft	-	Milano Linate
APT	-	9.27280	0 m		
OLETI	-	43.81000	34,000 ft	99	-
FIX	-	9.00861	10,363 m		
TORTU	UM858	43.38833	34,000 ft	25	-
FIX	AWY-HI	8.95833	10,363 m		
AKUTI	UM858	43.22722	34,000 ft	9	-
FIX	AWY-HI	8.94028	10,363 m		
SUDAS	UM858	42.93806	34,000 ft	17	-
FIX	AWY-HI	8.90639	10,363 m		
AJO	UM858	41.77053	32,500 ft	70	AJACCIO VOR-DME
VOR	AWY-HI	8.77467	9,906 m		
CORSI	UM733	41.33333	25,900 ft	26	-
FIX	AWY-HI	8.81222	7,894 m		
MINKA	UM858	40.81917	19,200 ft	30	-
FIX	AWY-HI	8.85556	5,852 m		
LIEE	-	39.25147	0 ft	94	Cagliari Elmas
APT	-	9.05429	0 m		

## LIML

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 354 ft / 108 m  
Location: 45.450300 9.272810  
Magnetic Var: 3.240 E

## METAR

LIML 131120Z VRB03KT 9999 SCT045 22/12 Q1015 NOSIG

## TAF

TAF LIML 130500Z 1306/1406 06006KT 9999 SCT040 TEMPO 1306/1310 4000 SHRA TEMPO 1316/1321 4000 TSRA

## Frequencies

REC - 136.37 MHz - ATIS	GND - 121.80 MHz - LINATE GROUND
TWR - 118.40 MHz - LINATE TOWER	TWR - 118.10 MHz - LINATE TOWER
APP - 134.17 MHz - MILANO RADAR	APP - 126.75 MHz - MILANO RADAR
APP - 126.30 MHz - MILANO RADAR	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	8,019 ft	175.67	ASPHALT	0 ft	200 ft
	60 m	2,444 m	172.43		0 m	61 m
36	197 ft	8,019 ft	355.67	ASPHALT	0 ft	413 ft
	60 m	2,444 m	352.43		0 m	126 m
17	72 ft	1,974 ft	175.66	ASPHALT	0 ft	0 ft
	22 m	602 m	172.42		0 m	0 m
35	72 ft	1,974 ft	355.66	ASPHALT	0 ft	0 ft
	22 m	602 m	352.42		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ILNT	109.55 MHz	25 nm	-	-	352 ft
				46 km	-		352 m
36	LOC-ILS	ILNT	109.55 MHz	18 nm	355.69	-	353 ft
				33 km	352.45		353 m
36	GS	ILNT	109.55 MHz	10 nm	355.68	3.00	352 ft
				19 km	352.44		352 m

## LIEE

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 13 ft / 4 m  
Location: 39.251500 9.054300  
Magnetic Var: 2.946 E

## METAR

LIEE 131120Z 19012KT CAVOK 23/11 Q1014

## TAF

TAF LIEE 130500Z 1306/1406 34006KT CAVOK BECMG 1308/1310 17013KT BECMG 1320/1322 34006KT

## Frequencies

REC - 127.05 MHz - ATIS	GND - 125.42 MHz - ELMAS GROUND
TWR - 120.60 MHz - ELMAS TOWER	TWR - 122.10 MHz - ELMAS TOWER
APP - 118.40 MHz - CAGLIARI APPROACH	APP - 118.75 MHz - CAGLIARI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	9,209 ft	138.10	ASPHALT	0 ft	0 ft
	45 m	2,807 m	135.15		0 m	0 m
32	148 ft	9,209 ft	318.11	ASPHALT	0 ft	0 ft
	45 m	2,807 m	315.17		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IEL	109.50 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
32	LOC-ILS	IEL	109.50 MHz	18 nm	318.10	-	13 ft
				33 km	315.15		13 m
32	GS	IEL	109.50 MHz	10 nm	318.10	3.00	13 ft
				19 km	315.15		13 m