

# GMMN

Casablanca Mohammed V Intl


# G00Y

Dakar Leopold Sedar Senghor Intl

2024/06/04 0310Z

GMMN CSD **UR975** SLO G00Y

1258.10 nm / 2330.01 km



## Notes

Requested: GMMN CSD UR975 SLO G00Y

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GMMN APT	-	33.36747 -7.58996	0 ft 0 m	-	Casablanca Mohammed V Intl
CSD NDB	-	32.93361 -8.06500	0 ft 0 m	35	DAOUARAT NDB
VESEN FIX	UR975 AWY-HI	31.81417 -8.63167	0 ft 0 m	73	-
ADM VOR	UR975 AWY-HI	30.32194 -9.38333	0 ft 0 m	97	AGADIR VOR-DME
MOROX FIX	UR975 AWY-HI	29.00000 -10.00889	0 ft 0 m	85	-
ECHED FIX	UR975 AWY-HI	27.66667 -10.51667	0 ft 0 m	84	-
BIMOG FIX	UR975 AWY-HI	25.21667 -11.55000	0 ft 0 m	157	-
ZRT VOR	UR975 AWY-HI	22.75853 -12.46158	0 ft 0 m	155	ZOUERAT VOR
AR NDB	UR975 AWY-HI	20.50231 -13.05908	0 ft 0 m	139	ATAR NDB
IDINI FIX	UR975 AWY-HI	17.64306 -15.26583	0 ft 0 m	212	-
ULNOT FIX	UR975 AWY-HI	17.10722 -15.66917	0 ft 0 m	39	-
SLO NDB	UR975 AWY-HI	16.04908 -16.45714	0 ft 0 m	78	SAINT LOUIS NDB
GOOY APT	-	14.73971 -17.49023	0 ft 0 m	98	Dakar Leopold Sedar Senghor Intl

## GMMN

Region: MOROCCO  
Timezone: AFRICA/CASABLANCA  
Runways: 2

Elevation: 655 ft / 200 m  
Location: 33.367400 -7.589980  
Magnetic Var: 1.094 W

## METAR

GMMN 040300Z 25003KT 200V290 9999 BKN020 19/14 Q1014 NOSIG

## TAF

TAF GMMN 032300Z 0400/0506 26004KT 9999 BKN015 BECMG 0410/0414 34012KT CAVOK BECMG 0421/0424 24005KT BKN010

## Frequencies

REC - 126.30 MHz - ATIS  
APP - 121.30 MHz -  
TWR - 118.50 MHz -  
GND - 130.60 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17L	148 ft	12,231 ft	163.94	ASPHALT	0 ft	988 ft
	45 m	3,728 m	165.04		0 m	301 m
35R	148 ft	12,231 ft	343.95	ASPHALT	0 ft	1,004 ft
	45 m	3,728 m	345.04		0 m	306 m
17R	148 ft	12,188 ft	163.98	ASPHALT	0 ft	207 ft
	45 m	3,715 m	165.07		0 m	63 m
35L	148 ft	12,188 ft	343.98	ASPHALT	0 ft	223 ft
	45 m	3,715 m	345.08		0 m	68 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35L	DME	INL	110.70 MHz	18 nm	-	-	656 ft
				33 km	-		656 m
17R	LOC-ILS	CAS	108.30 MHz	18 nm	163.98	-	655 ft
				33 km	165.07		655 m
35L	LOC-ILS	INL	110.70 MHz	18 nm	343.98	-	655 ft
				33 km	345.07		655 m
35R	LOC-ILS	INR	109.90 MHz	18 nm	343.95	-	655 ft
				33 km	345.04		655 m
17R	GS	CAS	108.30 MHz	10 nm	163.98	3.00	655 ft
				19 km	165.07		655 m
35L	GS	INL	110.70 MHz	10 nm	343.98	3.00	655 ft
				19 km	345.07		655 m
35R	GS	INR	109.90 MHz	10 nm	343.95	2.70	655 ft
				19 km	345.04		655 m

## GOOY

Region: SENEGAL  
Timezone: AFRICA/DAKAR  
Runways: 2

Elevation: 84 ft / 26 m  
Location: 14.740100 -17.490400  
Magnetic Var: 6.617 W

## METAR

GOOY 040300Z 32006KT 270V360 9999 BKN013 23/21 Q1012

## TAF

TAF GOOY 032300Z 0400/0506 32010KT 9999 BKN013 BECMG 0401/0403 4000 BR BKN008 PROB40 TEMPO 0403/0408 0800 FG BECMG

## Frequencies

TWR - 118.10 MHz - DAKAR TWR  
APP - 120.50 MHz - DAKAR CON

REC - 121.30 MHz - DAKAR ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	11,483 ft	172.61	ASPHALT	525 ft	220 ft
	45 m	3,500 m	179.23		160 m	67 m
36	148 ft	11,483 ft	352.61	ASPHALT	0 ft	213 ft
	45 m	3,500 m	359.23		0 m	65 m
03	98 ft	4,916 ft	22.33	ASPHALT	0 ft	98 ft
	30 m	1,498 m	28.95		0 m	30 m
21	98 ft	4,916 ft	202.33	ASPHALT	0 ft	1,591 ft
	30 m	1,498 m	208.95		0 m	485 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	YF	110.30 MHz	18 nm	-	-	73 ft
				33 km	-		73 m
36	LOC-ILS	YF	110.30 MHz	18 nm	352.33	-	65 ft
				33 km	358.94		65 m
36	GS	YF	110.30 MHz	10 nm	353.14	3.01	73 ft
				19 km	359.76		73 m