


2024/04/28 0227Z

BIRK EL BISS

10.74 nm / 19.90 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 25000ft
- Cruise Speed: 280kts
- Descent Rate: 1000ft/min
- Descent Speed: 150kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
BIRK	-	64.13000	0 ft	-	Reykjavik
APT	-	-21.94060	0 m		
EL	-	64.08110	1,100 ft	5	ELLIDAVATN
NDB	-	-21.77070	335 m		
BISS	-	64.05970	0 ft	5	Sandskeid
APT	-	-21.57070	0 m		

BIRK

Region: ICELAND
Timezone: ATLANTIC/REYKJAVIK
Runways: 2

Elevation: 43 ft / 13 m
Location: 64.130000 -21.940600
Magnetic Var: 12.090 W

METAR

BIRK 280200Z 09004KT 060V130 CAVOK 03/M02 Q1015

TAF

TAF BIRK 280102Z 2803/2903 08008KT 9999 FEW030 SCT040 TX12/2814Z TN01/2804Z PROB40 TEMPO 2814/2818 SHRA BKN012CB

Frequencies

REC - 128.10 MHz - REYKJAVIK INFORMATION
TWR - 118.00 MHz - REYKJAVIK TOWER
GND - 121.70 MHz - REYKJAVIK GROUND
APP - 119.00 MHz - REYKJAVIK APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	5,243 ft	355.27	ASPHALT	400 ft	0 ft
	45 m	1,598 m	7.36		122 m	0 m
19	148 ft	5,243 ft	175.27	ASPHALT	0 ft	0 ft
	45 m	1,598 m	187.36		0 m	0 m
13	148 ft	4,184 ft	116.31	ASPHALT	0 ft	0 ft
	45 m	1,275 m	128.40		0 m	0 m
31	148 ft	4,184 ft	296.33	ASPHALT	374 ft	0 ft
	45 m	1,275 m	308.42		114 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	LOC-ILS	IRK	109.90 MHz	18 nm	175.27	-	42 ft
				33 km	187.36		42 m
13	LOC-LOC	IRE	109.10 MHz	18 nm	116.32	-	42 ft
				33 km	128.41		42 m
19	GS	IRK	109.90 MHz	10 nm	175.27	3.50	42 ft
				19 km	187.36		42 m