


2024/05/15 1937Z

EDDT SULED **T202** LASGA **Z12** SULUS EDDS

281.82 nm / 521.94 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDT	-	52.55910	0 ft	-	Berlin Tegel
APT	-	13.29019	0 m	-	
SULED	-	51.16194	32,000 ft	92	-
FIX	-	12.23000	9,754 m	-	
GOLAT	T202	50.91222	34,000 ft	18	-
FIX	AWY-LO	11.93806	10,363 m	-	
ALOSO	T202	50.70750	32,200 ft	15	-
FIX	AWY-LO	11.70167	9,815 m	-	
TABAT	T202	50.55861	30,900 ft	11	-
FIX	AWY-LO	11.53139	9,418 m	-	
LASGA	T202	50.36056	26,300 ft	16	-
FIX	AWY-LO	11.22806	8,016 m	-	
KODUK	Z12	50.19778	24,200 ft	14	-
FIX	AWY-LO	10.94222	7,376 m	-	
SULUS	Z12	50.07528	20,800 ft	11	-
FIX	AWY-LO	10.72889	6,340 m	-	
EDDS	-	48.68988	0 ft	101	Stuttgart
APT	-	9.22196	0 m	-	

EDDT

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 122 ft / 37 m
Location: 52.559100 13.290200
Magnetic Var: 4.614 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 125.90 MHz - ATIS
TWR - 118.85 MHz - TEGEL TOWER
GND - 121.75 MHz - TEGEL GROUND
CLD - 121.92 MHz - CLEARANCE DELIVERY
APP - 119.60 MHz - BREMEN RADAR
APP - 126.42 MHz - BREMEN RADAR

REC - 112.30 MHz - ATIS
TWR - 124.52 MHz - TEGEL TOWER
GND - 136.00 MHz - TEGEL GROUND
APP - 120.60 MHz - BREMEN RADAR
APP - 119.50 MHz - BREMEN RADAR
APP - 136.10 MHz - BERLIN DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	151 ft	9,888 ft	80.82	ASPHALT	0 ft	217 ft
	46 m	3,014 m	76.21		0 m	66 m
26R	151 ft	9,888 ft	260.86	ASPHALT	0 ft	230 ft
	46 m	3,014 m	256.25		0 m	70 m
08R	151 ft	7,907 ft	80.84	ASPHALT	325 ft	164 ft
	46 m	2,410 m	76.22		99 m	50 m
26L	151 ft	7,907 ft	260.87	ASPHALT	686 ft	233 ft
	46 m	2,410 m	256.25		209 m	71 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ITLE	109.10 MHz	18 nm	80.84	-	122 ft
				33 km	76.23		122 m
08R	LOC-ILS	ITGE	108.50 MHz	18 nm	80.85	-	122 ft
				33 km	76.24		122 m
26L	LOC-ILS	ITGW	109.30 MHz	18 nm	260.85	-	122 ft
				33 km	256.24		122 m
26R	LOC-ILS	ITLW	110.10 MHz	18 nm	260.84	-	122 ft
				33 km	256.23		122 m
08L	GS	ITLE	109.10 MHz	10 nm	80.84	3.00	122 ft
				19 km	76.23		122 m
08R	GS	ITGE	108.50 MHz	10 nm	80.85	3.00	122 ft
				19 km	76.24		122 m
26L	GS	ITGW	109.30 MHz	10 nm	260.85	3.00	122 ft
				19 km	256.24		122 m
26R	GS	ITLW	110.10 MHz	10 nm	260.84	3.00	122 ft
				19 km	256.23		122 m

EDDS

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 1

Elevation: 1,271 ft / 387 m
Location: 48.689800 9.221970
Magnetic Var: 3.324 E

METAR

EDDS 151920Z AUTO 25001KT 9999 -RA NSC 15/13 Q1005 NOSIG

TAF

TAF TAF EDD5 151700Z 1518/1618 34004KT 9999 SCT020 BKN035 PROB40 TEMPO 1518/1524 4500 TSRA SCT015 BKN025CB TEMPO 1

Frequencies

REC - 126.13 MHz - STUTTGART ATIS	COM - 122.80 MHz - STUTTGART UNICOM
CLD - 121.90 MHz - STUTTGART DELIVERY	GND - 118.60 MHz - STUTTGART GROUND
TWR - 118.80 MHz - STUTTGART TOWER	TWR - 119.05 MHz - STUTTGART TOWER
APP - 119.85 MHz - STUTTGART DIRECTOR	APP - 119.20 MHz - LANGEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,985 ft	74.04	CONCRETE	997 ft	138 ft
	45 m	3,348 m	70.71		304 m	42 m
25	148 ft	10,985 ft	254.07	CONCRETE	0 ft	144 ft
	45 m	3,348 m	250.74		0 m	44 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISTE	115.45 MHz	18 nm	-	-	1,332 ft
				33 km	-		1,332 m
25	DME	ISTW	115.45 MHz	18 nm	-	-	1,332 ft
				33 km	-		1,332 m
07	LOC-ILS	ISTE	109.50 MHz	18 nm	74.05	-	1,271 ft
				33 km	70.73		1,271 m
25	LOC-ILS	ISTW	109.90 MHz	18 nm	254.05	-	1,271 ft
				33 km	250.73		1,271 m
07	GS	ISTE	109.50 MHz	10 nm	74.05	3.00	1,271 ft
				19 km	70.73		1,271 m
25	GS	ISTW	109.90 MHz	10 nm	254.05	3.00	1,271 ft
				19 km	250.73		1,271 m