


2024/05/03 1615Z

OMDB ORSAR **B416** GOGMA **UB416** AMBIK IMDOX BOXIK **UL602** RALKA **G795** TASMI **L602** LOVEK **UL602** GEPAP
3400N04200E 3500N04100E DRZ **UM861** BELSU **UA17** YAVRU **UA4** BKZ **L615** DOLAP **UL615** NAKIT **UN606** BABAG
N606 NAXAV **Z613** SAFFA **UZ613** RONAG **UL613** LUL **G4** ERTIP LFPO

2889.24 nm / 5350.88 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25110	0 ft	-	Dubai Intl
APT	-	55.37110	0 m		
ORSAR	-	26.07500	32,500 ft	91	-
FIX	-	53.95830	9,906 m		
LEVNA	B416	26.25970	35,000 ft	20	-
FIX	AWY-HI	53.64920	10,668 m		
EGMIT	B416	26.56110	35,000 ft	32	-
FIX	AWY-HI	53.14030	10,668 m		
PEGET	B416	27.07610	35,000 ft	56	-
FIX	AWY-HI	52.25420	10,668 m		
DURSI	B416	27.20530	35,000 ft	14	-
FIX	AWY-HI	52.02890	10,668 m		
IMDAT	B416	27.68330	35,000 ft	53	-
FIX	AWY-HI	51.18330	10,668 m		
KUVER	B416	28.15690	35,000 ft	64	-
FIX	AWY-HI	50.10000	10,668 m		
GOGMA	B416	28.23920	35,000 ft	9	-
FIX	AWY-HI	49.93670	10,668 m		
GEVAL	UB416	28.35030	35,000 ft	13	-
FIX	AWY-HI	49.71670	10,668 m		
TESSO	UB416	28.48110	35,000 ft	15	-
FIX	AWY-HI	49.45640	10,668 m		
AMBIK	UB416	28.53940	35,000 ft	7	-
FIX	AWY-HI	49.34030	10,668 m		
IMDOX	-	28.58190	35,000 ft	5	-
FIX	-	49.24390	10,668 m		
BOXIK	-	28.80390	35,000 ft	27	-
FIX	-	48.79280	10,668 m		
RALKA	UL602	29.43640	35,000 ft	45	-
FIX	AWY-HI	48.30530	10,668 m		
TASMI	G795	30.02220	35,000 ft	40	-
FIX	AWY-HI	47.91810	10,668 m		
GADSI	L602	30.56610	35,000 ft	50	-
FIX	AWY-HI	47.18780	10,668 m		
ALPET	L602	31.20530	35,000 ft	59	-
FIX	AWY-HI	46.31220	10,668 m		
ITBIT	L602	31.79310	35,000 ft	55	-
FIX	AWY-HI	45.48810	10,668 m		
MUTLO	L602	32.17190	35,000 ft	35	-
FIX	AWY-HI	44.95080	10,668 m		
LOVEK	L602	32.36890	35,000 ft	18	-
FIX	AWY-HI	44.66690	10,668 m		
DELM	UL602	33.32170	35,000 ft	92	-
FIX	AWY-HI	43.22440	10,668 m		
ASNOT	UL602	33.50000	35,000 ft	17	-
FIX	AWY-HI	42.95470	10,668 m		
GEPAP	UL602	33.81830	35,000 ft	30	-
FIX	AWY-HI	42.48080	10,668 m		
3400N04200E	-	34.00000	35,000 ft	26	-
LATLON	-	42.00000	10,668 m		
3500N04100E	-	35.00000	35,000 ft	77	-
LATLON	-	41.00000	10,668 m		
DRZ	-	35.28910	35,000 ft	43	DEIR-ZZOR

Ident Type NDB	Via	Lat Lon	Alt	Dist (nm)	Name
	-	40.18740	10,668 m		
TABQA FIX	UM861 AWY-HI	35.78330 38.56670	35,000 ft 10,668 m	84	-
DELTA FIX	UM861 AWY-HI	36.09670 37.49830	35,000 ft 10,668 m	55	-
ALE VOR	UM861 AWY-HI	36.17970 37.20940	35,000 ft 10,668 m	14	ALEPPO
NOVMR FIX	UM861 AWY-HI	36.38170 37.02170	35,000 ft 10,668 m	15	-
NISAP FIX	UM861 AWY-HI	36.78440 36.64140	35,000 ft 10,668 m	30	-
MILBA FIX	UM861 AWY-HI	36.95140 36.47940	35,000 ft 10,668 m	12	-
TEVDA FIX	UM861 AWY-HI	38.37280 35.06670	35,000 ft 10,668 m	108	-
BELSU FIX	UM861 AWY-HI	39.13080 34.28640	35,000 ft 10,668 m	58	-
YUCEL FIX	UA17 AWY-HI	39.57890 33.58530	35,000 ft 10,668 m	42	-
BAG VOR	UA17 AWY-HI	40.06990 32.81040	35,000 ft 10,668 m	46	BAGLUM (ANKARA)
KIZIK FIX	UA17 AWY-HI	40.41830 32.14940	35,000 ft 10,668 m	36	-
YAVRU FIX	UA17 AWY-HI	40.58220 31.83280	35,000 ft 10,668 m	17	-
ERSEN FIX	UA4 AWY-HI	40.86560 30.66610	35,000 ft 10,668 m	55	-
NUMSO FIX	UA4 AWY-HI	40.92270 30.34540	35,000 ft 10,668 m	14	-
ERKAL FIX	UA4 AWY-HI	40.98670 29.97980	35,000 ft 10,668 m	17	-
GAYEM FIX	UA4 AWY-HI	41.04580 29.63000	35,000 ft 10,668 m	16	-
BKZ VOR	UA4 AWY-HI	41.12700 29.14290	35,000 ft 10,668 m	22	BEYKOZ
VADEN FIX	L615 AWY-LO	42.06560 27.21610	35,000 ft 10,668 m	103	-
OGOTA FIX	L615 AWY-HI	43.21420 23.32670	35,000 ft 10,668 m	185	-
DOLAP FIX	L615 AWY-HI	43.37420 22.76830	35,000 ft 10,668 m	26	-
OBLAK FIX	UL615 AWY-HI	43.48680 22.36390	35,000 ft 10,668 m	18	-
RAVAK FIX	UL615 AWY-HI	43.68740 21.62700	35,000 ft 10,668 m	34	-
NANER FIX	UL615 AWY-HI	43.90830 20.46430	35,000 ft 10,668 m	52	-
KOSIV FIX	UL615 AWY-HI	44.02690 19.80910	35,000 ft 10,668 m	29	-
KUKUN FIX	UL615 AWY-HI	44.07080 19.56030	35,000 ft 10,668 m	11	-
VEBAR FIX	UL615 AWY-HI	44.13670 19.18030	35,000 ft 10,668 m	16	-
BOSNA FIX	UL615 AWY-HI	44.37060 17.75970	35,000 ft 10,668 m	62	-
NAVSU	UL615	44.54830	35,000 ft	38	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	16.90140	10,668 m		
KOREX	UL615	44.77110	35,000 ft	50	-
FIX	AWY-HI	15.76920	10,668 m		
OBALA	UL615	44.92030	35,000 ft	35	-
FIX	AWY-HI	14.97250	10,668 m		
NAKIT	UL615	45.18810	35,000 ft	66	-
FIX	AWY-HI	13.44780	10,668 m		
PEVAL	UN606	45.31140	35,000 ft	11	-
FIX	AWY-HI	13.24750	10,668 m		
BABAG	UN606	45.38690	35,000 ft	6	-
FIX	AWY-HI	13.12690	10,668 m		
BADOP	N606	45.46220	35,000 ft	6	-
FIX	AWY-HI	13.00420	10,668 m		
NIVAS	N606	45.90000	35,000 ft	40	-
FIX	AWY-HI	12.28140	10,668 m		
NAXAV	N606	46.46390	35,000 ft	52	-
FIX	AWY-HI	11.32220	10,668 m		
SAFFA	Z613	46.73690	35,000 ft	41	-
FIX	AWY-HI	10.40440	10,668 m		
RONAG	UZ613	46.77940	35,000 ft	6	-
FIX	AWY-HI	10.25900	10,668 m		
ARGAX	UL613	47.05000	35,000 ft	42	-
FIX	AWY-HI	9.29806	10,668 m		
ELMUR	UL613	47.15680	35,000 ft	17	-
FIX	AWY-HI	8.90761	10,668 m		
MANEG	UL613	47.20420	35,000 ft	8	-
FIX	AWY-HI	8.72222	10,668 m		
RIPUS	UL613	47.26030	35,000 ft	9	-
FIX	AWY-HI	8.50000	10,668 m		
DITON	UL613	47.30220	35,000 ft	7	-
FIX	AWY-HI	8.33333	10,668 m		
HOC	UL613	47.46660	35,000 ft	28	HOCHWALD VOR-DME
DME	AWY-HI	7.66544	10,668 m		
NATLI	UL613	47.49190	35,000 ft	6	-
FIX	AWY-HI	7.50722	10,668 m		
LUL	UL613	47.68830	35,000 ft	50	LUXEUIL
VOR	AWY-HI	6.29558	10,668 m		
RLP	G4	47.90630	26,800 ft	44	ROLAMPONT
VOR	AWY-LO	5.24917	8,169 m		
RLP1A	G4	47.98530	24,100 ft	12	-
FIX	AWY-LO	4.96222	7,346 m		
ERTIP	G4	48.13440	19,000 ft	24	-
FIX	AWY-LO	4.40667	5,791 m		
LFPO	-	48.72630	0 ft	88	Paris Orly
APT	-	2.36701	0 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.352 E

METAR

OMDB 031600Z 35004KT 290V070 CAVOK 29/20 Q1007 NOSIG

TAF

TAF OMDB 031100Z 0312/0418 29012KT 9999 FEW040 BECMG 0316/0318 16005KT BECMG 0408/0410 34014KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.448 E

METAR

LFPO 031600Z 19010KT 160V240 9999 FEW036CB SCT040 16/08 Q1014 TEMPO 4000 -SHRA SCT030CB

TAF

TAF AMD LFPO 031347Z 0313/0418 23010KT 9999 BKN040 PROB40 TEMPO 0314/0318 -SHRA BKN035TCU PROB30 TEMPO 0314/0317

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.34		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.93		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m