

LIBP

Pescara Abruzzo "Pasquale Liberi"


LICJ

Palermo-Punta Raisi "Falcone e Borsellino"

2024/05/16 0526Z

LIBP TEA **M736** SOR **M742** AMANO LICJ

270.32 nm / 500.64 km



Notes

Basic altitude profile:

- Ascent Rate: 5000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 29000ft
- Cruise Speed: 420kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LIBP	-	42.43120	0 ft	-	Pescara Abruzzo	"Pasquale Liberi"
APT	-	14.18290	0 m			
TEA	-	41.29680	29,000 ft	68	TEANO	
VOR	-	13.97070	8,839 m			
SOR	M736	40.58240	29,000 ft	45	SORRENTO	
VOR	AWY-HI	14.33500	8,839 m			
DELER	M742	40.18500	29,000 ft	25	-	
FIX	AWY-HI	14.14920	8,839 m			
AMANO	M742	39.42170	23,300 ft	48	-	
FIX	AWY-HI	13.79670	7,102 m			
LICJ	-	38.17750	0 ft	81	Palermo-Punta Raisi	"Falcone e Borsellino"
APT	-	13.09720	0 m			

LIBP

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 45 ft / 14 m
Location: 42.431200 14.182900
Magnetic Var: 4.057 E

METAR

LIBP 160450Z AUTO 22004KT 9000 BKN017/// BKN110/// 16/16 Q1007

TAF

TAF LIBP 152300Z 1600/1624 VRB05KT 9999 BKN020 PROB40 TEMPO 1600/1605 4000 BR BECMG 1608/1610 07010KT BECMG 1616/

Frequencies

TWR - 118.45 MHz - PESCARA TOWER

APP - 120.05 MHz - PESCARA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	7,943 ft	37.38	ASPHALT	341 ft	0 ft
	46 m	2,421 m	33.32		104 m	0 m
22	151 ft	7,943 ft	217.39	ASPHALT	610 ft	0 ft
	46 m	2,421 m	213.33		186 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	IPS	110.70 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
22	LOC-ILS	IPS	110.70 MHz	18 nm	217.39	-	48 ft
				33 km	213.34		48 m
22	GS	IPS	110.70 MHz	10 nm	217.40	3.00	48 ft
				19 km	213.34		48 m

LICJ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 63 ft / 19 m
Location: 38.177500 13.097200
Magnetic Var: 3.575 E

METAR

LICJ 160450Z VRB03KT 9000 FEW050 20/18 Q1005

TAF

TAF LICJ 152300Z 1600/1624 VRB05KT 9999 FEW015 BECMG 1608/1610 27010KT BECMG 1618/1620 VRB05KT

Frequencies

GND - 121.62 MHz - RAISI GROUND
APP - 120.20 MHz - PALERMO APPROACH
REC - 123.87 MHz - ATIS

TWR - 119.05 MHz - RAISI TOWER
APP - 118.65 MHz - PALERMO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	6,791 ft	23.79	ASPHALT	0 ft	0 ft
	45 m	2,070 m	20.22		0 m	0 m
20	148 ft	6,791 ft	203.80	ASPHALT	0 ft	0 ft
	45 m	2,070 m	200.22		0 m	0 m
07	197 ft	10,922 ft	66.82	ASPHALT	404 ft	577 ft
	60 m	3,329 m	63.25		123 m	176 m
25	197 ft	10,922 ft	246.84	ASPHALT	669 ft	302 ft
	60 m	3,329 m	243.27		204 m	92 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	ITO	110.55 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
25	DME	RAI	109.50 MHz	18 nm	-	-	65 ft
				33 km	-		65 m
20	LOC-ILS	ITO	110.55 MHz	18 nm	203.92	-	64 ft
				33 km	200.34		64 m
25	LOC-ILS	RAI	109.50 MHz	18 nm	246.80	-	64 ft
				33 km	243.22		64 m
20	GS	ITO	110.55 MHz	10 nm	203.92	3.00	64 ft
				19 km	200.34		64 m
25	GS	RAI	109.50 MHz	10 nm	246.80	3.00	64 ft
				19 km	243.22		64 m