


2024/06/05 1705Z

ETHN AKONI EDDF

67.17 nm / 124.39 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ETHN	-	49.39180	0 ft	-	NIEDERSTETTEN
APT	-	9.95817	0 m		
AKONI	-	49.74680	6,500 ft	36	-
FIX	-	9.18754	1,981 m		
EDDF	-	50.03260	0 ft	30	Frankfurt
APT	-	8.54067	0 m		

## ETHN

Region: GERMANY - MILITARY  
Timezone: EUROPE/BERLIN  
Runways: 1

Elevation: 1,536 ft / 468 m  
Location: 49.391800 9.958170  
Magnetic Var: 3.542 E

## METAR

ETHN 051620Z 27008KT 9999 FEW032 BKN130 19/11 Q1014 BLU

## TAF

UNKNOWN

## Frequencies

TWR - 122.10 MHz - STETTEN TWR  
APP - 135.60 MHz - STETTEN RADAR

APP - 123.30 MHz - STETTEN RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	98 ft	3,279 ft	74.95	ASPHALT	0 ft	0 ft
	30 m	1,000 m	71.41		0 m	0 m
25	98 ft	3,279 ft	254.96	ASPHALT	0 ft	390 ft
	30 m	1,000 m	251.42		0 m	119 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	INSW	108.90 MHz	18 nm	255.30	-	1,541 ft
				33 km	251.76		1,541 m
25	GS	INSW	108.90 MHz	10 nm	255.91	3.40	1,551 ft
				19 km	252.36		1,551 m

## EDDF

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 4

Elevation: 362 ft / 110 m  
Location: 50.032600 8.540670  
Magnetic Var: 3.182 E

## METAR

EDDF 051620Z AUTO 32011KT 9999 FEW024 BKN046 19/12 Q1013 TEMPO SHRA

## TAF

TAF TAF EDDF 051100Z 0512/0618 24012KT 9999 BKN030 PROB40 TEMPO 0515/0518 30015G25KT SHRA BKN030CB BECMG 0521/0524

## Frequencies

REC - 118.02 MHz - ATIS ARRIVAL  
GND - 121.80 MHz - GROUND  
GND - 121.70 MHz - APRON RAMP/TAXI  
GND - 121.85 MHz - APRON RAMP/TAXI  
TWR - 118.77 MHz - TOWER  
TWR - 124.85 MHz - TOWER  
TWR - 136.50 MHz - TOWER  
APP - 127.27 MHz - FRANKFURT DIRECT  
APP - 125.35 MHz - LANGEN RADAR  
APP - 120.80 MHz - LANGEN RADAR  
APP - 136.12 MHz - LANGEN RADAR

REC - 118.72 MHz - ATIS DEPARTURE  
GND - 121.65 MHz - APRON RAMP/TAXI  
GND - 121.95 MHz - APRON RAMP/TAXI  
GND - 121.75 MHz - APRON RAMP/TAXI  
TWR - 119.90 MHz - TOWER  
TWR - 127.32 MHz - TOWER  
CLD - 121.90 MHz - CLEARANCE DELIVERY  
APP - 118.50 MHz - FRANKFURT DIRECT  
APP - 126.55 MHz - LANGEN RADAR  
APP - 120.15 MHz - LANGEN RADAR  
APP - 119.02 MHz - LANGEN RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	9,194 ft	69.56	CONCRETE	0 ft	0 ft
	45 m	2,802 m	66.38		0 m	0 m
25R	148 ft	9,194 ft	249.59	CONCRETE	0 ft	0 ft
	45 m	2,802 m	246.41		0 m	0 m
07C	197 ft	13,134 ft	69.57	ASPHALT	0 ft	203 ft
	60 m	4,003 m	66.39		0 m	62 m
25C	197 ft	13,134 ft	249.61	ASPHALT	0 ft	935 ft
	60 m	4,003 m	246.43		0 m	285 m
07R	148 ft	13,134 ft	69.59	ASPHALT	0 ft	213 ft
	45 m	4,003 m	66.40		0 m	65 m
25L	148 ft	13,134 ft	249.63	ASPHALT	0 ft	1,775 ft
	45 m	4,003 m	246.44		0 m	541 m
18	148 ft	13,083 ft	179.64	ASPHALT	0 ft	0 ft
	45 m	3,988 m	176.46		0 m	0 m
36	148 ft	13,083 ft	359.64	ASPHALT	0 ft	121 ft
	45 m	3,988 m	356.46		0 m	37 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IFNE	111.75 MHz	18 nm	-	-	357 ft
				33 km	-		357 m
25C	DME	IFCW	111.55 MHz	18 nm	-	-	364 ft
				33 km	-		364 m
25R	DME	IFNW	111.35 MHz	18 nm	-	-	357 ft
				33 km	-		357 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07C	LOC-ILS	IFCE	110.55 MHz	18 nm	69.59	-	362 ft
				33 km	66.41		362 m
07L	LOC-ILS	IFNE	111.75 MHz	18 nm	69.58	-	362 ft
				33 km	66.40		362 m
07R	LOC-ILS	IFSE	110.95 MHz	18 nm	69.61	-	362 ft
				33 km	66.43		362 m
25C	LOC-ILS	IFCW	111.55 MHz	18 nm	249.59	-	362 ft
				33 km	246.41		362 m
25L	LOC-ILS	IFSW	111.15 MHz	18 nm	249.61	-	362 ft
				33 km	246.43		362 m
25R	LOC-ILS	IFNW	111.35 MHz	18 nm	249.58	-	362 ft
				33 km	246.40		362 m
07C	GS	IFCE	110.55 MHz	10 nm	69.59	3.00	362 ft
				19 km	66.41		362 m
07L	GS	IFNE	111.75 MHz	10 nm	69.58	3.00	362 ft
				19 km	66.40		362 m
07R	GS	IFSE	110.95 MHz	10 nm	69.61	3.00	362 ft
				19 km	66.43		362 m
25C	GS	IFCW	111.55 MHz	10 nm	249.59	3.00	362 ft
				19 km	246.41		362 m
25L	GS	IFSW	111.15 MHz	10 nm	249.61	3.00	362 ft
				19 km	246.43		362 m
25R	GS	IFNW	111.35 MHz	10 nm	249.58	3.00	362 ft
				19 km	246.40		362 m