

# LFPG

Paris Charles De Gaulle


# LIRF

Roma-Fiumicino "Leonardo da Vinci"

2024/05/07 0341Z

LFPG BOLLY **B37** PAS **G32** ROCCA **M135** ABULO **T345** LURAG **M135** TOP **L50** ELB LIRF

601.53 nm / 1114.03 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG	-	49.00970	0 ft	-	Paris Charles De Gaulle
APT	-	2.56257	0 m		
BOLLY	-	48.09190	29,900 ft	83	-
FIX	-	4.15111	9,114 m		
DJL32	B37	47.68390	35,000 ft	31	-
FIX	AWY-LO	4.62667	10,668 m		
KASON	B37	47.55830	35,000 ft	9	-
FIX	AWY-LO	4.77000	10,668 m		
DJL	B37	47.27080	35,000 ft	21	DIJON LONGVIC
VOR	AWY-LO	5.09733	10,668 m		
IBABA	B37	46.87720	35,000 ft	27	-
FIX	AWY-LO	5.42083	10,668 m		
LUKID	B37	46.74190	35,000 ft	9	-
FIX	AWY-LO	5.53444	10,668 m		
DIPIR	B37	46.66920	35,000 ft	4	-
FIX	AWY-LO	5.59306	10,668 m		
KELUK	B37	46.55560	35,000 ft	7	-
FIX	AWY-LO	5.68556	10,668 m		
KOVAR	B37	46.39190	35,000 ft	11	-
FIX	AWY-LO	5.81694	10,668 m		
PAS03	B37	46.20740	35,000 ft	12	-
FIX	AWY-LO	5.96611	10,668 m		
PAS	B37	46.16370	35,000 ft	2	PASSEIRY
VOR	AWY-LO	5.99992	10,668 m		
PAS14	G32	46.00500	35,000 ft	14	-
FIX	AWY-LO	6.24694	10,668 m		
ODIKI	G32	45.94220	35,000 ft	5	-
FIX	AWY-LO	6.34361	10,668 m		
30PAS	G32	45.82330	35,000 ft	10	-
FIX	AWY-LO	6.52639	10,668 m		
ROCCA	G32	45.74530	35,000 ft	6	-
FIX	AWY-LO	6.64556	10,668 m		
ABULO	M135	45.57420	35,000 ft	17	-
FIX	AWY-LO	6.99500	10,668 m		
LURAG	T345	45.52780	35,000 ft	4	-
FIX	AWY-HI	7.08889	10,668 m		
VEROB	M135	45.29560	35,000 ft	18	-
FIX	AWY-HI	7.38944	10,668 m		
TOP	M135	44.92540	35,000 ft	29	TORINO
VOR	AWY-HI	7.86167	10,668 m		
NEDED	L50	44.69390	35,000 ft	18	-
FIX	AWY-HI	8.14056	10,668 m		
LAGEN	L50	44.39420	35,000 ft	23	-
FIX	AWY-HI	8.49806	10,668 m		
ANAKI	L50	44.20110	35,000 ft	15	-
FIX	AWY-HI	8.72556	10,668 m		
IXITO	L50	44.13470	35,000 ft	5	-
FIX	AWY-HI	8.80361	10,668 m		
UNITA	L50	43.94440	35,000 ft	14	-
FIX	AWY-HI	9.02500	10,668 m		
TIDKA	L50	43.80000	35,000 ft	11	-
FIX	AWY-HI	9.19194	10,668 m		
KONER	L50	43.50470	34,100 ft	23	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	9.53000	10,394 m		
BAKRO	L50	43.18810	28,800 ft	24	-
FIX	AWY-HI	9.88750	8,778 m		
ELB	L50	42.73070	21,200 ft	35	ELBA
VOR	AWY-HI	10.39570	6,462 m		
LIRF	-	41.81080	0 ft	99	Roma-Fiumicino "Leonardo da Vinci"
APT	-	12.25090	0 m		

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.494 E

## METAR

LFPG 070330Z 05003KT 350V130 CAVOK 09/07 Q1014 NOSIG

## TAF

TAF LFPG 062300Z 0700/0806 16003KT CAVOK TX19/0713Z TN09/0703Z PROB30 0704/0706 3000 BR PROB30 0710/0717 SCT030TC

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.85		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.83		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.85		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.83		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.85		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.83		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.85		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.83		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m

## LIRF

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 3

Elevation: 13 ft / 4 m  
Location: 41.810800 12.250900  
Magnetic Var: 3.664 E

## METAR

LIRF 070320Z 11004KT CAVOK 14/09 Q1013 NOSIG

## TAF

TAF LIRF 062300Z 0700/0806 17014KT 9999 FEW040 TEMPO 0710/0716 RA BECMG 0719/0721 VRB05KT TEMPO 0803/0806 RA

## Frequencies

REC - 120.17 MHz - ATIS ARRIVAL	REC - 126.12 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.72 MHz - FIUME APRON	GND - 121.67 MHz - FIUME GROUND
GND - 121.90 MHz - FIUME GROUND	GND - 122.12 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER	TWR - 123.72 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	APP - 127.95 MHz - ROMA ARRIVAL
APP - 125.50 MHz - ROMA ARRIVAL	APP - 119.20 MHz - ROMA DIRECT
APP - 131.25 MHz - ROMA DIRECT	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.03		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.01		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.03		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.01		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.03		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.03		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.01		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.03		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.01		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.03		13 m