

LIEO

Olbia "Costa Smeralda"


LIMJ

Genova-Sestri "Cristoforo Colombo"

2024/06/17 0349Z

LIEO BTA **G702** MILNO LIMJ

215.63 nm / 399.34 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LIEO	-	40.89870	0 ft	-	Olbia	"Costa Smeralda"
APT	-	9.51764	0 m			
BTA	-	42.57360	24,600 ft	100	BASTIA	PORETTA
VOR	-	9.47483	7,498 m			
MILNO	G702	42.89690	19,800 ft	22	-	
FIX	AWY-LO	9.21194	6,035 m			
LIMJ	-	44.41200	0 ft	92	Genova-Sestri	"Cristoforo Colombo"
APT	-	8.84187	0 m			

LIEO

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 37 ft / 11 m
Location: 40.898700 9.517640
Magnetic Var: 3.120 E

METAR

LIEO 170320Z AUTO VRB01KT 9999 NCD 15/11 Q1015

TAF

TAF LIEO 162300Z 1700/1724 25006KT 9999 FEW050 BECMG 1708/1710 09012KT BECMG 1719/1721 VRB05KT TEMPO 1722/1724 2000

Frequencies

TWR - 118.97 MHz - OLBIA TOWER
APP - 125.95 MHz - OLBIA APPROACH

TWR - 122.10 MHz - OLBIA TOWER
REC - 113.90 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	8,029 ft	55.29	ASPHALT	797 ft	203 ft
	45 m	2,447 m	52.17		243 m	62 m
23	148 ft	8,029 ft	235.31	ASPHALT	489 ft	190 ft
	45 m	2,447 m	232.19		149 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	ISM	109.90 MHz	18 nm	-	-	36 ft
				33 km	-		36 m
23	DME	IOL	111.30 MHz	25 nm	-	-	36 ft
				46 km	-		36 m
05	LOC-ILS	ISM	109.90 MHz	18 nm	55.30	-	37 ft
				33 km	52.18		37 m
23	LOC-ILS	IOL	111.30 MHz	18 nm	235.30	-	37 ft
				33 km	232.18		37 m
05	GS	ISM	109.90 MHz	10 nm	55.30	3.50	37 ft
				19 km	52.18		37 m
23	GS	IOL	111.30 MHz	10 nm	235.30	3.00	37 ft
				19 km	232.18		37 m

LIMJ

Region: ITALY
Timezone: UNKNOWN
Runways: 1

Elevation: 13 ft / 4 m
Location: 44.412000 8.841870
Magnetic Var: 3.122 E

METAR

LIMJ 170320Z 06003KT 030V110 CAVOK 18/15 Q1015

TAF

TAF LIMJ 162300Z 1700/1724 12006KT 9999 FEW015 BECMG 1700/1702 04010KT BECMG 1709/1711 14008KT BECMG 1716/1718 VR

Frequencies

REC - 122.82 MHz - ATIS
TWR - 257.80 MHz - GENOVA TOWER
APP - 119.60 MHz - GENOVA APPROACH
TWR - 118.60 MHz - GENOVA TOWER
APP - 119.85 MHz - GENOVA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,576 ft	105.34	ASPHALT	0 ft	197 ft
	45 m	2,919 m	102.22		0 m	60 m
28	148 ft	9,576 ft	285.37	ASPHALT	535 ft	0 ft
	45 m	2,919 m	282.24		163 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	GSE	109.30 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
28	LOC-ILS	GSE	109.30 MHz	18 nm	285.40	-	9 ft
				33 km	282.28		9 m
28	GS	GSE	109.30 MHz	10 nm	285.40	3.17	26 ft
				19 km	282.28		26 m