

KORD

Chicago O'Hare Intl


VHHH

Hong Kong Intl

2024/06/06 1533Z

KORD MSN **V228** DLL **J538** HLDOL JGKPL **V133** YRL **J521** YTH **NCA22** YSF **NCA23** HARUN 6800N-12800W
6900N-13000W 7000N-13300W KITOL 7100N-13700W 7100N-13800W 7100N-13900W TAYTA **NCA32** LISKI NEDSA
B970 BEKMI **G912** NERPA **B806** FA **W223** BANIR **G494** SIMLI **A588** HRB HRB **A588** UDETI **W106** MAKNO **W173** IGDEG
W172 ABVER 3500N12000E HUN **W525** LAGAL **W178** OF **W543** AKSIG LEBIK **V65** IKUBA **W50** XSH XSH **W105** NCH **W19**
BILAT VHHH

7041.90 nm / 13041.60 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KORD	-	41.97570	0 ft	-	Chicago O'Hare Intl
APT	-	-87.90640	0 m		
MSN	-	43.14480	33,700 ft	94	MADISON
VOR	-	-89.33970	10,272 m		
DLL	V228	43.55080	35,000 ft	30	DELLS (BARAB00)
VOR	AWY-LO	-89.76360	10,668 m		
DLH	J538	46.80220	35,000 ft	220	DULUTH
VOR	AWY-HI	-92.20290	10,668 m		
HLDOL	J538	48.60390	35,000 ft	118	-
FIX	AWY-HI	-93.42110	10,668 m		
JGKPL	-	48.60890	35,000 ft	0	-
FIX	-	-93.41150	10,668 m		
YRL	V133	51.07160	35,000 ft	148	RED LAKE
VOR	AWY-LO	-93.76200	10,668 m		
YTH	J521	55.81100	35,000 ft	319	THOMPSON
VOR	AWY-HI	-97.82520	10,668 m		
EPTIR	NCA22	57.90670	35,000 ft	195	-
FIX	AWY-HI	-102.37200	10,668 m		
YSF	NCA22	59.25510	35,000 ft	135	STONY RAPIDS
NDB	AWY-HI	-105.83200	10,668 m		
ALSAB	NCA23	61.51560	35,000 ft	183	-
FIX	AWY-HI	-110.00000	10,668 m		
BILSI	NCA23	64.32550	35,000 ft	249	-
FIX	AWY-HI	-116.75400	10,668 m		
HARUN	NCA23	66.77480	35,000 ft	251	-
FIX	AWY-HI	-125.00000	10,668 m		
6800N-12800W	-	68.00000	35,000 ft	101	-
LATLON	-	-128.00000	10,668 m		
6900N-13000W	-	69.00000	35,000 ft	74	-
LATLON	-	-130.00000	10,668 m		
7000N-13300W	-	70.00000	35,000 ft	87	-
LATLON	-	-133.00000	10,668 m		
KITOL	-	70.50000	35,000 ft	50	-
FIX	-	-135.00000	10,668 m		
7100N-13700W	-	71.00000	35,000 ft	49	-
LATLON	-	-137.00000	10,668 m		
7100N-13800W	-	71.00000	35,000 ft	19	-
LATLON	-	-138.00000	10,668 m		
7100N-13900W	-	71.00000	35,000 ft	19	-
LATLON	-	-139.00000	10,668 m		
TAYTA	-	71.56170	35,000 ft	51	-
FIX	-	-141.00000	10,668 m		
LISKI	NCA32	70.40500	35,000 ft	546	-
FIX	AWY-HI	-168.97300	10,668 m		
NEDSA	-	71.43000	35,000 ft	172	-
FIX	-	-177.21400	10,668 m		
RALUT	B970	70.91670	35,000 ft	96	-
FIX	AWY-HI	178.05100	10,668 m		
MOLEB	B970	70.22170	35,000 ft	106	-
FIX	AWY-HI	173.15500	10,668 m		
BEKMI	B970	69.78330	35,000 ft	58	-
FIX	AWY-HI	170.59900	10,668 m		
RESBU	G912	69.58170	35,000 ft	49	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	168.32000	10,668 m		
IDARI	G912	69.33690	35,000 ft	50	-
FIX	AWY-HI	166.03300	10,668 m		
RKN	G912	68.74030	35,000 ft	107	CHERSKY
VOR	AWY-HI	161.33700	10,668 m		
BAROP	G912	67.96860	35,000 ft	119	-
FIX	AWY-HI	156.37600	10,668 m		
OLMIN	G912	67.46690	35,000 ft	67	-
FIX	AWY-HI	153.71900	10,668 m		
OSLED	G912	66.99030	35,000 ft	56	-
FIX	AWY-HI	151.61200	10,668 m		
LIRTA	G912	66.12560	35,000 ft	96	-
FIX	AWY-HI	148.20600	10,668 m		
LUMON	G912	65.05060	35,000 ft	110	-
FIX	AWY-HI	144.57200	10,668 m		
DIRKI	G912	64.94530	35,000 ft	10	-
FIX	AWY-HI	144.25500	10,668 m		
RITUR	G912	64.85560	35,000 ft	8	-
FIX	AWY-HI	143.98900	10,668 m		
NERPA	G912	64.54890	35,000 ft	29	-
FIX	AWY-HI	143.10500	10,668 m		
SUROK	B806	59.69780	35,000 ft	325	-
FIX	AWY-HI	137.89400	10,668 m		
NELAG	B806	57.64220	35,000 ft	134	-
FIX	AWY-HI	136.16300	10,668 m		
BENAN	B806	56.30190	35,000 ft	87	-
FIX	AWY-HI	135.08400	10,668 m		
RUGIM	B806	55.72330	35,000 ft	37	-
FIX	AWY-HI	134.64300	10,668 m		
MOKSI	B806	55.10110	35,000 ft	40	-
FIX	AWY-HI	134.18500	10,668 m		
LIGDA	B806	54.80860	35,000 ft	19	-
FIX	AWY-HI	133.97400	10,668 m		
FA	B806	53.13530	35,000 ft	108	EKIMCHAN
NDB	AWY-HI	132.83100	10,668 m		
NAROG	W223	52.52360	35,000 ft	75	-
FIX	AWY-HI	130.99800	10,668 m		
NEBIM	W223	52.48360	35,000 ft	4	-
FIX	AWY-HI	130.88400	10,668 m		
KULAL	W223	51.66690	35,000 ft	87	-
FIX	AWY-HI	128.93400	10,668 m		
MAGOR	W223	51.45030	35,000 ft	34	-
FIX	AWY-HI	128.06800	10,668 m		
BANIR	W223	51.32530	35,000 ft	16	-
FIX	AWY-HI	127.66800	10,668 m		
RUNET	G494	50.90330	35,000 ft	25	-
FIX	AWY-HI	127.55700	10,668 m		
BLG	G494	50.39330	35,000 ft	31	BLAGOVESHCHENSK
VOR	AWY-HI	127.42600	10,668 m		
SIMLI	G494	50.29000	35,000 ft	6	-
FIX	AWY-HI	127.36800	10,668 m		
HEK	A588	50.16830	35,000 ft	7	HEIHE
VOR	AWY-HI	127.31000	10,668 m		
BUBDI	A588	46.49830	35,000 ft	223	-
FIX	AWY-HI	126.45300	10,668 m		
HRB	A588	45.62670	35,000 ft	52	HARBIN

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	126.26000	10,668 m		
HRB	-	45.62330	35,000 ft	0	HARBIN VOR-DME
DME	-	126.26000	10,668 m		
PABKI	A588	44.73170	35,000 ft	54	-
FIX	AWY-HI	126.06000	10,668 m		
ISBOP	A588	44.47500	35,000 ft	15	-
FIX	AWY-HI	126.00300	10,668 m		
LJB	A588	43.77330	35,000 ft	42	WANCHANG
VOR	AWY-HI	125.85200	10,668 m		
LEMOT	A588	42.82500	35,000 ft	64	-
FIX	AWY-HI	125.18300	10,668 m		
NUBKI	A588	41.98000	35,000 ft	56	-
FIX	AWY-HI	124.59800	10,668 m		
BIDIB	A588	41.40670	35,000 ft	39	-
FIX	AWY-HI	124.16300	10,668 m		
ISKEM	A588	40.83330	35,000 ft	39	-
FIX	AWY-HI	123.75000	10,668 m		
NODAL	A588	40.04670	35,000 ft	53	-
FIX	AWY-HI	123.17800	10,668 m		
CHI	A588	39.26670	35,000 ft	53	CHANGHAI
VOR	AWY-HI	122.61700	10,668 m		
VENOS	A588	38.90330	35,000 ft	25	-
FIX	AWY-HI	122.32700	10,668 m		
UDETI	A588	38.69170	35,000 ft	14	-
FIX	AWY-HI	122.16000	10,668 m		
MAKNO	W106	38.46330	35,000 ft	49	-
FIX	AWY-HI	121.14800	10,668 m		
TANIB	W173	38.38170	35,000 ft	5	-
FIX	AWY-HI	121.08700	10,668 m		
NIXEP	W173	38.25000	35,000 ft	9	-
FIX	AWY-HI	120.98800	10,668 m		
IGDEG	W173	38.00670	35,000 ft	16	-
FIX	AWY-HI	120.80500	10,668 m		
TEKAM	W172	37.58670	35,000 ft	25	-
FIX	AWY-HI	120.75500	10,668 m		
FD	W172	36.93000	35,000 ft	39	LAIYANG
NDB	AWY-HI	120.63200	10,668 m		
AVBIK	W172	36.52000	35,000 ft	24	-
FIX	AWY-HI	120.56000	10,668 m		
VEPGI	W172	36.38000	35,000 ft	8	-
FIX	AWY-HI	120.49500	10,668 m		
URBAD	W172	36.11670	35,000 ft	15	-
FIX	AWY-HI	120.48000	10,668 m		
ABVER	W172	35.71170	35,000 ft	24	-
FIX	AWY-HI	120.55700	10,668 m		
3500N12000E	-	35.00000	35,000 ft	50	-
LATLON	-	120.00000	10,668 m		
HUN	-	33.77480	35,000 ft	85	HUAIAN
VOR	-	119.11100	10,668 m		
LAGAL	W525	33.46670	35,000 ft	27	-
FIX	AWY-HI	118.70500	10,668 m		
OSIKI	W178	33.21170	35,000 ft	15	-
FIX	AWY-HI	118.66500	10,668 m		
OF	W178	32.67330	35,000 ft	32	BANTAJI
NDB	AWY-HI	118.57800	10,668 m		
AKSIG	W543	32.50000	35,000 ft	10	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	118.53300	10,668 m		
LEBIK	-	31.98330	35,000 ft	39	-
FIX	-	118.04300	10,668 m		
IKUBA	V65	30.85500	35,000 ft	128	-
FIX	AWY-HI	115.90200	10,668 m		
XSH	W50	30.43830	35,000 ft	41	XISHUI VOR-DME
DME	AWY-HI	115.27000	10,668 m		
XSH	-	30.43500	35,000 ft	0	XISHUI
VOR	-	115.26700	10,668 m		
TULMU	W105	29.79170	35,000 ft	41	-
FIX	AWY-HI	115.55200	10,668 m		
LAPEN	W105	29.59670	35,000 ft	12	-
FIX	AWY-HI	115.63700	10,668 m		
PEXEK	W105	29.33330	35,000 ft	16	-
FIX	AWY-HI	115.75200	10,668 m		
EMRAL	W105	29.10000	35,000 ft	14	-
FIX	AWY-HI	115.83300	10,668 m		
NCH	W105	28.88500	35,000 ft	13	CHANGBEI
VOR	AWY-HI	115.91200	10,668 m		
RP	W19	28.61830	35,000 ft	19	LIJIA
NDB	AWY-HI	115.70800	10,668 m		
REMAX	W19	28.37670	35,000 ft	17	-
FIX	AWY-HI	115.52000	10,668 m		
OSONO	W19	27.76500	35,000 ft	37	-
FIX	AWY-HI	115.65500	10,668 m		
PANBO	W19	26.79670	35,000 ft	61	-
FIX	AWY-HI	115.26700	10,668 m		
PLT	W19	25.80830	35,000 ft	63	PANLONG
VOR	AWY-HI	114.87500	10,668 m		
MABAG	W19	24.31330	27,300 ft	91	-
FIX	AWY-HI	114.50700	8,321 m		
BILAT	W19	23.86830	20,200 ft	33	-
FIX	AWY-HI	114.14700	6,157 m		
VHHH	-	22.30890	0 ft	94	Hong Kong Intl
APT	-	113.91500	0 m		

KORD

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 6

Elevation: 680 ft / 207 m
Location: 41.973400 -87.906600
Magnetic Var: 4.115 W

METAR

KORD 061451Z 28019G26KT 10SM CLR 23/09 A2964 RMK A02 PK WND 28026/1450 SLP033 T02330089 58001

TAF

KORD 061453Z 0615/0718 28014G24KT P6SM FEW070 FM061700 29022G33KT P6SM SCT080 FM070000 30014G23KT P6SM SCT120 FM070600 28019G26KT 10SM CLR 23/09 A2964 RMK A02 PK WND 28026/1450 SLP033 T02330089 58001

Frequencies

REC - 135.40 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.25 MHz - CLEARANCE DELIVERY	CLD - 121.60 MHz - CLEARANCE DELIVERY
GND - 118.05 MHz - O'HARE GROUND	GND - 121.67 MHz - O'HARE GROUND
GND - 121.75 MHz - O'HARE GROUND	GND - 121.90 MHz - O'HARE GROUND
GND - 124.12 MHz - O'HARE GROUND	GND - 134.12 MHz - O'HARE GROUND
TWR - 120.75 MHz - O'HARE TOWER	TWR - 121.15 MHz - O'HARE TOWER
TWR - 126.90 MHz - O'HARE TOWER	TWR - 127.92 MHz - O'HARE TOWER
TWR - 132.70 MHz - O'HARE TOWER	TWR - 128.15 MHz - O'HARE TOWER
TWR - 133.00 MHz - O'HARE TOWER	APP - 119.00 MHz - CHICAGO APPROACH
APP - 133.62 MHz - CHICAGO APPROACH	APP - 124.35 MHz - CHICAGO APPROACH
APP - 125.70 MHz - CHICAGO APPROACH	DEP - 125.00 MHz - CHICAGO DEPARTURE
DEP - 125.40 MHz - CHICAGO DEPARTURE	DEP - 127.40 MHz - CHICAGO DEPARTURE
DEP - 128.80 MHz - CHICAGO DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10C	200 ft	10,789 ft	89.85	CONCRETE	0 ft	397 ft
	61 m	3,289 m	93.97		0 m	121 m
28C	200 ft	10,789 ft	269.88	CONCRETE	0 ft	381 ft
	61 m	3,289 m	273.99		0 m	116 m
10L	151 ft	12,996 ft	89.87	CONCRETE	0 ft	394 ft
	46 m	3,961 m	93.99		0 m	120 m
28R	151 ft	12,996 ft	269.91	CONCRETE	0 ft	285 ft
	46 m	3,961 m	274.02		0 m	87 m
04R	151 ft	8,074 ft	41.40	CONCRETE	0 ft	850 ft
	46 m	2,461 m	45.52		0 m	259 m
22L	151 ft	8,074 ft	221.41	CONCRETE	0 ft	584 ft
	46 m	2,461 m	225.53		0 m	178 m
09R	151 ft	7,949 ft	89.98	CONCRETE	0 ft	148 ft
	46 m	2,423 m	94.09		0 m	45 m
27L	151 ft	7,949 ft	270.00	CONCRETE	0 ft	197 ft
	46 m	2,423 m	274.11		0 m	60 m
09L	151 ft	7,484 ft	89.99	CONCRETE	0 ft	397 ft
	46 m	2,281 m	94.10		0 m	121 m
27R	151 ft	7,484 ft	270.00	CONCRETE	0 ft	397 ft
	46 m	2,281 m	274.12		0 m	121 m
10R	151 ft	7,484 ft	89.85	CONCRETE	0 ft	400 ft
	46 m	2,281 m	93.97		0 m	122 m
28L	151 ft	7,484 ft	269.87	CONCRETE	0 ft	400 ft
	46 m	2,281 m	273.99		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	ISAJ	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
10L	DME	IMED	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
27L	DME	IIAC	110.50 MHz	18 nm	-	-	641 ft
				33 km	-		641 m
27R	DME	IABU	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
28R	DME	ITSL	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
04R	LOC-ILS	IFJU	110.10 MHz	18 nm	41.41	-	680 ft
				33 km	45.53		680 m
09L	LOC-ILS	ISAJ	111.75 MHz	18 nm	90.00	-	680 ft
				33 km	94.12		680 m
09R	LOC-ILS	IJAV	110.50 MHz	18 nm	89.99	-	680 ft
				33 km	94.11		680 m
10L	LOC-ILS	IMED	111.10 MHz	18 nm	89.89	-	680 ft
				33 km	94.01		680 m
10C	LOC-ILS	ISXH	108.95 MHz	18 nm	89.86	-	680 ft
				33 km	93.98		680 m
10R	LOC-ILS	IIZJ	110.75 MHz	18 nm	89.86	-	680 ft
				33 km	93.98		680 m
22L	LOC-ILS	ILQQ	110.10 MHz	18 nm	221.41	-	680 ft
				33 km	225.53		680 m
27L	LOC-ILS	IIAC	110.50 MHz	18 nm	269.99	-	680 ft
				33 km	274.11		680 m
27R	LOC-ILS	IABU	111.75 MHz	18 nm	270.00	-	680 ft
				33 km	274.12		680 m
28L	LOC-ILS	IVQX	110.75 MHz	18 nm	269.87	-	680 ft
				33 km	273.99		680 m
28C	LOC-ILS	IVZE	108.95 MHz	18 nm	269.87	-	680 ft
				33 km	273.99		680 m
28R	LOC-ILS	ITSL	111.10 MHz	18 nm	269.88	-	680 ft
				33 km	274.00		680 m
04R	GS	IFJU	110.10 MHz	10 nm	41.41	3.00	680 ft
				19 km	45.53		680 m
09L	GS	ISAJ	111.75 MHz	10 nm	90.00	3.00	680 ft
				19 km	94.12		680 m
09R	GS	IJAV	110.50 MHz	10 nm	89.99	3.00	680 ft
				19 km	94.11		680 m
10L	GS	IMED	111.10 MHz	10 nm	89.89	3.00	680 ft
				19 km	94.01		680 m
10C	GS	ISXH	108.95 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.98		680 m
10R	GS	IIZJ	110.75 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.98		680 m
22L	GS	ILQQ	110.10 MHz	10 nm	221.41	3.00	680 ft
				19 km	225.53		680 m
27L	GS	IIAC	110.50 MHz	10 nm	269.99	3.00	680 ft
				19 km	274.11		680 m
27R	GS	IABU	111.75 MHz	10 nm	270.00	3.00	680 ft
				19 km	274.12		680 m
28L	GS	IVQX	110.75 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.99		680 m
28C	GS	IVZE	108.95 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.99		680 m
28R	GS	ITSL	111.10 MHz	10 nm	269.88	3.00	680 ft
				19 km	274.00		680 m

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.242 W

METAR

VHHH 061500Z 09007KT 9999 FEW010 SCT025 27/24 Q1009 NOSIG

TAF

TAF VHHH 061400Z 0615/0721 14010KT 9999 FEW010 SCT025 TX30/0706Z TN26/0622Z TEMPO 0621/0703 3500 SHRA FEW010CB SC

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.02		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.03		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m