

2024/06/06 2039Z

LFBC BMC LFBD

24.94 nm / 46.19 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 7000ft
- Cruise Speed: 290kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFBC	-	44.53402	0 ft	-	CAZAUX
APT	-	-1.12535	0 m		
BMC	-	44.82694	0 ft	24	BORDEAUX MERIGNAC VOR-DME
VOR	-	-0.72111	0 m		
LFBD	-	44.82876	0 ft	0	Bordeaux Merignac
APT	-	-0.71476	0 m		

LFBC

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 84 ft / 26 m
Location: 44.534000 -1.125350
Magnetic Var: 0.643 E

METAR

LFBC 062000Z AUTO 35008KT CAVOK 18/13 Q1017 NOSIG

TAF

TAF LFBC 061400Z 0615/0715 33010KT CAVOK BECMG 0623/0701 VRB03KT BECMG 0713/0715 31010KT

Frequencies

TWR - 118.40 MHz -
APP - 119.60 MHz -

TWR - 122.10 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	7,858 ft	56.45	ASPHALT	0 ft	1,004 ft
	45 m	2,395 m	55.81		0 m	306 m
24	148 ft	7,858 ft	236.47	ASPHALT	0 ft	1,033 ft
	45 m	2,395 m	235.83		0 m	315 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	CAA	110.10 MHz	18 nm	236.46	-	82 ft
				33 km	235.82		82 m
24	GS	CAA	110.10 MHz	10 nm	236.92	3.00	140 ft
				19 km	236.28		140 m

LFBD

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 166 ft / 51 m
Location: 44.828700 -0.714790
Magnetic Var: 0.747 E

METAR

LFBD 062000Z AUTO 36008KT CAVOK 20/14 Q1017 NOSIG

TAF

TAF TAF LFBD 061700Z 0618/0724 36005KT CAVOK TX29/0715Z TN14/0704Z BECMG 0700/0702 VRB03KT BECMG 0710/0712 03005KT

Frequencies

REC - 131.15 MHz - ATIS MERIGNAC
TWR - 118.30 MHz - MERIGNAC TOWER
APP - 121.20 MHz - MERIGNAC APPROACH
GND - 121.90 MHz - MERIGNAC GROUND
APP - 129.87 MHz - AQUITAINE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	7,927 ft	106.46	ASPHALT	0 ft	1,204 ft
	45 m	2,416 m	105.71		0 m	367 m
29	148 ft	7,927 ft	286.48	ASPHALT	0 ft	1,204 ft
	45 m	2,416 m	285.73		0 m	367 m
05	148 ft	10,181 ft	45.35	ASPHALT	0 ft	1,161 ft
	45 m	3,103 m	44.60		0 m	354 m
23	148 ft	10,181 ft	225.37	ASPHALT	0 ft	1,289 ft
	45 m	3,103 m	224.62		0 m	393 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	DME	BD	110.30 MHz	18 nm	-	-	207 ft
				33 km	-		207 m
29	DME	BEI	111.15 MHz	18 nm	-	-	214 ft
				33 km	-		214 m
23	LOC-ILS	BD	110.30 MHz	18 nm	225.36	-	166 ft
				33 km	224.61		166 m
29	LOC-ILS	BEI	111.15 MHz	18 nm	286.47	-	166 ft
				33 km	285.72		166 m
23	GS	BD	110.30 MHz	10 nm	225.36	3.00	166 ft
				19 km	224.61		166 m
29	GS	BEI	111.15 MHz	10 nm	286.47	3.00	166 ft
				19 km	285.72		166 m