

LTBA

Istanbul Ataturk


LTBJ

Izmir Adnan Menderes Intl

2024/05/08 2032Z

LTBA ATKAN LTBJ

178.54 nm / 330.66 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LTBA	-	40.97610	0 ft	-	Istanbul Ataturk
APT	-	28.81420	0 m	-	
ATKAN	-	39.52000	17,200 ft	97	-
FIX	-	27.84940	5,243 m	-	
LTBJ	-	38.29220	0 ft	80	Izmir Adnan Menderes Intl
APT	-	27.15590	0 m	-	

LTBA

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 163 ft / 50 m
Location: 40.976100 28.814200
Magnetic Var: 6.066 E

METAR

LTBA 081950Z 01015KT 9999 SCT009 BKN030 16/13 Q1017 RMK RWY23 01014KT

TAF

TAF LTBA 081640Z 0818/0918 01014KT CAVOK BECMG 0818/0820 BKN006 BECMG 0820/0823 BKN004 PROB40 0900/0904 2500 BR B

Frequencies

REC - 130.25 MHz - D-ATIS ARRIVAL	REC - 128.20 MHz - D-ATIS DEPARTURE
TWR - 118.02 MHz - YESILKOY TOWER	TWR - 118.10 MHz - YESILKOY TOWER
TWR - 118.17 MHz - YESILKOY TOWER	TWR - 118.37 MHz - YESILKOY TOWER
TWR - 119.80 MHz - YESILKOY TOWER	TWR - 121.35 MHz - YESILKOY TOWER
TWR - 121.60 MHz - YESILKOY TOWER	TWR - 121.97 MHz - YESILKOY TOWER
TWR - 123.52 MHz - YESILKOY TOWER	TWR - 125.30 MHz - YESILKOY TOWER
TWR - 125.90 MHz - YESILKOY TOWER	TWR - 126.05 MHz - YESILKOY TOWER
TWR - 126.80 MHz - YESILKOY TOWER	APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.35 MHz - YESILKOY APPROACH	APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH	APP - 120.45 MHz - YESILKOY APPROACH
APP - 120.50 MHz - YESILKOY APPROACH	APP - 120.70 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH	APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH	APP - 122.57 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH	APP - 124.45 MHz - YESILKOY APPROACH
APP - 126.42 MHz - YESILKOY APPROACH	APP - 127.10 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH	APP - 128.72 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH	APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH	APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH	APP - 132.77 MHz - YESILKOY APPROACH
APP - 132.95 MHz - YESILKOY APPROACH	APP - 133.07 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft	8,513 ft	58.45	ASPHALT	492 ft	207 ft
	60 m	2,595 m	52.38		150 m	63 m
23	197 ft	8,513 ft	238.47	ASPHALT	0 ft	197 ft
	60 m	2,595 m	232.40		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IIST	110.30 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
23	DME	IATA	111.90 MHz	18 nm	-	-	163 ft
				33 km	-		163 m
05	LOC-ILS	IIST	110.30 MHz	18 nm	58.46	-	163 ft
				33 km	52.39		163 m
23	LOC-ILS	IATA	111.90 MHz	18 nm	238.46	-	163 ft
				33 km	232.39		163 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	GS	IIST	110.30 MHz	10 nm	58.46	3.00	163 ft
				19 km	52.39		163 m
23	GS	IATA	111.90 MHz	10 nm	238.46	3.20	163 ft
				19 km	232.39		163 m

LTBJ

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 2

Elevation: 410 ft / 125 m
Location: 38.292200 27.155900
Magnetic Var: 5.515 E

METAR

LTBJ 081950Z 16003KT CAVOK 18/10 Q1015 NOSIG RMK RWY16 20006KT

TAF

TAF LTBJ 081640Z 0818/0918 VRB02KT CAVOK BECMG 0903/0906 FEW035 SCT100 BKN200 TEMPO 0908/0912 18012KT TEMPO 0914/

Frequencies

REC - 129.20 MHz - ATIS	GND - 121.90 MHz - MENDERES GROUND
GND - 121.70 MHz - MENDERES GROUND	TWR - 118.10 MHz - MENDERES TOWER
APP - 119.45 MHz - MENDERES APPROACH	APP - 120.10 MHz - MENDERES APPROACH
APP - 120.17 MHz - MENDERES APPROACH	APP - 134.20 MHz - MENDERES APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	147 ft	10,653 ft	166.68	CONCRETE	0 ft	197 ft
	45 m	3,247 m	161.16		0 m	60 m
34L	147 ft	10,653 ft	346.68	CONCRETE	0 ft	197 ft
	45 m	3,247 m	341.17		0 m	60 m
16L	147 ft	10,653 ft	166.67	ASPHALT	0 ft	197 ft
	45 m	3,247 m	161.15		0 m	60 m
34R	147 ft	10,653 ft	346.67	ASPHALT	0 ft	197 ft
	45 m	3,247 m	341.16		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IIMR	108.50 MHz	18 nm	166.67	-	410 ft
				33 km	161.15		410 m
34R	LOC-ILS	IMEN	110.30 MHz	18 nm	346.67	-	410 ft
				33 km	341.15		410 m
16L	GS	IIMR	108.50 MHz	10 nm	166.67	3.10	410 ft
				19 km	161.15		410 m
34R	GS	IMEN	110.30 MHz	10 nm	346.67	3.00	410 ft
				19 km	341.15		410 m