


2024/05/01 0312Z

KMDW GSH **J60** TYSUN VOLAN **V10** WILSS KPHL

585.30 nm / 1083.98 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KMDW	-	41.78600	0 ft	-	Chicago Midway Intl
APT	-	-87.75250	0 m		
GSH	-	41.52520	28,100 ft	78	GOSHEN
VOR	-	-86.02800	8,565 m		
ASHEN	J60	41.48050	35,000 ft	62	-
FIX	AWY-HI	-84.64680	10,668 m		
NAPOL	J60	41.46040	35,000 ft	22	-
FIX	AWY-HI	-84.15210	10,668 m		
MAYZE	J60	41.43850	35,000 ft	22	-
FIX	AWY-HI	-83.66410	10,668 m		
JERRI	J60	41.38380	35,000 ft	47	-
FIX	AWY-HI	-82.60340	10,668 m		
DJB	J60	41.35810	35,000 ft	19	DRYER
VOR	AWY-HI	-82.16200	10,668 m		
CANCR	J60	41.30560	35,000 ft	26	-
FIX	AWY-HI	-81.57760	10,668 m		
HAGUD	J60	41.19220	35,000 ft	52	-
FIX	AWY-HI	-80.41610	10,668 m		
TYSUN	J60	41.16510	35,000 ft	11	-
FIX	AWY-HI	-80.15630	10,668 m		
VOLAN	-	41.13430	35,000 ft	1	-
FIX	-	-80.14450	10,668 m		
EARED	V10	40.95900	35,000 ft	23	-
FIX	AWY-LO	-79.68010	10,668 m		
TALLS	V10	40.85080	35,000 ft	12	-
FIX	AWY-LO	-79.43250	10,668 m		
LUCCA	V10	40.79880	35,000 ft	6	-
FIX	AWY-LO	-79.31440	10,668 m		
REC	V10	40.54650	35,000 ft	29	REVLOC
VOR	AWY-LO	-78.74700	10,668 m		
JUNEY	V10	40.31120	25,500 ft	46	-
FIX	AWY-LO	-77.77120	7,772 m		
WILSS	V10	40.27600	22,700 ft	13	-
FIX	AWY-LO	-77.48630	6,919 m		
KPHL	-	39.87390	0 ft	106	Philadelphia Intl
APT	-	-75.23740	0 m		

KMDW

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 5

Elevation: 620 ft / 189 m
Location: 41.785900 -87.752500
Magnetic Var: 4.203 W

METAR

KMDW 010253Z 17008KT 10SM SCT110 OVC250 22/12 A2983 RMK A02 SLP097 T02170117 56004

TAF

KMDW 010300Z 0103/0206 17008KT P6SM VCSH BKN120 OVC250 FM010545 20017G27KT P6SM VCSH SCT050 BKN080 TEMPO 0106/0108

Frequencies

REC - 132.75 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 124.62 MHz - CLEARANCE DELIVERY	GND - 121.65 MHz - MIDWAY GROUND
TWR - 135.20 MHz - MIDWAY TOWER	DEP - 128.20 MHz - CHICAGO DEPARTURE
APP - 128.20 MHz - CHICAGO APPROACH	APP - 126.05 MHz - CHICAGO APPROACH
DEP - 126.05 MHz - CHICAGO DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13L	150 ft	5,138 ft	133.63	ASPHALT	751 ft	0 ft
	46 m	1,566 m	137.84		229 m	0 m
31R	150 ft	5,138 ft	313.64	ASPHALT	0 ft	0 ft
	46 m	1,566 m	317.84		0 m	0 m
13C	150 ft	6,525 ft	133.65	ASPHALT	466 ft	0 ft
	46 m	1,989 m	137.85		142 m	0 m
31C	150 ft	6,525 ft	313.66	ASPHALT	699 ft	0 ft
	46 m	1,989 m	317.86		213 m	0 m
13R	60 ft	3,858 ft	133.66	ASPHALT	0 ft	331 ft
	18 m	1,176 m	137.86		0 m	101 m
31L	60 ft	3,858 ft	313.67	ASPHALT	0 ft	95 ft
	18 m	1,176 m	317.87		0 m	29 m
04L	150 ft	5,509 ft	43.35	ASPHALT	761 ft	0 ft
	46 m	1,679 m	47.55		232 m	0 m
22R	150 ft	5,509 ft	223.36	ASPHALT	879 ft	0 ft
	46 m	1,679 m	227.56		268 m	0 m
04R	150 ft	6,443 ft	43.36	ASPHALT	518 ft	0 ft
	46 m	1,964 m	47.56		158 m	0 m
22L	150 ft	6,443 ft	223.37	ASPHALT	633 ft	0 ft
	46 m	1,964 m	227.57		193 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13C	DME	IMDW	109.90 MHz	18 nm	-	-	620 ft
				33 km	-		620 m
31C	DME	IMXT	109.90 MHz	18 nm	-	-	620 ft
				33 km	-		620 m
04R	LOC-ILS	IHKH	111.50 MHz	18 nm	43.37	-	620 ft
				33 km	47.57		620 m
13C	LOC-ILS	IMDW	109.90 MHz	18 nm	133.66	-	620 ft
				33 km	137.86		620 m
31C	LOC-ILS	IMXT	109.90 MHz	18 nm	313.66	-	620 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	317.86		620 m
04R	GS	IHKH	111.50 MHz	10 nm	43.37	3.00	620 ft
				19 km	47.57		620 m
13C	GS	IMDW	109.90 MHz	10 nm	133.66	3.00	620 ft
				19 km	137.86		620 m
31C	GS	IMXT	109.90 MHz	10 nm	313.66	3.00	620 ft
				19 km	317.86		620 m

KPHL

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 36 ft / 11 m
Location: 39.874100 -75.236800
Magnetic Var: 11.990 W

METAR

KPHL 010254Z 04010G19KT 7SM BKN055 BKN110 OVC210 18/13 A2987 RMK A02 SLP115 T01830133 51029

TAF

TAF AMD KPHL 010253Z 0103/0206 03008KT P6SM VCSH BKN060 FM010500 04005KT P6SM BKN035 FM011400 31005KT P6SM SCT035

Frequencies

REC - 133.40 MHz - D-ATIS	REC - 135.92 MHz - D-ATIS
COM - 122.95 MHz - PHILADELPHIA UNICOM	GND - 121.65 MHz - PHILADELPHIA GROUND
GND - 121.90 MHz - PHILADELPHIA GROUND	TWR - 118.50 MHz - PHILADELPHIA TOWER
TWR - 135.10 MHz - PHILADELPHIA TOWER	CLD - 118.85 MHz - CLEARANCE DELIVERY
DEP - 119.75 MHz - PHILADELPHIA DEPARTURE	DEP - 124.35 MHz - PHILADELPHIA DEPARTURE
APP - 123.80 MHz - PHILADELPHIA APPROACH	APP - 124.35 MHz - PHILADELPHIA APPROACH
APP - 126.85 MHz - PHILADELPHIA APPROACH	APP - 127.35 MHz - PHILADELPHIA APPROACH
APP - 128.40 MHz - PHILADELPHIA APPROACH	APP - 133.87 MHz - PHILADELPHIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09R	200 ft	11,981 ft	75.41	ASPHALT	0 ft	292 ft
	61 m	3,652 m	87.40		0 m	89 m
27L	200 ft	11,981 ft	255.44	ASPHALT	1,909 ft	397 ft
	61 m	3,652 m	267.43		582 m	121 m
09L	150 ft	9,482 ft	75.42	ASPHALT	0 ft	413 ft
	46 m	2,890 m	87.41		0 m	126 m
27R	150 ft	9,482 ft	255.44	ASPHALT	0 ft	397 ft
	46 m	2,890 m	267.43		0 m	121 m
17	150 ft	6,508 ft	159.13	ASPHALT	0 ft	200 ft
	46 m	1,984 m	171.12		0 m	61 m
35	150 ft	6,508 ft	339.14	ASPHALT	0 ft	200 ft
	46 m	1,984 m	351.13		0 m	61 m
08	150 ft	4,992 ft	75.44	ASPHALT	0 ft	197 ft
	46 m	1,521 m	87.43		0 m	60 m
26	150 ft	4,992 ft	255.45	ASPHALT	0 ft	0 ft
	46 m	1,521 m	267.44		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IVII	108.95 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
09R	DME	IPHL	109.30 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
26	DME	ILLH	111.55 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
27L	DME	IGLC	109.30 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
27R	DME	IPDP	108.95 MHz	18 nm	-	-	38 ft
				33 km	-		38 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IVII	108.95 MHz	18 nm	75.43	-	36 ft
				33 km	87.42		36 m
09R	LOC-ILS	IPHL	109.30 MHz	18 nm	75.43	-	36 ft
				33 km	87.42		36 m
17	LOC-ILS	IMMY	108.75 MHz	18 nm	159.14	-	36 ft
				33 km	171.13		36 m
27L	LOC-ILS	IGLC	109.30 MHz	18 nm	255.43	-	36 ft
				33 km	267.42		36 m
27R	LOC-ILS	IPDP	108.95 MHz	18 nm	255.43	-	36 ft
				33 km	267.42		36 m
09L	GS	IVII	108.95 MHz	10 nm	75.43	3.00	36 ft
				19 km	87.42		36 m
09R	GS	IPHL	109.30 MHz	10 nm	75.43	3.00	36 ft
				19 km	87.42		36 m
17	GS	IMMY	108.75 MHz	10 nm	159.14	3.00	36 ft
				19 km	171.13		36 m
27L	GS	IGLC	109.30 MHz	10 nm	255.43	3.00	36 ft
				19 km	267.42		36 m
27R	GS	IPDP	108.95 MHz	10 nm	255.43	3.00	36 ft
				19 km	267.42		36 m