

CYUL

Montreal-Pierre Elliot Trudeau Intl


OJAI

Queen Alia Airport

2024/05/21 0249Z

CYUL VIKBU **V352** VLV VLV **V400** PQI IMAMA **Q907** MIILS **N400A** TUDEP **Z** BEXET 5300N0-1200W 5300N0-1100W 5300N0-1000W SHA **L9** SLANY **UL9** DIKAS **UL18** GAVGO **UL9** NORRY **L9** GOXUL **UL9** BIG **UL15** BEGAR **UQ341** RESIA **Q333** BABAG **UN606** PUL **L614** PALEZ **UL614** SOLGU **UM867** KOGAT **M867** DISOR **UL608** FSK **UG18** MES **UL609** ALKIS **UG18** SOLIN OJAI

4890.60 nm / 9057.40 km



Notes

Using NAT tracks from 15/6/2020

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYUL APT	-	45.46750 -73.74380	0 ft 0 m	-	Montreal-Pierre Elliot Trudeau Intl
VIKBU FIX	-	45.81720 -72.04170	26,600 ft 8,108 m	74	-
VLV VOR	V352 AWY-LO	45.92510 -70.84600	35,000 ft 10,668 m	50	BEAUCE
VLV DME	-	45.92500 -70.84590	35,000 ft 10,668 m	0	BEAUCE VOR-DME
DCLNK FIX	V400 AWY-LO	46.11660 -70.25100	35,000 ft 10,668 m	27	-
EIKMN FIX	V400 AWY-LO	46.11900 -70.24310	35,000 ft 10,668 m	0	-
PQI VOR	V400 AWY-LO	46.77420 -68.09450	35,000 ft 10,668 m	97	PRESQUE ISLE
IMAMA FIX	-	46.73830 -67.77750	35,000 ft 10,668 m	13	-
MIILS FIX	Q907 AWY-HI	46.87360 -67.04830	35,000 ft 10,668 m	31	-
TUDEP FIX	N400A AWY-HI	51.16670 -53.23330	35,000 ft 10,668 m	600	-
52/50 LATLON	Z NAT	52.00000 -50.00000	35,000 ft 10,668 m	130	-
55/40 LATLON	Z NAT	55.00000 -40.00000	35,000 ft 10,668 m	399	-
56/30 LATLON	Z NAT	56.00000 -30.00000	35,000 ft 10,668 m	345	-
55/20 LATLON	Z NAT	55.00000 -20.00000	35,000 ft 10,668 m	345	-
DOGAL FIX	Z NAT	54.00000 -15.00000	35,000 ft 10,668 m	184	-
BEXET FIX	Z NAT	54.00000 -14.00000	35,000 ft 10,668 m	35	-
5300N0-1200W LATLON	- -	53.00000 -12.00000	35,000 ft 10,668 m	93	-
5300N0-1100W LATLON	- -	53.00000 -11.00000	35,000 ft 10,668 m	36	-
5300N0-1000W LATLON	- -	53.00000 -10.00000	35,000 ft 10,668 m	36	-
SHA VOR	- -	52.72100 -8.88522	35,000 ft 10,668 m	43	SHANNON
TIPUR FIX	L9 AWY-LO	52.58920 -8.12517	35,000 ft 10,668 m	28	-
ABAGU FIX	L9 AWY-LO	52.50330 -7.64667	35,000 ft 10,668 m	18	-
SLANY FIX	L9 AWY-LO	52.15860 -5.84222	35,000 ft 10,668 m	69	-
STU VOR	UL9 AWY-HI	51.99470 -5.04019	35,000 ft 10,668 m	31	STRUMBLE
DIKAS FIX	UL9 AWY-HI	51.77690 -3.25917	35,000 ft 10,668 m	67	-
GAVGO FIX	UL18 AWY-HI	51.56390 -1.71000	35,000 ft 10,668 m	59	-
KENET	UL9	51.52060	35,000 ft	9	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-1.45500	10,668 m		
CPT	UL9	51.49160	35,000 ft	8	COMPTON
VOR	AWY-HI	-1.21969	10,668 m		
NORRY	UL9	51.47970	35,000 ft	3	-
FIX	AWY-HI	-1.12333	10,668 m		
GOXUL	L9	51.35890	35,000 ft	36	-
FIX	AWY-LO	-0.17583	10,668 m		
BIG	UL9	51.33090	35,000 ft	8	BIGGIN
VOR	AWY-HI	0.03481	10,668 m		
SANDY	UL15	51.06420	35,000 ft	42	-
FIX	AWY-HI	1.06750	10,668 m		
MOTOX	UL15	50.95780	35,000 ft	16	-
FIX	AWY-HI	1.46667	10,668 m		
ING	UL15	50.88320	35,000 ft	11	SAINT INGLEVERT
NDB	AWY-HI	1.74181	10,668 m		
LESDO	UL15	49.80830	35,000 ft	88	-
FIX	AWY-HI	3.31806	10,668 m		
RANUX	UL15	49.13890	35,000 ft	57	-
FIX	AWY-HI	4.36167	10,668 m		
NEBAX	UL15	48.45690	35,000 ft	83	-
FIX	AWY-HI	6.19444	10,668 m		
OBAKI	UL15	48.36580	35,000 ft	10	-
FIX	AWY-HI	6.43056	10,668 m		
BEGAR	UL15	47.90830	35,000 ft	53	-
FIX	AWY-HI	7.58333	10,668 m		
ELMUR	UQ341	47.15680	35,000 ft	70	-
FIX	AWY-HI	8.90761	10,668 m		
RESIA	UQ341	46.47830	35,000 ft	61	-
FIX	AWY-HI	10.04330	10,668 m		
UNTAD	Q333	46.22000	35,000 ft	36	-
FIX	AWY-HI	10.84280	10,668 m		
DIKEM	Q333	46.03970	35,000 ft	25	-
FIX	AWY-HI	11.39940	10,668 m		
ROKIB	Q333	45.93560	35,000 ft	13	-
FIX	AWY-HI	11.69220	10,668 m		
BABAG	Q333	45.38690	35,000 ft	68	-
FIX	AWY-HI	13.12690	10,668 m		
PEVAL	UN606	45.31140	35,000 ft	6	-
FIX	AWY-HI	13.24750	10,668 m		
NAKIT	UN606	45.18810	35,000 ft	11	-
FIX	AWY-HI	13.44780	10,668 m		
PUL	UN606	44.89240	35,000 ft	26	PULA
VOR	AWY-HI	13.91810	10,668 m		
PALEZ	L614	44.57500	35,000 ft	71	-
FIX	AWY-LO	15.53310	10,668 m		
SONIK	UL614	44.44830	35,000 ft	27	-
FIX	AWY-HI	16.14330	10,668 m		
ELTIB	UL614	44.30360	35,000 ft	30	-
FIX	AWY-HI	16.81640	10,668 m		
SOLGU	UL614	44.11580	35,000 ft	38	-
FIX	AWY-HI	17.66140	10,668 m		
GILUK	UM867	43.86690	35,000 ft	24	-
FIX	AWY-HI	18.10560	10,668 m		
OSLUD	UM867	43.47720	35,000 ft	37	-
FIX	AWY-HI	18.78720	10,668 m		
GORAV	UM867	43.30810	35,000 ft	16	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	19.07780	10,668 m		
BUNEX	UM867	43.18440	35,000 ft	11	-
FIX	AWY-HI	19.28870	10,668 m		
MODRA	UM867	43.00700	35,000 ft	16	-
FIX	AWY-HI	19.58880	10,668 m		
MEDUX	UM867	42.74750	35,000 ft	24	-
FIX	AWY-HI	20.02190	10,668 m		
KOGAT	UM867	42.11250	35,000 ft	59	-
FIX	AWY-HI	21.05560	10,668 m		
DISOR	M867	41.24720	35,000 ft	92	-
FIX	AWY-LO	22.75830	10,668 m		
FSK	UL608	41.09870	35,000 ft	13	FISKA
VOR	AWY-HI	22.99150	10,668 m		
DIKNI	UG18	40.89920	35,000 ft	15	-
FIX	AWY-HI	23.20640	10,668 m		
GIKAS	UG18	39.49970	35,000 ft	107	-
FIX	AWY-HI	24.66690	10,668 m		
LUPIS	UG18	39.21060	35,000 ft	22	-
FIX	AWY-HI	24.95890	10,668 m		
NEMIS	UG18	38.37310	35,000 ft	63	-
FIX	AWY-HI	25.78780	10,668 m		
MES	UG18	38.25170	35,000 ft	9	MESTA
VOR	AWY-HI	25.90570	10,668 m		
PIPEN	UL609	38.06140	35,000 ft	15	-
FIX	AWY-HI	26.11670	10,668 m		
IKARO	UL609	37.86640	35,000 ft	15	-
FIX	AWY-HI	26.33110	10,668 m		
URNIL	UL609	37.68500	35,000 ft	14	-
FIX	AWY-HI	26.52860	10,668 m		
LARKI	UL609	37.39890	35,000 ft	22	-
FIX	AWY-HI	26.83830	10,668 m		
RDS	UL609	36.33990	35,000 ft	87	RODOS
VOR	AWY-HI	28.08210	10,668 m		
NILAS	UL609	36.13080	35,000 ft	21	-
FIX	AWY-HI	28.44170	10,668 m		
ALKIS	UL609	35.20000	35,000 ft	94	-
FIX	AWY-HI	30.00000	10,668 m		
MAROS	UG18	34.61670	35,000 ft	55	-
FIX	AWY-HI	30.88330	10,668 m		
APLON	UG18	33.86670	35,000 ft	74	-
FIX	AWY-HI	32.06670	10,668 m		
LEDRA	UG18	33.20000	35,000 ft	63	-
FIX	AWY-HI	33.05000	10,668 m		
PIKOG	UG18	32.82530	29,500 ft	36	-
FIX	AWY-HI	33.62470	8,992 m		
SOLIN	UG18	32.49470	22,200 ft	34	-
FIX	AWY-HI	34.17080	6,767 m		
OJAI	-	31.72330	0 ft	103	Queen Alia Airport
APT	-	35.99400	0 m		

CYUL

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 3

Elevation: 118 ft / 36 m
Location: 45.467500 -73.743800
Magnetic Var: 13.895 W

METAR

CYUL 210200Z 24010KT 15SM SCT240 24/13 A2986 RMK CI3 SLP115 DENSITY ALT 1300FT

TAF

TAF TAF CYUL 202340Z 2100/2124 29007KT P6SM SCT240 FM210500 22008KT P6SM BKN190 FM211200 25010KT P6SM -SHRA BKN050

Frequencies

TWR - 119.90 MHz - MONTREAL TOWER	TWR - 119.30 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER	GND - 121.00 MHz - MONTREAL GROUND
GND - 121.90 MHz - MONTREAL GROUND	CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 132.85 MHz - MONTREAL APPROACH	APP - 126.90 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE	DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS	REC - 127.50 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC	COM - 126.70 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	11,010 ft	42.55	ASPHALT	0 ft	0 ft
	60 m	3,356 m	56.45		0 m	0 m
24R	197 ft	11,010 ft	222.57	ASPHALT	0 ft	0 ft
	60 m	3,356 m	236.47		0 m	0 m
06R	197 ft	9,608 ft	42.59	CONCRETE	0 ft	0 ft
	60 m	2,929 m	56.48		0 m	0 m
24L	197 ft	9,608 ft	222.60	CONCRETE	0 ft	0 ft
	60 m	2,929 m	236.50		0 m	0 m
10	197 ft	7,008 ft	87.61	ASPHALT	0 ft	0 ft
	60 m	2,136 m	101.50		0 m	0 m
28	197 ft	7,008 ft	267.63	ASPHALT	0 ft	0 ft
	60 m	2,136 m	281.52		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm	42.57	-	118 ft
				33 km	56.46		118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm	42.60	-	118 ft
				33 km	56.49		118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm	87.62	-	118 ft
				33 km	101.51		118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm	222.60	-	118 ft
				33 km	236.49		118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm	222.57	-	118 ft
				33 km	236.46		118 m
06L	GS	IUL	109.30 MHz	10 nm	42.57	3.00	118 ft
				19 km	56.46		118 m
06R	GS	IOA	110.50 MHz	10 nm	42.60	3.00	118 ft
				19 km	56.49		118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm	87.62	3.00	118 ft
				19 km	101.51		118 m
24L	GS	IMQ	110.50 MHz	10 nm	222.60	3.00	118 ft
				19 km	236.49		118 m
24R	GS	IZZ	111.90 MHz	10 nm	222.57	3.00	118 ft
				19 km	236.46		118 m

OJAI

Region: JORDAN AND THE WEST BANK
Timezone: ASIA/AMMAN
Runways: 2

Elevation: 2,395 ft / 730 m
Location: 31.723300 35.994000
Magnetic Var: 5.170 E

METAR

OJAI 210200Z 29010KT 5000 HZ NSC 18/05 Q1012 NOSIG

TAF

TAF OJAI 202248Z 2100/2206 29010KT 5000 HZ NSC PROB30 2109/2118 30020KT 3000 BLDU

Frequencies

REC - 127.60 MHz - ATIS
TWR - 119.80 MHz - QUEEN ALIA TOWER
GND - 121.90 MHz - QUEEN ALIA GROUND
APP - 128.90 MHz - AMMAN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	200 ft	12,014 ft	80.37	ASPHALT	0 ft	663 ft
	61 m	3,662 m	75.20		0 m	202 m
26R	200 ft	12,014 ft	260.39	ASPHALT	0 ft	479 ft
	61 m	3,662 m	255.22		0 m	146 m
08R	200 ft	11,991 ft	80.34	ASPHALT	0 ft	489 ft
	61 m	3,655 m	75.17		0 m	149 m
26L	200 ft	11,991 ft	260.36	ASPHALT	0 ft	495 ft
	61 m	3,655 m	255.19		0 m	151 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	IQAN	109.30 MHz	18 nm	80.38	-	2,395 ft
				33 km	75.21		2,395 m
26L	LOC-ILS	IQA	110.90 MHz	18 nm	260.35	-	2,395 ft
				33 km	255.18		2,395 m
26R	LOC-ILS	IQAR	111.10 MHz	18 nm	260.38	-	2,395 ft
				33 km	255.21		2,395 m
08L	GS	IQAN	109.30 MHz	10 nm	80.38	3.00	2,395 ft
				19 km	75.21		2,395 m
26L	GS	IQA	110.90 MHz	10 nm	260.35	3.00	2,395 ft
				19 km	255.18		2,395 m
26R	GS	IQAR	111.10 MHz	10 nm	260.38	3.00	2,395 ft
				19 km	255.21		2,395 m