

VIDP

Indira Gandhi Intl


OTBD

DOHA INTL

2024/05/23 1432Z

VIDP PEKIX **G333** LUN LUN **G333** TIGER **G202** RK **J173** SK **G214** PG PG **G665** ASVIB **N312** SOLUV **M316** KATUS
A791 LALDO **P634** ATBOR **P699** KISAG **M430** IMKON OTBD

1409.86 nm / 2611.06 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 28000ft
- Cruise Speed: 350kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VIDP	-	28.55850	0 ft	-	Indira Gandhi Intl
APT	-	77.09790	0 m		
PEKIX	-	28.75000	27,800 ft	65	-
FIX	-	75.88220	8,473 m		
LUN	G333	28.55280	28,000 ft	111	LUN
VOR	AWY-HI	73.78780	8,534 m		
LUN	-	28.57030	28,000 ft	1	MABOR VOR-DME
DME	-	73.78420	8,534 m		
TIGER	G333	28.48060	28,000 ft	81	-
FIX	AWY-HI	72.24830	8,534 m		
RK	G202	28.36560	28,000 ft	104	RAHIM YAR KHAN
VOR	AWY-HI	70.27320	8,534 m		
SK	J173	27.72230	28,000 ft	87	SUKKUR
NDB	AWY-HI	68.79610	8,534 m		
IDEBA	G214	27.45830	28,000 ft	85	-
FIX	AWY-HI	67.22720	8,534 m		
PG	G214	26.95280	28,000 ft	167	PANJGUR
VOR	AWY-HI	64.13700	8,534 m		
PG	-	26.95560	28,000 ft	0	PANJGUR VOR-DME
DME	-	64.12530	8,534 m		
ASVIB	G665	26.95670	28,000 ft	44	-
FIX	AWY-HI	63.30330	8,534 m		
VAXIP	N312	26.71310	28,000 ft	143	-
FIX	AWY-HI	60.63250	8,534 m		
SOLUV	N312	26.69920	28,000 ft	20	-
FIX	AWY-HI	60.25920	8,534 m		
NAGES	M316	26.41420	28,000 ft	32	-
FIX	AWY-HI	59.75390	8,534 m		
SEVDA	M316	26.03810	28,000 ft	41	-
FIX	AWY-HI	59.09690	8,534 m		
KATUS	M316	25.26670	28,000 ft	84	-
FIX	AWY-HI	57.78330	8,534 m		
IMLOT	A791	25.28560	28,000 ft	35	-
FIX	AWY-HI	57.13440	8,534 m		
LALDO	A791	25.30170	28,000 ft	29	-
FIX	AWY-HI	56.60000	8,534 m		
ATBOR	P634	25.16860	28,000 ft	69	-
FIX	AWY-HI	55.32970	8,534 m		
SITAT	P699	25.18470	28,000 ft	31	-
FIX	AWY-HI	54.75000	8,534 m		
KISAG	P699	25.30940	28,000 ft	28	-
FIX	AWY-HI	54.23560	8,534 m		
ASKOP	M430	25.30750	28,000 ft	5	-
FIX	AWY-HI	54.14140	8,534 m		
KINIG	M430	25.30390	28,000 ft	9	-
FIX	AWY-HI	53.97360	8,534 m		
IMKON	M430	25.29170	26,500 ft	27	-
FIX	AWY-HI	53.46890	8,077 m		
OTBD	-	25.26110	0 ft	103	DOHA INTL
APT	-	51.56510	0 m		

VIDP

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 3

Elevation: 778 ft / 237 m
Location: 28.558500 77.097900
Magnetic Var: 1.603 E

METAR

VIDP 231400Z 08009KT 4000 HZ NSC 37/20 Q1001 NOSIG

TAF

VIDP 231100Z 2312/2418 09010KT 4000 HZ SCT100 BECMG 2318/2320 3000 HZ FEW100 BECMG 2400/2402 11008KT 2500 HZ NSC B

Frequencies

REC - 126.40 MHz - DELHI ATIS
TWR - 118.10 MHz - DELHI TOWER
APP - 124.20 MHz - DELHI APPROACH
GND - 121.90 MHz - DELHI GROUND
APP - 126.35 MHz - DELHI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	14,509 ft	103.69	ASPHALT	2,106 ft	0 ft
	60 m	4,422 m	102.09		642 m	0 m
29	197 ft	14,509 ft	283.72	ASPHALT	4,780 ft	0 ft
	60 m	4,422 m	282.11		1,457 m	0 m
10	150 ft	12,511 ft	104.69	ASPHALT	0 ft	883 ft
	46 m	3,813 m	103.09		0 m	269 m
28	150 ft	12,511 ft	284.71	ASPHALT	0 ft	476 ft
	46 m	3,813 m	283.10		0 m	145 m
09	150 ft	9,219 ft	91.44	ASPHALT	0 ft	197 ft
	46 m	2,810 m	89.84		0 m	60 m
27	150 ft	9,219 ft	271.46	ASPHALT	499 ft	0 ft
	46 m	2,810 m	269.85		152 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DEL	109.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
27	DME	IDLH	110.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
28	DME	IPLM	110.30 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
09	LOC-ILS	IDIA	108.50 MHz	18 nm	91.45	-	778 ft
				33 km	89.85		778 m
10	LOC-ILS	IDEL	109.50 MHz	18 nm	104.70	-	778 ft
				33 km	103.10		778 m
27	LOC-ILS	IDLH	110.50 MHz	18 nm	271.45	-	778 ft
				33 km	269.85		778 m
28	LOC-ILS	IPLM	110.30 MHz	18 nm	284.70	-	778 ft
				33 km	283.10		778 m
11	LOC-ILS	IDMR	111.30 MHz	18 nm	103.71	-	778 ft
				33 km	102.11		778 m
29	LOC-ILS	IDGM	110.90 MHz	18 nm	283.71	-	778 ft
				33 km	282.11		778 m
09	GS	IDIA	108.50 MHz	10 nm	91.45	3.00	778 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	89.85		778 m
10	GS	IDEL	109.50 MHz	10 nm	104.70	3.00	778 ft
				19 km	103.10		778 m
27	GS	IDLH	110.50 MHz	10 nm	271.45	3.00	778 ft
				19 km	269.85		778 m
28	GS	IPLM	110.30 MHz	10 nm	284.70	3.00	778 ft
				19 km	283.10		778 m
11	GS	IDMR	111.30 MHz	10 nm	103.71	3.00	778 ft
				19 km	102.11		778 m
29	GS	IDGM	110.90 MHz	10 nm	283.71	3.00	778 ft
				19 km	282.11		778 m

OTBD

Region: QATAR
Timezone: ASIA/QATAR
Runways: 1

Elevation: 37 ft / 11 m
Location: 25.261100 51.565100
Magnetic Var: 2.778 E

METAR

OTBD 231400Z AUTO 01016KT CAVOK 36/19 Q1003 NOSIG

TAF

TAF OTBD 231105Z 2312/2418 33008KT CAVOK TEMPO 2312/2316 03013G23KT

Frequencies

REC - 126.45 MHz - ATIS
TWR - 118.65 MHz -
APP - 121.10 MHz -
TWR - 121.80 MHz - GND
TWR - 118.90 MHz -
APP - 119.40 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	151 ft	15,014 ft	158.21	ASPHALT	2,461 ft	0 ft
	46 m	4,576 m	155.43		750 m	0 m
33	151 ft	15,014 ft	338.21	ASPHALT	0 ft	459 ft
	46 m	4,576 m	335.44		0 m	140 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	DME	IBD	109.50 MHz	18 nm	-	-	35 ft
				33 km	-		35 m
15	LOC-ILS	AMD	108.50 MHz	18 nm	158.21	-	37 ft
				33 km	155.43		37 m
33	LOC-ILS	IBD	109.50 MHz	18 nm	338.21	-	37 ft
				33 km	335.43		37 m
15	GS	AMD	108.50 MHz	10 nm	158.21	3.00	37 ft
				19 km	155.43		37 m
33	GS	IBD	109.50 MHz	10 nm	338.21	3.00	35 ft
				19 km	335.43		35 m