

# MMCE

Ciudad del Carmen Intl


# TTPP

Piarco Intl

2024/05/12 0417Z

MMCE EMADA **UG633** BZE **UR899** KITIS **UM787** CRO **UW1** VUNUM ALGOK MEXUV ATONO **UA315** MIQ **UA552** CBC CBC  
**UA552** MEGIR TTPP

1877.06 nm / 3476.31 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMCE	-	18.65190	0 ft	-	Ciudad del Carmen Intl
APT	-	-91.79950	0 m		
EMADA	-	17.81670	25,600 ft	71	-
FIX	-	-90.90000	7,803 m		
NALDA	UG633	17.74740	35,000 ft	45	-
FIX	AWY-HI	-90.09980	10,668 m		
AVRIS	UG633	17.66330	35,000 ft	37	-
FIX	AWY-HI	-89.44500	10,668 m		
KINAL	UG633	17.65190	35,000 ft	16	-
FIX	AWY-HI	-89.16250	10,668 m		
LORGO	UG633	17.58720	35,000 ft	23	-
FIX	AWY-HI	-88.74920	10,668 m		
BZE	UG633	17.53960	35,000 ft	25	BELIZE
VOR	AWY-HI	-88.31400	10,668 m		
ANEGA	UR899	17.29690	35,000 ft	25	-
FIX	AWY-HI	-87.95920	10,668 m		
KIRAP	UR899	17.05640	35,000 ft	24	-
FIX	AWY-HI	-87.60640	10,668 m		
ROA	UR899	16.31650	35,000 ft	76	ROATAN
VOR	AWY-HI	-86.52180	10,668 m		
AGUAN	UR899	15.89830	35,000 ft	67	-
FIX	AWY-HI	-85.42970	10,668 m		
DAVRO	UR899	15.62360	35,000 ft	44	-
FIX	AWY-HI	-84.71470	10,668 m		
KITIS	UR899	15.25940	35,000 ft	58	-
FIX	AWY-HI	-83.77860	10,668 m		
TELAX	UM787	14.89420	35,000 ft	89	-
FIX	AWY-HI	-82.27890	10,668 m		
KIKOL	UM787	14.72560	35,000 ft	40	-
FIX	AWY-HI	-81.60110	10,668 m		
NELUR	UM787	14.12970	35,000 ft	140	-
FIX	AWY-HI	-79.27170	10,668 m		
ROPOL	UM787	13.63470	35,000 ft	112	-
FIX	AWY-HI	-77.41670	10,668 m		
REBIM	UM787	11.89000	35,000 ft	365	-
FIX	AWY-HI	-71.43500	10,668 m		
LOKUR	UM787	11.60800	35,000 ft	63	-
FIX	AWY-HI	-70.39680	10,668 m		
CRO	UM787	11.41110	35,000 ft	43	CORO
VOR	AWY-HI	-69.69400	10,668 m		
VUNUM	UW1	11.16750	35,000 ft	76	-
FIX	AWY-HI	-68.41750	10,668 m		
ALGOK	-	11.09030	35,000 ft	26	-
FIX	-	-67.97920	10,668 m		
MEXUV	-	11.03420	35,000 ft	16	-
FIX	-	-67.70000	10,668 m		
ATONO	-	10.99030	35,000 ft	13	-
FIX	-	-67.48360	10,668 m		
MIQ	UA315	10.60950	35,000 ft	37	MAIQUETIA
VOR	AWY-HI	-66.98970	10,668 m		
CBC	UA552	10.57360	35,000 ft	55	CABO CODERA
VOR	AWY-HI	-66.05010	10,668 m		
CBC	-	10.57690	35,000 ft	0	CABO CODERA VOR-DME

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DME	-	-66.04810	10,668 m		
TOSIP	UA552	10.62030	35,000 ft	84	-
FIX	AWY-HI	-64.61610	10,668 m		
UGIRO	UA552	10.64440	30,900 ft	49	-
FIX	AWY-HI	-63.77420	9,418 m		
ESNAP	UA552	10.65810	24,400 ft	30	-
FIX	AWY-HI	-63.25940	7,437 m		
MEGIR	UA552	10.51670	6,800 ft	82	-
FIX	AWY-HI	-61.87220	2,073 m		
TTPP	-	10.59540	0 ft	31	Piarco Intl
APT	-	-61.33730	0 m		

## TTPP

Region: TRINIDAD AND TOBAGO  
Timezone: AMERICA/PORT\_OF\_SPAIN  
Runways: 1

Elevation: 57 ft / 17 m  
Location: 10.595400 -61.337300  
Magnetic Var: 15.351 W

## METAR

TTPP 120400Z 11003KT 9999 FEW016 27/25 Q1012 NOSIG

## TAF

TAF TTPP 112200Z 1200/1224 09003KT 8000 FEW016 BECMG 1212/1214 12012KT SCT022

## Frequencies

REC - 126.70 MHz - ATIS  
TWR - 118.10 MHz - PIARCO TOWER  
APP - 119.55 MHz - PIARCO APPROACH  
GND - 121.90 MHz - PIARCO GROUND  
APP - 119.00 MHz - PIARCO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	10,505 ft	89.80	ASPHALT	0 ft	62 ft
	46 m	3,202 m	105.15		0 m	19 m
28	151 ft	10,505 ft	269.81	ASPHALT	0 ft	180 ft
	46 m	3,202 m	285.16		0 m	55 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IPOS	109.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
10	LOC-ILS	IPOS	109.70 MHz	18 nm	89.49	-	57 ft
				33 km	104.84		57 m
10	GS	IPOS	109.70 MHz	10 nm	90.67	3.00	57 ft
				19 km	106.02		57 m