

# LEPA

Palma de Mallorca


# LXGB

Gibraltar

2024/05/01 0310Z

LEPA BAVR **UM603** ALT **UN851** RIXUR LXGB

435.50 nm / 806.55 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 32000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEPA	-	39.55170	0 ft	-	Palma de Mallorca
APT	-	2.73889	0 m	-	
BAVER	-	38.87980	32,000 ft	104	-
FIX	-	0.67500	9,754 m	-	
GERVU	UM603	38.81990	32,000 ft	9	-
FIX	AWY-HI	0.48333	9,754 m	-	
ALT	UM603	38.26830	32,000 ft	59	ALTET
VOR	AWY-HI	-0.57011	9,754 m	-	
RESTU	UN851	37.90760	32,000 ft	51	-
FIX	AWY-HI	-1.55758	9,754 m	-	
TOSGA	UN851	37.62570	32,000 ft	39	-
FIX	AWY-HI	-2.30736	9,754 m	-	
ROLAS	UN851	37.41560	30,400 ft	28	-
FIX	AWY-HI	-2.85436	9,266 m	-	
UNTOS	UN851	37.25060	25,600 ft	22	-
FIX	AWY-HI	-3.27769	7,803 m	-	
RIXUR	UN851	37.10890	21,500 ft	19	-
FIX	AWY-HI	-3.63650	6,553 m	-	
LXGB	-	36.15120	0 ft	100	Gibraltar
APT	-	-5.34985	0 m	-	

## LEPA

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 2

Elevation: 24 ft / 7 m  
Location: 39.551700 2.738890  
Magnetic Var: 1.675 E

## METAR

LEPA 010230Z 00000KT CAVOK 11/10 Q1008 NOSIG

## TAF

TAF LEPA 302300Z 0100/0124 VRB03KT 9999 FEW060 TX20/0113Z TN10/0106Z PROB30 TEMPO 0102/0106 4000 BR BECMG 0107/01

## Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.81		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.83		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.79		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.81		69 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.80		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.83		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.80		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.80		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.83		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.80		24 m