

# MM76

SAN LUIS RIO COLORADO


# KSAN

San Diego Intl

2024/05/03 0606Z

MM76 ASUTA KSAN

122.87 nm / 227.56 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MM76	-	32.44530	0 ft	-	SAN LUIS RIO COLORADO
APT	-	-114.79800	0 m		
ASUTA	-	32.65250	16,000 ft	45	-
FIX	-	-115.65300	4,877 m		
KSAN	-	32.73360	0 ft	77	San Diego Intl
APT	-	-117.19000	0 m		

## KSAN

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 1

Elevation: 17 ft / 5 m  
Location: 32.733600 -117.190000  
Magnetic Var: 10.971 E

## METAR

KSAN 030451Z 00000KT 10SM OVC019 17/12 A2990 RMK A02 SLP126 T01670122 \$

## TAF

TAF KSAN 030520Z 0306/0412 VRB04KT P6SM OVC016 FM031600 19005KT P6SM BKN022 FM032000 22008KT P6SM SCT025 FM040300

## Frequencies

REC - 134.80 MHz - LINDBERGH ATIS	CLD - 125.90 MHz - LINDBERGH CLEARANCE
GND - 123.90 MHz - LINDBERGH GROUND	TWR - 118.30 MHz - LINDBERGH TOWER
DEP - 119.60 MHz - SOCAL WEST DEPARTURE	DEP - 124.35 MHz - SOCAL EAST DEPARTURE
APP - 119.60 MHz - SOCAL WEST APPROACH	APP - 124.35 MHz - SOCAL EAST APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	200 ft	9,388 ft	106.13	ASPHALT	1,004 ft	390 ft
	61 m	2,861 m	95.16		306 m	119 m
27	200 ft	9,388 ft	286.15	ASPHALT	1,811 ft	0 ft
	61 m	2,861 m	275.18		552 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ISAN	111.55 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
27	DME	IUBR	110.90 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
09	LOC-ILS	ISAN	111.55 MHz	18 nm	106.14	-	17 ft
				33 km	95.17		17 m
27	LOC-LOC	IUBR	110.90 MHz	18 nm	286.14	-	17 ft
				33 km	275.17		17 m
09	GS	ISAN	111.55 MHz	10 nm	106.14	3.10	17 ft
				19 km	95.17		17 m