

LFB0

Toulouse Blagnac


KJFK

John F. Kennedy Intl

2024/05/03 0154Z

LFB0 AGN **UN863** CNA **UN470** SEPAL 4815N 4925N 4930N 4936N 4845N COPLY BOS **J42** LLUND KJFK

3275.96 nm / 6067.08 km



Notes

Requested: LFB0 AGN UN863 CNA UN470 SEPAL 4815N N4820 4925N 4930N 4936N N4840 4845N N4750 PERLU Q475 COPLY BOS J42
Unmatched points: N4820 N4840 N4750 PERLU Q475

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFBO	-	43.62900	0 ft	-	Toulouse Blagnac
APT	-	1.36397	0 m		
AGN	-	43.88800	0 ft	26	AGEN
VOR	-	0.87286	0 m		
SECHE	UN863	44.43860	0 ft	36	-
FIX	AWY-HI	0.51528	0 m		
VELIN	UN863	44.98000	0 ft	35	-
FIX	AWY-HI	0.15556	0 m		
CNA	UN863	45.65960	0 ft	45	COGNAC CHATEAUBERNARD
VOR	AWY-HI	-0.31164	0 m		
DILRA	UN470	45.85000	0 ft	39	-
FIX	AWY-HI	-1.22556	0 m		
GODEM	UN470	46.05190	0 ft	44	-
FIX	AWY-HI	-2.25000	0 m		
NOVAN	UN470	46.32220	0 ft	62	-
FIX	AWY-HI	-3.69917	0 m		
KOLEK	UN470	46.61280	0 ft	72	-
FIX	AWY-HI	-5.40806	0 m		
LAPEX	UN470	47.00000	0 ft	109	-
FIX	AWY-HI	-8.00000	0 m		
SEPAL	UN470	47.00000	0 ft	30	-
FIX	AWY-HI	-8.75000	0 m		
4815N	-	48.00000	0 ft	260	-
FIX	-	-15.00000	0 m		
4925N	-	49.00000	0 ft	402	-
FIX	-	-25.00000	0 m		
4930N	-	49.00000	0 ft	196	-
FIX	-	-30.00000	0 m		
4936N	-	49.00000	0 ft	236	-
LATLON	-	-36.00000	0 m		
4845N	-	48.00000	0 ft	362	-
FIX	-	-45.00000	0 m		
COPLY	-	42.49780	0 ft	1124	-
FIX	-	-70.55790	0 m		
BOS	-	42.35740	0 ft	20	BOSTON
VOR	-	-70.98950	0 m		
PUT	J42	41.95550	0 ft	45	PUTNAM
VOR	AWY-HI	-71.84410	0 m		
HFD	J42	41.64110	0 ft	36	HARTFORD
VOR	AWY-HI	-72.54740	0 m		
PACER	J42	41.43980	0 ft	21	-
FIX	AWY-HI	-72.94040	0 m		
SANTT	J42	41.18890	0 ft	26	-
FIX	AWY-HI	-73.42330	0 m		
LLUND	J42	40.86250	0 ft	25	-
FIX	AWY-HI	-73.78260	0 m		
KJFK	-	40.64010	0 ft	13	John F. Kennedy Intl
APT	-	-73.77650	0 m		

LFBO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 499 ft / 152 m
Location: 43.629000 1.363970
Magnetic Var: 1.337 E

METAR

LFBO 030130Z AUTO VRB02KT CAVOK 06/05 Q1017 NOSIG

TAF

TAF LFBO 022300Z 0300/0406 VRB03KT CAVOK BECMG 0311/0313 28006KT TEMPO 0311/0317 SCT040 BECMG 0317/0319 VRB03KT B

Frequencies

REC - 123.13 MHz - BLAGNAC ATIS	GND - 121.90 MHz - BLAGNAC GROUND
TWR - 118.10 MHz - BLAGNAC TOWER	APP - 121.10 MHz - BLAGNAC APPROACH
APP - 120.35 MHz - TOULOUSE APPROACH	APP - 123.85 MHz - TOULOUSE APPROACH
APP - 125.18 MHz - TOULOUSE APPROACH	APP - 129.30 MHz - TOULOUSE APPROACH
COM - 122.75 MHz - TOULOUSE BLAGNAC UNICOM	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14R	148 ft	11,484 ft	142.99	ASPHALT	0 ft	295 ft
	45 m	3,500 m	141.65		0 m	90 m
32L	148 ft	11,484 ft	323.01	ASPHALT	0 ft	194 ft
	45 m	3,500 m	321.67		0 m	59 m
14L	148 ft	9,923 ft	143.00	ASPHALT	0 ft	30 ft
	45 m	3,025 m	141.67		0 m	9 m
32R	148 ft	9,923 ft	323.02	ASPHALT	0 ft	0 ft
	45 m	3,025 m	321.68		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14L	DME	TG	108.90 MHz	18 nm	-	-	528 ft
				33 km	-		528 m
14R	DME	TBS	110.70 MHz	18 nm	-	-	538 ft
				33 km	-		538 m
32L	DME	TBN	109.30 MHz	18 nm	-	-	535 ft
				33 km	-		535 m
32R	DME	TD	108.35 MHz	18 nm	-	-	554 ft
				33 km	-		554 m
14L	LOC-ILS	TG	108.90 MHz	18 nm	143.02	-	494 ft
				33 km	141.68		494 m
14R	LOC-ILS	TBS	110.70 MHz	18 nm	143.01	-	497 ft
				33 km	141.67		497 m
32L	LOC-ILS	TBN	109.30 MHz	18 nm	322.99	-	487 ft
				33 km	321.65		487 m
32R	LOC-ILS	TD	108.35 MHz	18 nm	322.70	-	486 ft
				33 km	321.36		486 m
14L	GS	TG	108.90 MHz	10 nm	143.02	3.00	494 ft
				19 km	141.68		494 m
14R	GS	TBS	110.70 MHz	10 nm	143.00	3.00	497 ft
				19 km	141.66		497 m
32L	GS	TBN	109.30 MHz	10 nm	323.00	3.00	487 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32R	GS	TD	108.35 MHz	19 km	321.66	3.50	487 m
				10 nm	323.02		486 ft
				19 km	321.68		486 m

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.820 W

METAR

KJFK 030051Z 05004KT 10SM FEW250 17/13 A2995 RMK A02 SLP142 T01720133

TAF

TAF AMD KJFK 030129Z 0301/0406 05005KT P6SM FEW250 FM030700 04010KT P6SM SCT025 SCT250 FM031200 06012G18KT P6SM BKN025

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
31R	DME	IRTH	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm	30.68	-	12 ft
				33 km	43.50		12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm	30.67	-	12 ft
				33 km	43.49		12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm	120.87	-	12 ft
				33 km	133.69		12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm	210.67	-	12 ft
				33 km	223.49		12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm	210.68	-	12 ft
				33 km	223.50		12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm	300.84	-	12 ft
				33 km	313.66		12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm	300.87	-	12 ft
				33 km	313.69		12 m
04L	GS	IHIQ	110.90 MHz	10 nm	30.68	3.00	12 ft
				19 km	43.50		12 m
04R	GS	IJFK	109.50 MHz	10 nm	30.67	3.00	12 ft
				19 km	43.49		12 m
13L	GS	ITLK	111.50 MHz	10 nm	120.87	3.00	12 ft
				19 km	133.69		12 m
22L	GS	IIWY	110.90 MHz	10 nm	210.67	3.00	12 ft
				19 km	223.49		12 m
22R	GS	IJOC	109.50 MHz	10 nm	210.68	3.00	12 ft
				19 km	223.50		12 m
31L	GS	IMOH	111.35 MHz	10 nm	300.84	3.00	12 ft
				19 km	313.66		12 m
31R	GS	IRTH	111.50 MHz	10 nm	300.87	3.00	12 ft
				19 km	313.69		12 m