

# SBEG

Eduardo Gomes


# SBBE

Val De Caes Intl

2024/06/08 1644Z

SBEG UDILO **UW33** ILMAN SBBE

701.83 nm / 1299.78 km



## Notes

Basic altitude profile:

- Ascent Rate: 1800ft/min
- Ascent Speed: 260kts
- Cruise Altitude: 320ft
- Cruise Speed: 330kts
- Descent Rate: 1800ft/min
- Descent Speed: 260kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBEG	-	-3.03861	0 ft	-	Eduardo Gomes
APT	-	-60.04972	0 m		
UDILO	-	-2.96217	11,600 ft	35	-
FIX	-	-59.46267	3,536 m		
TEPIM	UW33	-2.68450	35,000 ft	146	-
FIX	AWY-HI	-57.03417	10,668 m		
PRI	UW33	-2.66728	35,000 ft	15	PARINTINS VOR-DME
VOR	AWY-HI	-56.77311	10,668 m		
XOLOK	UW33	-2.61717	35,000 ft	21	-
FIX	AWY-HI	-56.42617	10,668 m		
TOBUX	UW33	-2.50817	35,000 ft	57	-
FIX	AWY-HI	-55.47867	10,668 m		
STM	UW33	-2.42650	35,000 ft	39	SANTAREM VOR-DME
VOR	AWY-HI	-54.81750	10,668 m		
AMVER	UW33	-2.29558	35,000 ft	48	-
FIX	AWY-HI	-54.01342	10,668 m		
RESIN	UW33	-2.22975	35,000 ft	24	-
FIX	AWY-HI	-53.60925	10,668 m		
MATRA	UW33	-1.98533	35,000 ft	90	-
FIX	AWY-HI	-52.11383	10,668 m		
ILMAN	UW33	-1.49350	8,600 ft	181	-
FIX	AWY-HI	-49.13533	2,621 m		
SBBE	-	-1.38078	0 ft	40	Val De Caes Intl
APT	-	-48.47619	0 m		

## SBEG

Region: BRAZIL

Timezone: AMERICA/MANAUS

Runways: 1

Elevation: 264 ft / 80 m

Location: -3.038600 -60.049700

Magnetic Var: 16.542 W

## METAR

SBEG 081600Z 02007KT 340V050 9999 VCSH SCT025 FEW030TCU SCT100 29/24 Q1016

## TAF

TAF SBEG 080920Z 0812/0912 03005KT 9999 SCT017 TX32/0820Z TN25/0909Z BECMG 0813/0815 10010KT 8000 SCT020 FEW033TCU

## Frequencies

REC - 127.65 MHz - ATIS

TWR - 118.30 MHz - EDUARDO GOMES TOWER

APP - 119.70 MHz - MANAUS APPROACH

APP - 129.55 MHz - MANAUS APPROACH

GND - 121.90 MHz - EDUARDO GOMES GROUND

APP - 119.25 MHz - MANAUS APPROACH

APP - 120.40 MHz - MANAUS APPROACH

APP - 129.80 MHz - MANAUS APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	8,867 ft	90.13	ASPHALT	0 ft	0 ft
	45 m	2,703 m	106.67		0 m	0 m
29	148 ft	8,867 ft	270.13	ASPHALT	0 ft	0 ft
	45 m	2,703 m	286.67		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IEG	110.30 MHz	18 nm	90.13	-	264 ft
				33 km	106.67		264 m
11	GS	IEG	110.30 MHz	10 nm	90.13	3.01	264 ft
				19 km	106.67		264 m

## SBBE

Region: BRAZIL  
Timezone: AMERICA/BELEM  
Runways: 2

Elevation: 56 ft / 17 m  
Location: -1.380720 -48.476200  
Magnetic Var: 20.295 W

## METAR

SBBE 081600Z 09008KT 9999 VCSH BKN030 FEW031TCU SCT100 31/24 Q1014

## TAF

TAF SBBE 080920Z 0812/0912 10007KT CAVOK TX32/0817Z TN25/0909Z BECMG 0813/0815 10012KT 9999 SCT027 BECMG 0817/0819 10007KT CAVOK

## Frequencies

REC - 127.60 MHz - BELEM ATIS  
TWR - 118.70 MHz - BELEM TOWER  
APP - 119.50 MHz - BELEM APP

GND - 121.90 MHz - BELEM GROUND  
APP - 119.05 MHz - BELEM APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,195 ft	45.25	ASPHALT	0 ft	0 ft
	45 m	2,803 m	65.55		0 m	0 m
24	148 ft	9,195 ft	225.25	ASPHALT	0 ft	197 ft
	45 m	2,803 m	245.55		0 m	60 m
02	148 ft	6,026 ft	4.86	ASPHALT	0 ft	197 ft
	45 m	1,837 m	25.16		0 m	60 m
20	148 ft	6,026 ft	184.86	ASPHALT	0 ft	197 ft
	45 m	1,837 m	205.16		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBE	109.30 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
06	LOC-ILS	IBE	109.30 MHz	18 nm	45.25	-	56 ft
				33 km	65.55		56 m
06	GS	IBE	109.30 MHz	10 nm	45.25	3.00	56 ft
				19 km	65.55		56 m