

LFPG

Paris Charles De Gaulle


KSLC

Salt Lake City International Airport

2024/05/29 0124Z

LFPG PETAX **M605** WOD **UL612** HON **UL10** KELLY **L10** BEL RUBEX DONIB **N562** MIMKU 5600N0-1300W SUNOT **A**
61/50 6100N0-5100W 6100N0-5200W 6100N0-5300W 6100N0-5400W 6100N0-5500W KETLA **N880A** FEDDY **SCAI**
YRL **V181** YWG **J515** HML **J107** OCS **V142** WEGEM KSLC

4562.11 nm / 8449.03 km



Notes

Using NAT tracks from 1/7/2020

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG	-	49.00970	0 ft	-	Paris Charles De Gaulle
APT	-	2.56257	0 m		
PETAX	-	50.18670	34,700 ft	97	-
FIX	-	0.84806	10,577 m		
XIDIL	M605	50.35170	35,000 ft	12	-
FIX	AWY-LO	0.64139	10,668 m		
HARDY	M605	50.47110	35,000 ft	9	-
FIX	AWY-LO	0.49111	10,668 m		
WAFFU	M605	50.58250	35,000 ft	8	-
FIX	AWY-LO	0.34972	10,668 m		
SFD	M605	50.76070	35,000 ft	13	SEAFORD
VOR	AWY-LO	0.12191	10,668 m		
WOD	M605	51.45280	35,000 ft	56	WOODLEY
NDB	AWY-LO	-0.87880	10,668 m		
COWLY	UL612	51.61610	35,000 ft	12	-
FIX	AWY-HI	-1.06500	10,668 m		
EMKUK	UL612	51.97690	35,000 ft	24	-
FIX	AWY-HI	-1.35417	10,668 m		
IXURA	UL612	52.06810	35,000 ft	6	-
FIX	AWY-HI	-1.42778	10,668 m		
HON	UL612	52.35670	35,000 ft	19	HONILEY
VOR	AWY-HI	-1.66373	10,668 m		
WAL	UL10	53.39190	35,000 ft	81	WALLASEY
VOR	AWY-HI	-3.13446	10,668 m		
RIGVA	UL10	53.46920	35,000 ft	7	-
FIX	AWY-HI	-3.31611	10,668 m		
TUVDO	UL10	53.59440	35,000 ft	12	-
FIX	AWY-HI	-3.61222	10,668 m		
PENIL	UL10	53.61580	35,000 ft	2	-
FIX	AWY-HI	-3.66361	10,668 m		
LAMVI	UL10	53.78330	35,000 ft	17	-
FIX	AWY-HI	-4.06611	10,668 m		
CASEL	UL10	53.83110	35,000 ft	5	-
FIX	AWY-HI	-4.18250	10,668 m		
KELLY	UL10	53.90530	35,000 ft	7	-
FIX	AWY-HI	-4.36417	10,668 m		
IOM	L10	54.06690	35,000 ft	17	ISLE OF MAN
VOR	AWY-LO	-4.76347	10,668 m		
SLYDA	L10	54.20110	35,000 ft	13	-
FIX	AWY-HI	-5.08750	10,668 m		
RINGA	L10	54.39830	35,000 ft	20	-
FIX	AWY-HI	-5.57111	10,668 m		
DUFFY	L10	54.51470	35,000 ft	12	-
FIX	AWY-HI	-5.86083	10,668 m		
BEL	L10	54.66110	35,000 ft	15	BELFAST
VOR	AWY-HI	-6.22991	10,668 m		
RUBEX	-	55.32000	35,000 ft	46	-
FIX	-	-6.93528	10,668 m		
DONIB	-	55.71920	35,000 ft	35	-
FIX	-	-7.69556	10,668 m		
MIMKU	N562	56.00000	35,000 ft	79	-
FIX	AWY-HI	-10.00000	10,668 m		
5600N0-1300W	-	56.00000	35,000 ft	100	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-13.00000	10,668 m		
SUNOT	-	57.00000	35,000 ft	89	-
FIX	-	-15.00000	10,668 m		
58/20	A	58.00000	35,000 ft	172	-
LATLON	NAT	-20.00000	10,668 m		
60/30	A	60.00000	35,000 ft	331	-
LATLON	NAT	-30.00000	10,668 m		
61/40	A	61.00000	35,000 ft	301	-
LATLON	NAT	-40.00000	10,668 m		
61/50	A	61.00000	35,000 ft	290	-
LATLON	NAT	-50.00000	10,668 m		
6100N0-5100W	-	61.00000	35,000 ft	29	-
LATLON	-	-51.00000	10,668 m		
6100N0-5200W	-	61.00000	35,000 ft	29	-
LATLON	-	-52.00000	10,668 m		
6100N0-5300W	-	61.00000	35,000 ft	29	-
LATLON	-	-53.00000	10,668 m		
6100N0-5400W	-	61.00000	35,000 ft	29	-
LATLON	-	-54.00000	10,668 m		
6100N0-5500W	-	61.00000	35,000 ft	29	-
LATLON	-	-55.00000	10,668 m		
KETLA	-	62.46670	35,000 ft	122	-
FIX	-	-58.00000	10,668 m		
FEDDY	N880A	61.70000	35,000 ft	256	-
FIX	AWY-HI	-67.00000	10,668 m		
IRLAV	SCAI	57.97420	35,000 ft	450	-
FIX	AWY-HI	-80.00000	10,668 m		
LITRO	SCAI	53.36280	35,000 ft	436	-
FIX	AWY-HI	-90.00000	10,668 m		
FERNO	SCAI	51.64750	35,000 ft	147	-
FIX	AWY-HI	-92.87250	10,668 m		
YRL	SCAI	51.07160	35,000 ft	48	RED LAKE
VOR	AWY-HI	-93.76200	10,668 m		
YWG	V181	49.92780	35,000 ft	149	WINNIPEG
VOR	AWY-LO	-97.23920	10,668 m		
HML	J515	48.86920	35,000 ft	63	HUMBOLDT
VOR	AWY-HI	-97.11710	10,668 m		
DPR	J107	45.07820	35,000 ft	295	DUPREE
VOR	AWY-HI	-101.71500	10,668 m		
DDY	J107	43.09090	35,000 ft	230	MUDDY MOUNTAIN (CASPER)
VOR	AWY-HI	-106.27700	10,668 m		
OCS	J107	41.59020	30,600 ft	151	ROCK SPRINGS
VOR	AWY-HI	-109.01500	9,327 m		
PUDVY	V142	41.54270	27,300 ft	14	-
FIX	AWY-LO	-109.34200	8,321 m		
WEGEM	V142	41.44560	21,000 ft	29	-
FIX	AWY-LO	-109.99000	6,401 m		
KSLC	-	40.78700	0 ft	98	Salt Lake City International Airport
APT	-	-111.97500	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.502 E

METAR

LFPG 290100Z 23011KT 9999 BKN018 BKN031 15/12 Q1015 NOSIG

TAF

TAF LFPG 282300Z 2900/3006 22010KT 9999 SCT020 BKN030 TX16/2915Z TN13/2904Z BECMG 2902/2904 BKN012 TEMPO 2904/291

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.84		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.82		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m

KSLC

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 4

Elevation: 4,227 ft / 1,288 m
Location: 40.787000 -111.975000
Magnetic Var: 10.766 E

METAR

KSLC 290054Z 36005KT 10SM FEW090 FEW120 SCT250 30/M01 A2993 RMK A02 SLP083 VIRGA DSNT W SH DSNT SE AND SW T0300101

TAF

KSLC 282331Z 2900/3006 33006KT P6SM FEW090 SCT120 FM290400 15010KT P6SM FEW150 FM291800 32015G24KT P6SM SCT090 BK

Frequencies

REC - 124.75 MHz - ATIS
COM - 122.95 MHz - UNICOM
GND - 121.90 MHz -
TWR - 118.30 MHz -
TWR - 132.65 MHz -
APP - 124.30 MHz - APP/DEP
APP - 126.25 MHz - APP/DEP

REC - 127.62 MHz - ATIS
CLD - 127.30 MHz - CLNC DEL
GND - 133.65 MHz -
TWR - 119.05 MHz -
APP - 121.10 MHz - APP/DEP
APP - 124.90 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	151 ft	12,013 ft	174.97	ASPHALT	0 ft	394 ft
	46 m	3,662 m	164.21		0 m	120 m
34R	151 ft	12,013 ft	354.98	ASPHALT	0 ft	400 ft
	46 m	3,662 m	344.21		0 m	122 m
16R	151 ft	12,013 ft	174.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	164.20		0 m	122 m
34L	151 ft	12,013 ft	354.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	344.21		0 m	122 m
17	151 ft	9,606 ft	179.99	ASPHALT	0 ft	102 ft
	46 m	2,928 m	169.23		0 m	31 m
35	151 ft	9,606 ft	359.99	ASPHALT	335 ft	312 ft
	46 m	2,928 m	349.23		102 m	95 m
14	151 ft	4,896 ft	153.08	ASPHALT	0 ft	0 ft
	46 m	1,492 m	142.32		0 m	0 m
32	151 ft	4,896 ft	333.09	ASPHALT	0 ft	0 ft
	46 m	1,492 m	322.32		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	IMOY	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
16R	DME	IUAT	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
17	DME	IBNT	111.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34L	DME	IUUH	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34R	DME	ISLC	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IMOY	109.50 MHz	18 nm 33 km	174.98 164.21	-	4,227 ft 4,227 m
16R	LOC-ILS	IUAT	111.90 MHz	18 nm 33 km	174.97 164.20	-	4,227 ft 4,227 m
17	LOC-ILS	IBNT	111.50 MHz	18 nm 33 km	179.99 169.22	-	4,227 ft 4,227 m
34L	LOC-ILS	IUUH	111.90 MHz	18 nm 33 km	354.97 344.20	-	4,227 ft 4,227 m
34R	LOC-ILS	ISLC	109.50 MHz	18 nm 33 km	354.98 344.21	-	4,227 ft 4,227 m
35	LOC-ILS	IUTJ	111.50 MHz	18 nm 33 km	359.99 349.23	-	4,227 ft 4,227 m
16L	GS	IMOY	109.50 MHz	10 nm 19 km	174.98 164.21	3.00	4,227 ft 4,227 m
16R	GS	IUAT	111.90 MHz	10 nm 19 km	174.97 164.20	3.00	4,227 ft 4,227 m
17	GS	IBNT	111.50 MHz	10 nm 19 km	179.99 169.22	3.00	4,227 ft 4,227 m
34L	GS	IUUH	111.90 MHz	10 nm 19 km	354.97 344.20	3.00	4,227 ft 4,227 m
34R	GS	ISLC	109.50 MHz	10 nm 19 km	354.98 344.21	3.00	4,227 ft 4,227 m
35	GS	IUTJ	111.50 MHz	10 nm 19 km	359.99 349.22	3.00	4,227 ft 4,227 m