

CYUL

Montreal Pierre E Trudeau Intl


LSGG

Geneva

2024/05/03 0512Z

CYUL OMBRE **J509** VLV **J564** PQI MIILS **N49A** COLOR +47.000_--50.000 T +52.000_--20.000 LIMRI **UN512**
GIPER **UP128** LULOX **UN12** MABUG **UL739** LIZAD **UN160** JSY **UN502** LGL **UL851** RESMI **UM729** AMODO **UH10** OBURO
UZ124 TUTAX LSGG

3312.90 nm / 6135.50 km



Notes

Using NAT tracks from 4/2/2017

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 470kts
- Descent Rate: 1800ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes

- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYUL APT	- -	45.46727 -73.74403	0 ft 0 m	-	Montreal Pierre E Trudeau Intl
OMBRE FIX	- -	45.74611 -72.76139	15,900 ft 4,846 m	44	-
VLV VOR	J509 AWY-HI	45.92506 -70.84603	35,000 ft 10,668 m	80	BEAUCE VOR-DME
VLV1 APT	J564 AWY-HI	46.09976 -70.30343	35,000 ft 10,668 m	24	-
PQI DME	J564 AWY-HI	46.77419 -68.09454	35,000 ft 10,668 m	99	PRESQUE ISLE VOR-DME
MIILS FIX	- -	46.87338 -67.04775	35,000 ft 10,668 m	43	-
COLOR FIX	N49A AWY-HI	46.67333 -52.51333	35,000 ft 10,668 m	597	-
+47.000_--50.000 LATLON	- -	47.00000 -50.00000	35,000 ft 10,668 m	105	-
+48.000_--40.000 LATLON	T NAT	48.00000 -40.00000	35,000 ft 10,668 m	409	-
+50.000_--30.000 LATLON	T NAT	50.00000 -30.00000	35,000 ft 10,668 m	411	-
+52.000_--20.000 LATLON	T NAT	52.00000 -20.00000	35,000 ft 10,668 m	396	-
LIMRI FIX	- -	52.00000 -15.00000	35,000 ft 10,668 m	184	-
GIPER FIX	UN512 AWY-HI	51.00000 -12.00000	35,000 ft 10,668 m	127	-
LULOX FIX	UP128 AWY-HI	50.36667 -8.00000	35,000 ft 10,668 m	156	-
IDOKI FIX	UN12 AWY-HI	49.86028 -6.19417	35,000 ft 10,668 m	75	-
MABUG FIX	UN12 AWY-HI	49.78472 -5.93667	35,000 ft 10,668 m	10	-
LIZAD FIX	UL739 AWY-HI	49.59028 -4.33028	35,000 ft 10,668 m	63	-
JSY VOR	UN160 AWY-HI	49.22111 -2.04611	35,000 ft 10,668 m	91	JERSEY VOR-DME
SENLO FIX	UN502 AWY-HI	49.08333 -1.17833	35,000 ft 10,668 m	35	-
ARGED FIX	UN502 AWY-HI	48.92972 -0.25000	35,000 ft 10,668 m	37	-
LGL VOR	UN502 AWY-HI	48.79061 0.53028	35,000 ft 10,668 m	31	L AIGLE VOR
DITAL FIX	UL851 AWY-HI	48.74472 0.88917	35,000 ft 10,668 m	14	-
PIGOP FIX	UL851 AWY-HI	48.68583 1.33889	35,000 ft 10,668 m	18	-
TABOV FIX	UL851 AWY-HI	48.64417 1.64889	35,000 ft 10,668 m	12	-
RESMI FIX	UL851 AWY-HI	48.56861 2.19194	35,000 ft 10,668 m	22	-
AMODO FIX	UM729 AWY-HI	48.41944 2.98028	35,000 ft 10,668 m	32	-
OKRIX	UH10	47.96611	31,600 ft	35	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	3.56750	9,632 m		
CHABY	UH10	47.79667	27,600 ft	18	-
FIX	AWY-HI	3.94861	8,412 m		
OBURO	UH10	47.65167	23,300 ft	15	-
FIX	AWY-HI	4.26472	7,102 m		
TUTAX	UZ124	46.92139	11,600 ft	59	-
FIX	AWY-HI	5.24694	3,536 m		
LSGG	-	46.23775	0 ft	54	Geneva
APT	-	6.10617	0 m		

CYUL

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 3

Elevation: 118 ft / 36 m
Location: 45.467500 -73.743800
Magnetic Var: 13.898 W

METAR

CYUL 030500Z 07010KT 15SM OVC016 11/08 A3012 RMK ST8 SLP203

TAF

TAF CYUL 030244Z 0303/0324 06008KT P6SM FEW020 SCT060 FM030400 05008KT P6SM FEW008 BKN040 FM030500 02008KT P6SM B

Frequencies

TWR - 119.90 MHz - MONTREAL TOWER	TWR - 119.30 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER	GND - 121.00 MHz - MONTREAL GROUND
GND - 121.90 MHz - MONTREAL GROUND	CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 132.85 MHz - MONTREAL APPROACH	APP - 126.90 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE	DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS	REC - 127.50 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC	COM - 126.70 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	11,010 ft	42.55	ASPHALT	0 ft	0 ft
	60 m	3,356 m	56.45		0 m	0 m
24R	197 ft	11,010 ft	222.57	ASPHALT	0 ft	0 ft
	60 m	3,356 m	236.47		0 m	0 m
06R	197 ft	9,608 ft	42.59	CONCRETE	0 ft	0 ft
	60 m	2,929 m	56.48		0 m	0 m
24L	197 ft	9,608 ft	222.60	CONCRETE	0 ft	0 ft
	60 m	2,929 m	236.50		0 m	0 m
10	197 ft	7,008 ft	87.61	ASPHALT	0 ft	0 ft
	60 m	2,136 m	101.51		0 m	0 m
28	197 ft	7,008 ft	267.63	ASPHALT	0 ft	0 ft
	60 m	2,136 m	281.53		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm	42.57	-	118 ft
				33 km	56.47		118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm	42.60	-	118 ft
				33 km	56.50		118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm	87.62	-	118 ft
				33 km	101.52		118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm	222.60	-	118 ft
				33 km	236.50		118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm	222.57	-	118 ft
				33 km	236.47		118 m
06L	GS	IUL	109.30 MHz	10 nm	42.57	3.00	118 ft
				19 km	56.47		118 m
06R	GS	IOA	110.50 MHz	10 nm	42.60	3.00	118 ft
				19 km	56.50		118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm	87.62	3.00	118 ft
				19 km	101.52		118 m
24L	GS	IMQ	110.50 MHz	10 nm	222.60	3.00	118 ft
				19 km	236.50		118 m
24R	GS	IZZ	111.90 MHz	10 nm	222.57	3.00	118 ft
				19 km	236.47		118 m

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.508 E

METAR

LSGG 030450Z AUTO 25004KT 9999 -RA SCT006 BKN050 08/07 Q1016 NOSIG

TAF

TAF LSGG 030225Z 0303/0409 22005KT 9999 -RA BKN035 TX15/0314Z TN08/0306Z TN05/0406Z BECMG 0307/0309 NSW PROB30 TE

Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.91		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.94		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.93		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.93		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.93		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.93		1,411 m