


2024/06/04 0844Z

KTVC ERY KERY

94.79 nm / 175.55 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KTVC	-	44.74180	0 ft	-	CHERRY CAPITAL
APT	-	-85.58280	0 m		
ERY	-	46.31250	0 ft	94	NEWBERRY VOR-DME
DME	-	-85.46360	0 m		
KERY	-	46.31030	0 ft	0	Luce County
APT	-	-85.45650	0 m		

## KTVC

Region: UNITED STATES  
Timezone: AMERICA/DETROIT  
Runways: 2

Elevation: 624 ft / 190 m  
Location: 44.741800 -85.582800  
Magnetic Var: 6.288 W

## METAR

KTVC 040753Z AUTO VRB04KT 10SM FEW070 FEW095 OVC120 21/17 A2978 RMK A02 SLP081 T02060167 \$

## TAF

TAF KTVC 040520Z 0406/0506 VRB03KT P6SM VCSH SCT050 OVC100 TEMPO 0406/0409 4SM -SHRA BR BKN050 FM041500 18006KT P6

## Frequencies

REC - 119.17 MHz - ATIS  
COM - 122.95 MHz - UNICOM  
TWR - 124.20 MHz -  
COM - 124.20 MHz - CTAF  
GND - 121.80 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	150 ft	6,484 ft	93.71	ASPHALT	0 ft	210 ft
	46 m	1,976 m	100.00		0 m	64 m
28	150 ft	6,484 ft	273.73	ASPHALT	0 ft	194 ft
	46 m	1,976 m	280.02		0 m	59 m
18	150 ft	5,383 ft	180.16	ASPHALT	269 ft	203 ft
	46 m	1,641 m	186.44		82 m	62 m
36	150 ft	5,383 ft	0.15	ASPHALT	0 ft	197 ft
	46 m	1,641 m	6.44		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	LOC-ILS	ITVC	110.70 MHz	18 nm	273.71	-	624 ft
				33 km	280.00		624 m
28	GS	ITVC	110.70 MHz	10 nm	274.44	3.00	611 ft
				19 km	280.73		611 m