

# LFKB

Bastia Poretta


# EBBR

Brussels Airport

2024/05/02 1807Z

LFKB ANAKI **A1** BANKO **UL50** MOLUS **UN853** PENDU **UL47** EPL **UM624** ROUSY EBBR

559.81 nm / 1036.76 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 38000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFKB APT	-	42.55251 9.48371	0 ft 0 m	-	Bastia Poretta
ANAKI FIX	-	44.20111 8.72556	34,000 ft 10,363 m	104	-
LAGEN FIX	A1 AWY-LO	44.39417 8.49806	34,000 ft 10,363 m	15	-
NEDED FIX	A1 AWY-LO	44.69389 8.14056	34,000 ft 10,363 m	23	-
TOP VOR	A1 AWY-LO	44.92525 7.86166	34,000 ft 10,363 m	18	TORINO VOR-DME
KERES FIX	A1 AWY-LO	45.22139 7.59778	34,000 ft 10,363 m	21	-
ADISO FIX	A1 AWY-LO	45.55917 7.29333	34,000 ft 10,363 m	24	-
BANKO FIX	A1 AWY-LO	45.82000 7.05500	34,000 ft 10,363 m	18	-
MOLUS FIX	UL50 AWY-HI	46.44389 6.67944	34,000 ft 10,363 m	40	-
VADEM FIX	UN853 AWY-HI	46.72167 6.48333	34,000 ft 10,363 m	18	-
GILIR FIX	UN853 AWY-HI	47.06333 6.23917	34,000 ft 10,363 m	22	-
PENDU FIX	UN853 AWY-HI	47.34889 6.03278	34,000 ft 10,363 m	19	-
IXILU FIX	UL47 AWY-HI	47.74028 6.04139	35,000 ft 10,668 m	23	-
DANAR FIX	UL47 AWY-HI	48.06778 6.05361	35,000 ft 10,668 m	19	-
EPL VOR	UL47 AWY-HI	48.31783 6.05942	35,000 ft 10,668 m	15	EPINAL MIRECOURT VOR
NANCY FIX	UM624 AWY-HI	48.81750 6.08389	31,100 ft 9,479 m	30	-
JARNY FIX	UM624 AWY-HI	49.19333 6.10000	25,300 ft 7,711 m	22	-
ROUSY FIX	UM624 AWY-HI	49.47639 6.11500	21,600 ft 6,584 m	17	-
EBBR APT	-	50.89995 4.49281	0 ft 0 m	105	Brussels Airport

## LFKB

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 1

Elevation: 24 ft / 7 m  
Location: 42.552600 9.483750  
Magnetic Var: 3.174 E

## METAR

LFKB 021730Z AUTO 29003KT 9999 FEW054 BKN066 BKN078 14/08 Q1009 TEMPO 27015G25KT TSRA FEW040CB BKN060

## TAF

TAF LFKB 021400Z 0215/0315 16010KT 9999 FEW012 SCT018CB BKN035 TX20/0312Z TN10/0304Z TEMPO 0218/0222 27015G25KT S

## Frequencies

REC - 125.92 MHz - LFKB ATIS  
TWR - 118.00 MHz - BASTIA TWR  
APP - 127.25 MHz - BASTIA APP

GND - 121.82 MHz - BASTIA GND  
APP - 123.82 MHz - BASTIA APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	8,273 ft	162.83	ASPHALT	0 ft	102 ft
	45 m	2,522 m	159.66		0 m	31 m
34	148 ft	8,273 ft	342.84	ASPHALT	0 ft	0 ft
	45 m	2,522 m	339.67		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	DME	BP	111.35 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
34	LOC-ILS	BP	111.35 MHz	18 nm	342.81	-	25 ft
				33 km	339.64		25 m
34	GS	BP	111.35 MHz	10 nm	343.62	3.00	25 ft
				19 km	340.45		25 m

## EBBR

Region: BELGIUM  
Timezone: EUROPE/BRUSSELS  
Runways: 3

Elevation: 184 ft / 56 m  
Location: 50.899900 4.492770  
Magnetic Var: 1.999 E

## METAR

EBBR 021720Z 27013KT 9999 BKN014 14/11 Q1003 NOSIG

## TAF

TAF TAF EBBR 021720Z 0218/0324 24009KT 9999 BKN013 TEMPO 0218/0221 27015G25KT 3500 SHRA BKN020CB PROB30 TEMPO 0218/0324 24009KT 9999 BKN013

## Frequencies

REC - 121.75 MHz - ATIS DEP	REC - 132.47 MHz - ATIS ARR
COM - 130.55 MHz - ABELAG UNICOM	CLD - 121.95 MHz - CLNC DEL
GND - 118.05 MHz -	GND - 121.70 MHz -
GND - 121.87 MHz -	TWR - 118.60 MHz -
TWR - 120.77 MHz -	APP - 118.25 MHz -
APP - 120.10 MHz -	APP - 122.50 MHz -
DEP - 126.62 MHz -	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	11,917 ft	65.37	ASPHALT	843 ft	72 ft
	45 m	3,632 m	63.37		257 m	22 m
25R	148 ft	11,917 ft	245.41	ASPHALT	981 ft	0 ft
	45 m	3,632 m	243.41		299 m	0 m
07R	148 ft	10,522 ft	69.88	ASPHALT	407 ft	0 ft
	45 m	3,207 m	67.88		124 m	0 m
25L	148 ft	10,522 ft	249.91	ASPHALT	0 ft	13 ft
	45 m	3,207 m	247.91		0 m	4 m
01	164 ft	9,810 ft	14.44	ASPHALT	157 ft	0 ft
	50 m	2,990 m	12.44		48 m	0 m
19	164 ft	9,810 ft	194.45	ASPHALT	722 ft	43 ft
	50 m	2,990 m	192.45		220 m	13 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	IBX	109.90 MHz	18 nm	-	-	184 ft
				33 km	-		184 m
19	DME	IBM	111.15 MHz	18 nm	-	-	184 ft
				33 km	-		184 m
25R	DME	IBR	108.90 MHz	18 nm	-	-	184 ft
				33 km	-		184 m
01	LOC-ILS	IBX	109.90 MHz	18 nm	14.45	-	184 ft
				33 km	12.45		184 m
19	LOC-ILS	IBM	111.15 MHz	18 nm	194.45	-	184 ft
				33 km	192.45		184 m
25L	LOC-ILS	IBL	110.35 MHz	18 nm	249.89	-	184 ft
				33 km	247.89		184 m
25R	LOC-ILS	IBR	108.90 MHz	18 nm	245.39	-	184 ft
				33 km	243.39		184 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	GS	IBX	109.90 MHz	10 nm	14.45	3.00	184 ft
				19 km	12.45		184 m
19	GS	IBM	111.15 MHz	10 nm	194.45	3.00	184 ft
				19 km	192.45		184 m
25L	GS	IBL	110.35 MHz	10 nm	249.89	3.00	184 ft
				19 km	247.89		184 m
25R	GS	IBR	108.90 MHz	10 nm	245.39	3.00	184 ft
				19 km	243.39		184 m