

LFPM

Melun Villaroche


LKTC

Tocna

2024/05/07 1344Z

LFPM MEDOX UN858 LIMGO UZ111 OBIGA UL984 KULOK LKTC

476.66 nm / 882.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPM	-	48.60810	0 ft	-	Melun Villaroche
APT	-	2.67468	0 m		
MEDOX	-	49.33360	35,000 ft	104	-
FIX	-	5.09694	10,668 m		
VALEK	UN858	49.51440	35,000 ft	28	-
FIX	AWY-HI	5.78111	10,668 m		
LIPNI	UN858	49.53000	35,000 ft	2	-
FIX	AWY-HI	5.84583	10,668 m		
LIMGO	UN858	49.63720	35,000 ft	18	-
FIX	AWY-HI	6.28167	10,668 m		
PITES	UZ111	49.72860	35,000 ft	10	-
FIX	AWY-HI	6.51936	10,668 m		
OBIGA	UZ111	50.03080	35,000 ft	30	-
FIX	AWY-HI	7.13833	10,668 m		
RUDUS	UL984	50.04760	35,000 ft	36	-
FIX	AWY-HI	8.07827	10,668 m		
FFM	UL984	50.05370	35,000 ft	21	FRANKFURT
VOR	AWY-HI	8.63709	10,668 m		
BOMBI	UL984	50.05670	35,000 ft	6	-
FIX	AWY-HI	8.80028	10,668 m		
ESATI	UL984	50.06310	35,000 ft	15	-
FIX	AWY-HI	9.19000	10,668 m		
LOHRE	UL984	50.06690	35,000 ft	11	-
FIX	AWY-HI	9.48639	10,668 m		
OSBIT	UL984	50.07010	35,000 ft	11	-
FIX	AWY-HI	9.78307	10,668 m		
RASPU	UL984	50.07280	35,000 ft	12	-
FIX	AWY-HI	10.09860	10,668 m		
KOMIB	UL984	50.07340	34,600 ft	5	-
FIX	AWY-HI	10.24270	10,546 m		
SULUS	UL984	50.07520	30,500 ft	18	-
FIX	AWY-HI	10.72880	9,296 m		
LONLI	UL984	50.07470	26,400 ft	19	-
FIX	AWY-HI	11.22640	8,047 m		
KULOK	UL984	50.07280	23,100 ft	15	-
FIX	AWY-HI	11.63050	7,041 m		
LKTC	-	49.98560	0 ft	107	Tocna
APT	-	14.42640	0 m		

LFPM

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 300 ft / 91 m
Location: 48.608100 2.674680
Magnetic Var: 1.544 E

METAR

LFPM 071330Z AUTO 01008KT 330V070 9999 FEW042 SCT052 BKN090 19/11 Q1019

TAF

UNKNOWN

Frequencies

REC - 128.17 MHz - ATIS
APP - 118.05 MHz - SEINE APP
APP - 134.30 MHz - SEINE APP
TWR - 121.10 MHz - MELUN TWR
APP - 121.65 MHz - SEINE APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	6,455 ft	103.53	ASPHALT	0 ft	2,730 ft
	45 m	1,968 m	101.99		0 m	832 m
28	148 ft	6,455 ft	283.55	ASPHALT	279 ft	0 ft
	45 m	1,968 m	282.01		85 m	0 m
01	98 ft	4,268 ft	12.71	ASPHALT	0 ft	656 ft
	30 m	1,301 m	11.16		0 m	200 m
19	98 ft	4,268 ft	192.71	ASPHALT	0 ft	2,034 ft
	30 m	1,301 m	191.17		0 m	620 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	MV	111.55 MHz	18 nm	-	-	302 ft
				33 km	-		302 m
28	LOC-ILS	MV	111.55 MHz	18 nm	283.52	-	302 ft
				33 km	281.98		302 m
28	GS	MV	111.55 MHz	10 nm	284.08	3.00	302 ft
				19 km	282.54		302 m