

LFPG

Paris Charles De Gaulle


RKSS

Seoul Gimpo

2024/05/12 1158Z

LFPG ARDEN **UZ706** KOKOR **Z706** GESKA **N851** KEMAX **T408** ALAMI **N746** ETOBA **N87** KOMEK **A714** KUMEN **G722** LKN
G375 BILMI **B946** LAGNI **G719** OGLES GIMIR **G719** TARSAR **R809** PTG **G490** OMITA **A920** KTN **A91** AGINO **A810**
TELOK **A345** HLD ABVAX **A345** GK **R452** SOCHA RKSS

4946.25 nm / 9160.45 km



Notes

Basic altitude profile:

- Ascent Rate: 1900ft/min
- Ascent Speed: 300kts
- Cruise Altitude: 35000ft
- Cruise Speed: 320kts
- Descent Rate: 2300ft/min
- Descent Speed: 270kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00970 2.56257	0 ft 0 m	-	Paris Charles De Gaulle
ARDEN FIX	-	49.86190 4.85778	35,000 ft 10,668 m	103	-
KOMOB FIX	UZ706 AWY-HI	50.14390 5.37361	35,000 ft 10,668 m	26	-
LENDO FIX	UZ706 AWY-HI	50.62530 6.27861	35,000 ft 10,668 m	45	-
NVO VOR	UZ706 AWY-HI	50.82270 6.63654	35,000 ft 10,668 m	18	NOERVENICH
IRBUP FIX	UZ706 AWY-HI	51.49060 7.47722	35,000 ft 10,668 m	51	-
OSDIK FIX	UZ706 AWY-HI	52.07670 8.27972	35,000 ft 10,668 m	46	-
MOBSA FIX	UZ706 AWY-HI	52.20640 8.44944	35,000 ft 10,668 m	9	-
ENUGA FIX	UZ706 AWY-HI	52.65500 9.05972	35,000 ft 10,668 m	35	-
KEGAB FIX	UZ706 AWY-HI	52.91750 9.42417	35,000 ft 10,668 m	20	-
MABAS FIX	UZ706 AWY-HI	53.52060 10.28080	35,000 ft 10,668 m	47	-
PIXID FIX	UZ706 AWY-HI	54.34750 11.51440	35,000 ft 10,668 m	66	-
KOKOR FIX	UZ706 AWY-HI	54.46140 11.69000	35,000 ft 10,668 m	9	-
GESKA FIX	Z706 AWY-HI	54.61750 11.93250	35,000 ft 10,668 m	12	-
KUBIS FIX	N851 AWY-HI	55.22310 12.48170	35,000 ft 10,668 m	41	-
LEBDA FIX	N851 AWY-HI	55.37360 12.62860	35,000 ft 10,668 m	10	-
MOSIN FIX	N851 AWY-HI	55.55280 12.79810	35,000 ft 10,668 m	12	-
GORAX FIX	N851 AWY-HI	55.80610 13.04060	35,000 ft 10,668 m	17	-
KEMAX FIX	N851 AWY-HI	56.12640 13.45380	35,000 ft 10,668 m	23	-
OTVEB FIX	T408 AWY-HI	56.49170 14.26940	35,000 ft 10,668 m	34	-
ALAMI FIX	T408 AWY-HI	59.04780 20.91580	35,000 ft 10,668 m	262	-
ETوبا FIX	N746 AWY-HI	62.18890 29.67780	35,000 ft 10,668 m	319	-
KOMEK FIX	N87 AWY-HI	62.42170 31.10830	35,000 ft 10,668 m	42	-
KULOR FIX	A714 AWY-HI	62.80830 33.22920	35,000 ft 10,668 m	63	-
SUDEP FIX	A714 AWY-HI	62.97500 34.21920	35,000 ft 10,668 m	28	-
OLBAN FIX	A714 AWY-HI	63.21830 35.76920	35,000 ft 10,668 m	44	-
KEGUL	A714	63.34170	35,000 ft	23	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	36.61420	10,668 m		
MOSOR	A714	63.61500	35,000 ft	46	-
FIX	AWY-HI	38.22920	10,668 m		
KUMEN	A714	64.28330	35,000 ft	131	-
FIX	AWY-HI	42.96420	10,668 m		
LKN	G722	64.89220	35,000 ft	80	LESHUKONSKOYE
VOR	AWY-HI	45.72640	10,668 m		
NAKIR	G375	65.08690	35,000 ft	52	-
FIX	AWY-HI	47.74920	10,668 m		
NARUD	G375	65.29860	35,000 ft	61	-
FIX	AWY-HI	50.14080	10,668 m		
BILMI	G375	65.43780	35,000 ft	52	-
FIX	AWY-HI	52.20000	10,668 m		
NAREK	B946	65.71080	35,000 ft	245	-
FIX	AWY-HI	62.09000	10,668 m		
OTNIS	B946	65.74110	35,000 ft	60	-
FIX	AWY-HI	64.54500	10,668 m		
PENIG	B946	65.74250	35,000 ft	37	-
FIX	AWY-HI	66.07360	10,668 m		
ATSEK	B946	65.73940	35,000 ft	13	-
FIX	AWY-HI	66.63670	10,668 m		
RODKA	B946	65.73360	35,000 ft	16	-
FIX	AWY-HI	67.31530	10,668 m		
LAGNI	B946	65.66720	35,000 ft	80	-
FIX	AWY-HI	70.58170	10,668 m		
OGLES	G719	65.57810	35,000 ft	26	-
FIX	AWY-HI	71.64390	10,668 m		
GIMIR	-	65.48220	35,000 ft	26	-
FIX	-	72.69860	10,668 m		
BANIL	G719	65.38030	35,000 ft	26	-
FIX	AWY-HI	73.74720	10,668 m		
DIKEN	G719	65.05390	35,000 ft	76	-
FIX	AWY-HI	76.69530	10,668 m		
TARSA	G719	64.91720	35,000 ft	28	-
FIX	AWY-HI	77.78190	10,668 m		
LOKDI	R809	64.17530	35,000 ft	99	-
FIX	AWY-HI	81.23560	10,668 m		
TABOS	R809	63.98390	35,000 ft	24	-
FIX	AWY-HI	82.04890	10,668 m		
DIRUK	R809	63.77060	35,000 ft	24	-
FIX	AWY-HI	82.82440	10,668 m		
ABREN	R809	63.24390	35,000 ft	58	-
FIX	AWY-HI	84.63920	10,668 m		
OTRIS	R809	62.24720	35,000 ft	103	-
FIX	AWY-HI	87.71110	10,668 m		
REMTA	R809	61.83860	35,000 ft	48	-
FIX	AWY-HI	89.18640	10,668 m		
PTG	R809	61.59890	35,000 ft	27	PODKAMENNAYA TUNGUSKA
VOR	AWY-HI	90.01330	10,668 m		
AGEKA	G490	61.33110	35,000 ft	26	-
FIX	AWY-HI	90.73920	10,668 m		
NIDAT	G490	60.69530	35,000 ft	61	-
FIX	AWY-HI	92.38190	10,668 m		
SEVIK	G490	60.41720	35,000 ft	26	-
FIX	AWY-HI	93.06640	10,668 m		
KULIM	G490	60.12000	35,000 ft	27	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	93.76170	10,668 m		
TALOD	G490	59.96720	35,000 ft	13	-
FIX	AWY-HI	94.11140	10,668 m		
PEDAN	G490	59.59720	35,000 ft	32	-
FIX	AWY-HI	94.91140	10,668 m		
TIKUS	G490	59.43390	35,000 ft	14	-
FIX	AWY-HI	95.27140	10,668 m		
ADASO	G490	59.24720	35,000 ft	16	-
FIX	AWY-HI	95.67470	10,668 m		
BARIK	G490	58.37720	35,000 ft	74	-
FIX	AWY-HI	97.36970	10,668 m		
OMITA	G490	57.68060	35,000 ft	65	-
FIX	AWY-HI	98.96000	10,668 m		
OSNIK	A920	56.74810	35,000 ft	114	-
FIX	AWY-HI	102.01700	10,668 m		
UBORA	A920	55.91720	35,000 ft	95	-
FIX	AWY-HI	104.45100	10,668 m		
ABLAS	A920	55.70220	35,000 ft	23	-
FIX	AWY-HI	105.04400	10,668 m		
NAROB	A920	55.36640	35,000 ft	36	-
FIX	AWY-HI	105.92300	10,668 m		
LUPIT	A920	55.33360	35,000 ft	3	-
FIX	AWY-HI	106.00700	10,668 m		
GOGIL	A920	55.16720	35,000 ft	17	-
FIX	AWY-HI	106.43000	10,668 m		
NIRUN	A920	54.81970	35,000 ft	36	-
FIX	AWY-HI	107.29000	10,668 m		
ARNAB	A920	54.63780	35,000 ft	18	-
FIX	AWY-HI	107.72900	10,668 m		
MOPON	A920	54.24970	35,000 ft	39	-
FIX	AWY-HI	108.64100	10,668 m		
ALUMI	A920	53.63720	35,000 ft	60	-
FIX	AWY-HI	110.01500	10,668 m		
KTN	A920	52.02440	35,000 ft	153	KADALA (CHITA)
VOR	AWY-HI	113.30800	10,668 m		
LASAD	A91	51.61310	35,000 ft	32	-
FIX	AWY-HI	113.86300	10,668 m		
AGINO	A91	51.10060	35,000 ft	39	-
FIX	AWY-HI	114.53400	10,668 m		
NEKLU	A810	50.58060	35,000 ft	62	-
FIX	AWY-HI	115.96100	10,668 m		
NAREM	A810	50.38390	35,000 ft	22	-
FIX	AWY-HI	116.45100	10,668 m		
BADEK	A810	50.14560	35,000 ft	18	-
FIX	AWY-HI	116.74700	10,668 m		
TELOK	A810	49.63330	35,000 ft	39	-
FIX	AWY-HI	117.36700	10,668 m		
MANLI	A345	49.58330	35,000 ft	4	-
FIX	AWY-HI	117.45000	10,668 m		
KAGAK	A345	49.26670	35,000 ft	31	-
FIX	AWY-HI	118.10000	10,668 m		
HLD	A345	49.20330	35,000 ft	67	HAILAR
VOR	AWY-HI	119.82200	10,668 m		
ABVAX	-	47.46000	35,000 ft	109	-
FIX	-	120.59000	10,668 m		
ELPUN	A345	46.30670	35,000 ft	72	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	121.07200	10,668 m		
IKITI	A345	45.91500	35,000 ft	24	-
FIX	AWY-HI	121.23500	10,668 m		
APUKO	A345	44.89500	35,000 ft	71	-
FIX	AWY-HI	122.11800	10,668 m		
DULEX	A345	43.93830	35,000 ft	67	-
FIX	AWY-HI	122.92800	10,668 m		
UGRUP	A345	43.61500	35,000 ft	22	-
FIX	AWY-HI	123.19800	10,668 m		
KYU	A345	42.63170	35,000 ft	68	KAIYUAN
VOR	AWY-HI	124.00700	10,668 m		
EKVOK	A345	41.82330	35,000 ft	48	-
FIX	AWY-HI	124.11000	10,668 m		
BIDIB	A345	41.40670	35,000 ft	25	-
FIX	AWY-HI	124.16300	10,668 m		
ANSUK	A345	41.04830	35,000 ft	21	-
FIX	AWY-HI	124.19300	10,668 m		
DDG	A345	40.26000	35,000 ft	47	DANDONG VOR-DME
DME	AWY-HI	124.28800	10,668 m		
GOLOT	A345	40.20830	35,000 ft	10	-
FIX	AWY-HI	124.50800	10,668 m		
GASAN	A345	39.73190	35,000 ft	51	-
FIX	AWY-HI	125.44500	10,668 m		
GK	A345	39.21850	35,000 ft	32	PYONGYANG
VOR	AWY-HI	125.67600	10,668 m		
SOCHA	R452	39.25000	35,000 ft	25	-
FIX	AWY-HI	126.21700	10,668 m		
RKSS	-	37.55870	0 ft	105	Seoul Gimpo
APT	-	126.79000	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.496 E

METAR

LFPG 121130Z 13006KT 090V150 9999 FEW033CB SCT065 BKN098 25/13 Q1013 TEMPO VRB15G30KT 3000 -TSRA SCT020CB

TAF

TAF LFPG 120500Z 1206/1312 12005KT CAVOK TX27/1212Z TN14/1206Z BECMG 1211/1213 20015KT SCT025CB TEMPO 1213/1216 2

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m

RKSS

Region: SOUTH KOREA
Timezone: ASIA/SEOUL
Runways: 2

Elevation: 58 ft / 18 m
Location: 37.558700 126.790000
Magnetic Var: 8.847 W

METAR

RKSS 121100Z 32013KT CAVOK 18/07 Q1011 NOSIG

TAF

TAF RKSS 120500Z 1206/1312 32009KT CAVOK TN09/1221Z TX23/1306Z BECMG 1214/1216 06005KT BECMG 1222/1224 27006KT

Frequencies

REC - 126.40 MHz - ATIS	CLD - 122.60 MHz - CLNC DEL
CLD - 125.85 MHz - CLNC DEL	GND - 121.90 MHz -
TWR - 127.10 MHz - SEOUL RDO	TWR - 118.10 MHz -
APP - 120.80 MHz - SEOUL APP	APP - 119.75 MHz - SEOUL APP
APP - 119.90 MHz - SEOUL APP	APP - 125.50 MHz - SEOUL APP
DEP - 125.15 MHz - SEOUL DEP	DEP - 124.80 MHz - SEOUL DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14L	148 ft	11,835 ft	135.13	ASPHALT	0 ft	394 ft
	45 m	3,607 m	143.97		0 m	120 m
32R	148 ft	11,835 ft	315.14	ASPHALT	0 ft	394 ft
	45 m	3,607 m	323.99		0 m	120 m
14R	197 ft	10,515 ft	135.11	ASPHALT	0 ft	390 ft
	60 m	3,205 m	143.95		0 m	119 m
32L	197 ft	10,515 ft	315.12	ASPHALT	0 ft	384 ft
	60 m	3,205 m	323.97		0 m	117 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14R	DME	IOFR	108.70 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
32L	DME	IKMO	108.30 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
32R	DME	ISKP	110.70 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
14L	LOC-ILS	ISEL	109.90 MHz	18 nm	135.12	-	58 ft
				33 km	143.97		58 m
14R	LOC-ILS	IOFR	108.70 MHz	18 nm	135.12	-	58 ft
				33 km	143.97		58 m
32L	LOC-ILS	IKMO	108.30 MHz	18 nm	315.12	-	58 ft
				33 km	323.97		58 m
32R	LOC-ILS	ISKP	110.70 MHz	18 nm	315.14	-	58 ft
				33 km	323.99		58 m
14L	GS	ISEL	109.90 MHz	10 nm	135.12	3.00	58 ft
				19 km	143.97		58 m
14R	GS	IOFR	108.70 MHz	10 nm	135.12	3.00	58 ft
				19 km	143.97		58 m
32L	GS	IKMO	108.30 MHz	10 nm	315.12	3.00	58 ft
				19 km	323.97		58 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32R	GS	ISKP	110.70 MHz	10 nm	315.14	3.00	58 ft
				19 km	323.99		58 m