

EGLL

London Heathrow


LFMT

Montpellier/Mediterranee

2024/05/08 0044Z

EGLL PETAX **UZ296** VELOL **J150** VEPET **J151** MOBRO MOPAR 4900N0200E TSU RESMI **UM728** OBEPa **UM133** LERGA
LFMT

514.91 nm / 953.61 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGLL APT	-	51.47120 -0.46088	0 ft 0 m	-	London Heathrow
PETAX FIX	-	50.18670 0.84806	32,700 ft 9,967 m	91	-
VELOL FIX	UZ296 AWY-HI	49.93860 1.28667	35,000 ft 10,668 m	22	-
VEPET FIX	J150 AWY-LO	49.71030 1.50111	35,000 ft 10,668 m	16	-
MOBRO FIX	J151 AWY-LO	49.45540 1.60644	35,000 ft 10,668 m	15	-
MOPAR FIX	-	49.29170 1.75728	35,000 ft 10,668 m	11	-
4900N0200E LATLON	-	49.00000 2.00000	35,000 ft 10,668 m	19	-
TSU VOR	-	48.75370 2.10236	35,000 ft 10,668 m	15	TOUSSUS LE NOBLE
RESMI FIX	-	48.56860 2.19194	35,000 ft 10,668 m	11	-
KOTAP FIX	UM728 AWY-HI	48.28330 2.30000	35,000 ft 10,668 m	17	-
KETEX FIX	UM728 AWY-HI	48.13330 2.35972	35,000 ft 10,668 m	9	-
KUSEK FIX	UM728 AWY-HI	47.70610 2.57111	35,000 ft 10,668 m	27	-
KOTIS FIX	UM728 AWY-HI	47.23000 2.80250	35,000 ft 10,668 m	30	-
KUKOR FIX	UM728 AWY-HI	46.54190 3.12917	35,000 ft 10,668 m	43	-
OBEP FIX	UM728 AWY-HI	45.53530 3.61833	25,400 ft 7,742 m	63	-
LERGA FIX	UM133 AWY-HI	45.25730 3.75017	21,700 ft 6,614 m	17	-
LFMT APT	-	43.57620 3.96325	0 ft 0 m	101	Montpellier/Mediterranee

EGLL

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 83 ft / 25 m
Location: 51.471200 -0.460881
Magnetic Var: 0.376 E

METAR

EGLL 080020Z AUTO 04003KT 9999 NCD 11/08 Q1028 NOSIG

TAF

TAF EGLL 072254Z 0800/0906 03005KT 9999 FEW010 PROB40 0800/0808 7000 PROB30 TEMPO 0802/0808 BKN006 BECMG 0817/082

Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.30		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.35		0 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m

LFMT

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 17 ft / 5 m
Location: 43.576200 3.963250
Magnetic Var: 1.988 E

METAR

LFMT 080030Z AUTO 29010KT 9999 /////TCU 16/08 Q1017 BECMG NSC

TAF

TAF LFMT 072000Z 0721/0821 31010KT CAVOK BECMG 0807/0809 01013KT TEMPO 0810/0816 01015G25KT

Frequencies

REC - 124.12 MHz - MONTPELLIER ATIS	GND - 121.95 MHz - MONTPELLIER GND
TWR - 118.20 MHz - MONTPELLIER TWR	TWR - 118.77 MHz - MONTPELLIER TWR
APP - 120.37 MHz - MONTPELLIER APP	APP - 130.85 MHz - MONTPELLIER APP
APP - 133.77 MHz - MONTPELLIER APP	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12L	164 ft	8,539 ft	124.83	ASPHALT	0 ft	0 ft
	50 m	2,603 m	122.84		0 m	0 m
30R	164 ft	8,539 ft	304.85	ASPHALT	0 ft	0 ft
	50 m	2,603 m	302.86		0 m	0 m
12R	98 ft	3,612 ft	124.80	ASPHALT	328 ft	0 ft
	30 m	1,101 m	122.81		100 m	0 m
30L	98 ft	3,612 ft	304.81	ASPHALT	0 ft	0 ft
	30 m	1,101 m	302.82		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30R	LOC-ILS	FG	108.55 MHz	18 nm	304.75	-	16 ft
				33 km	302.76		16 m
30R	GS	FG	108.55 MHz	10 nm	305.50	3.00	16 ft
				19 km	303.51		16 m