


2024/06/04 1217Z

RCSS ANLOT RCKH

171.18 nm / 317.02 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RCSS	-	25.06960	0 ft	-	Songshan
APT	-	121.55300	0 m		
ANLOT	-	23.90720	17,100 ft	90	-
FIX	-	120.48700	5,212 m		
RCKH	-	22.57690	0 ft	80	Kaohsiung Int'l
APT	-	120.35000	0 m		

RCSS

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 1

Elevation: 18 ft / 5 m
Location: 25.069600 121.553000
Magnetic Var: 5.036 W

METAR

RCSS 041200Z 08010KT 9999 FEW020 SCT045 BKN070 26/20 Q1012 NOSIG RMK A2989

TAF

TAF RCSS 041100Z 0412/0512 09010KT 9999 FEW015 BKN032 TEMPO 0416/0422 10005KT 7000 -RA FEW010 BKN017 TEMPO 0503/0512 10005KT 7000 -RA FEW010 BKN017

Frequencies

REC - 127.40 MHz - ATIS
CLD - 121.20 MHz - CLEARANCE DELIVERY
TWR - 118.10 MHz - SONGSHAN TOWER
APP - 119.60 MHz - TAIPEI APPROACH
APP - 130.10 MHz - TAIPEI APPROACH
APP - 125.10 MHz - TAIPEI APPROACH
APP - 124.20 MHz - TAIPEI APPROACH
APP - 125.60 MHz - TAIPEI APPROACH

REC - 431.00 MHZ - ATIS
GND - 121.90 MHZ - SONGSHAN GROUND
APP - 119.70 MHZ - TAIPEI APPROACH
APP - 123.50 MHZ - TAIPEI APPROACH
APP - 129.60 MHZ - TAIPEI APPROACH
APP - 128.50 MHZ - TAIPEI APPROACH
APP - 120.40 MHZ - TAIPEI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	197 ft	8,555 ft	92.21	ASPHALT	0 ft	197 ft
	60 m	2,607 m	97.25		0 m	60 m
28	197 ft	8,555 ft	272.22	ASPHALT	0 ft	764 ft
	60 m	2,607 m	277.26		0 m	233 m

Approach NavAids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	ITSG	108.90 MHz	18 nm	–	–	18 ft
				33 km	–		18 m
28	DME	ITLU	108.10 MHz	18 nm	–	–	18 ft
				33 km	–		18 m
10	LOC-ILS	ITSG	108.90 MHz	18 nm	92.22	–	18 ft
				33 km	97.26		18 m
10	GS	ITSG	108.90 MHz	10 nm	92.22	3.00	18 ft
				19 km	97.26		18 m

RCKH

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 1

Elevation: 31 ft / 9 m
Location: 22.576900 120.350000
Magnetic Var: 4.340 W

METAR

RCKH 041200Z 02008KT 9999 -RA FEW006 FEW009TCU SCT014 BKN026 25/24 Q1011 NOSIG RMK TCU SE A2986

TAF

TAF RCKH 041100Z 0412/0518 33005KT 9999 FEW015 BKN032 TEMPO 0412/0416 3200 SHRA SCT008 BKN014 TEMPO 0419/0501 0300

Frequencies

TWR - 118.70 MHz -
REC - 127.80 MHz - ATIS

APP - 124.70 MHz -
GND - 121.90 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	197 ft 60 m	10,344 ft 3,153 m	92.04 96.38	CONCRETE	525 ft 160 m	197 ft 60 m
27	197 ft 60 m	10,344 ft 3,153 m	272.05 276.39	CONCRETE	1,460 ft 445 m	197 ft 60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IKHG	108.30 MHz	18 nm 33 km	- -	-	31 ft 31 m
27	DME	IKAS	109.70 MHz	18 nm 33 km	- -	-	31 ft 31 m
09	LOC-ILS	IKHG	108.30 MHz	18 nm 33 km	92.05 96.39	-	31 ft 31 m
27	LOC-LOC	IKAS	109.70 MHz	18 nm 33 km	272.05 276.39	-	31 ft 31 m
09	GS	IKHG	108.30 MHz	10 nm 19 km	92.05 96.39	3.00	31 ft 31 m
27	GS	IKAS	109.70 MHz	10 nm 19 km	272.05 276.39	3.00	31 ft 31 m